गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

निर्णय नं. १

गोकर्णेश्वर नगरपालिकाको मिति २०८०/०५/०७ गतेको चौधौ कार्यपालिका बैठकको निर्णय नं. ११ : नगर दररेट सम्बन्धमा : यस गोकर्णेश्वर नगरपालिकाको आगामी आ.व. २०८०/०८१ का लागि गोकर्णेश्वर नगर क्षेत्रभित्रका निर्माण कार्य तथा अन्य सेवाको प्रयोजनका लागि निर्माण सामाग्री, ज्याला, भाडा तथा महसुलको स्थानीय न्यूनतम दररेट निर्धारण गर्न यस नगर कार्यपालिकाको कार्यालयको पूर्वाधार विकास शाखाको प्रमुख ईन्जीनियरको संयोजकत्वमा ५ सदस्यीय नगर दररेट तयारी समिति गठन गर्ने र उक्त समितिको सदस्य प्रमुख प्रशासकीय अधिकृतले तोकी कार्य आगाडी बढाउने र प्रतिबेदन तयार पश्चात नगर कार्यपालिकाको बैठकबाट निर्णय गरी कार्यन्वयन गर्न नगर कार्यपालिकालाई जिम्मेवारी दिने भनी एघारौ नगर सभाबाट निर्णय भएकोमा नगर दररेट तयारी समितिबाट सिफारिस भएबमोजिम काठमाण्डौं जिल्लाको जिल्ला दररेट निर्धारण समितिले मिति २०८०/०३/२९ गते स्वीकृत गरेको आ.ब. २०८०/०८१ को काठमाण्डौ जिल्लाको दररेटलाई नै यस गोकर्णेश्वर नगरपालिकाले छुट भएका विषयहरु समावेश गरी आबश्यक संसोधन गरी आ.ब. २०८०/०८१ को दररेट कार्यान्वयन गराउने निर्णय गरियो ।

२०८०/५/७

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

तपसिल

निर्णय नं. १ : आ.व. ०८०/०८१ का लागि मिति २०८०/४/१ देखि काठमाडौं जिल्लाभर लागु हुने गरि संलग्न सूचि अनुसारका विभिन्न निर्माण सामाग्री मेशीन तथा उपकरणको भाडा र श्रमिकहरुको ज्याला दररेट स्वीकृत गर्ने निर्णय गरियो ।

निर्णय नं. २ : श्रमिकहरुको उपलब्धताको आधारमा (श्रमिकको उमेर १६ वर्ष र दैनिक काम गर्ने अवधि ८ घण्टा) लाई आधार मानी गत आ.व. २०७९/०८० मा कायम गरिएको ज्याला दरमा नेपाल राष्ट्रबैंकको ज्यालादर सूचाङ्कको मान तथा प्रचलित बजार दरलाई आधार मानेर केही श्रमिकको ज्याला सामान्य वृद्धि गरी बाकी श्रमिकको ज्याला आ.व. ०७९/०८० को दररेटलाइ नै यथावत राखी संलग्न सूचिमा उल्लेख भए बमोजिम श्रमिकहरुको ज्याला दर निर्धारण गर्ने निर्णय गरियो ।

निर्णय नं. ३ : नगरपालिका पहाडी वडाहरु हालको नगरपालिकाको केन्द्रबाट आयोजना स्थलसम्म दुरीको आधारमा हुन आउने ढुवानी खर्च सम्बन्धीत निकायले दररेट विश्लेषण गर्दा ढुवानी भाडा थप गर्न सक्ने निर्णय गरियो ।

निर्णय नं. ४ : यसमा उल्लेख नभएका निर्माणसँग सम्बन्धित अन्य आवश्यक सामाग्रीहरुको हकमा सम्बन्धित विभागीय नर्म्स, नर्म्स उपलब्ध हुन नसक्ने अवस्थामा निर्माण सामाग्रीहरुको उत्पादक वा आधिकारीक विक्रेताबाट दरभाउपत्र प्राप्त गरी कार्यान्वयन गराउन सक्ने निर्णय गरियो ।

निर्णय नं. ५ : पुरातात्वीक महत्वका विभिन्न निर्माण कार्यहरुमा विशेष प्रकारको दक्षता र शिप भएका श्रमिकहरुको प्रयोग हुने भएकोले ती श्रमिकहरुको दैनिक ज्याला दररेट पुरातत्व विभागबाट स्वीकृत गरिएको दररेटलाई नै कायम गर्ने निर्णय गरियो ।

निर्णय नं. ६ : मेशिन, औजार तथा उपकरणको भाडा दर सम्बन्धि मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिको दर सडक विभागवाट कायम गरिएको प्रति घण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो ।

निर्णय नं.७ : निर्माण कार्य गरिने आयोजनाहरुमा श्रमिक मजदुरहरुको व्यवसाय जन्य सुरक्षा र स्वास्थ्यको आवश्यक व्यवस्था गर्नका साथै सार्वजनिक खरिद ऐन, नियमावलीमा व्यवस्था भएको बीमा लगायतका अन्य प्रावधान समेत सम्बन्धीत ज्याला दर प्रयोग गर्ने निकायले अनिवार्य रुपमा कार्यान्वयन गर्ने निर्णय गरियो ।

निर्णय नं.८ : Bitumen लगायत यसमा उल्लेखित अन्य निर्माण सामाग्रीहरूको हकमा यसमा उल्लेख भएको मुल्य घटेर १०% भन्दा कम बजार मूल्य हुन गएमा लागत अनुमान तयार गर्ने निकायले घटेकै मूल्यमा लागत अनुमान तयार गर्ने निर्णय गरियो।

निर्णय नं.९ : आगामी आ.व. ०८१/०८२ को जिल्ला दररेट निर्धारणको लागि आ.व. ०८०/०८१ को मध्य समय देखि नै आ.व. ०८१/०८२ को जिल्ला दररेट निर्धारण समितिका अध्यक्षका समन्वयमा सम्वन्धित विज्ञहरुलाई आमन्त्रण गरि आवश्यक अध्ययन गरी जिल्ला दररेटलाई अझ वैज्ञानिक बनाउन निर्माण व्यवसायी महासंघले पहल गर्ने निर्णय गरियो ।

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

स्थानीय निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. वाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	ECO BRICK (Colour)	गोटा	२०.००	२१.००	२१.००
८	खानीको ढुंगा				
	का.म.न.पा.	घ.फि	६३.००	६७.००	६७.००
	दक्षिणकाली न.पा.	घ.फि	५९.००	६३.००	६३.००
	किर्तिपुर न.पा.	घ.फि	६२.००	६६.००	६६.००
	चन्द्रागिरी न.पा.	घ.फि	७२.००	७७.००	७७.००
	नागार्जुन न.पा.	घ.फि	७४.००	७९.००	७९.००
	तारकेश्वर न.पा.	घ.फि	७३.००	७८.००	७८.००
	टोखा न.पा. न.पा.	घ.फि	७१.००	७६.००	७६.००
	बुढानिलकण्ठ न.पा.	घ.फि	६७.००	७२.००	७२.००
	गोकर्णेश्वर न.पा.	घ.फि	६८.००	७३.००	७३.००
	शंखरापुर न.पा.	घ.फि	७२.००	७७.००	७७.००
	कागेश्वरी मनहरा न.पा.	घ.फि	७०.००	७५.००	७५.००
९	विभिन्न प्रकारको खानीको बालुवा				
	का.म.न.पा.	घ.फि.	८८.००	९४.००	९४.००
	दक्षिणकाली न.पा.	घ.फि.	९२.००	९९.००	९९.००
	किर्तिपुर न.पा.	घ.फि.	९१.००	९८.००	९८.००
	चन्द्रागिरी न.पा.	घ.फि.	८९.००	९६.००	९६.००
	नागार्जुन न.पा.	घ.फि.	९१.००	९८.००	९८.००
	तारकेश्वर न.पा.	घ.फि.	९१.००	९८.००	९८.००
	टोखा न.पा. न.पा.	घ.फि.	९०.००	९७.००	९७.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९१.००	९८.००	९८.००
	गोकर्णेश्वर न.पा.	घ.फि.	९०.००	९०.००	९०.००
	शंखरापुर न.पा.	घ.फि.	६६.००	७१.००	७१.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	९०.००	९७.००	९७.००
१०	क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	८९.००	९६.००	९६.००
	दक्षिणकाली न.पा.	घ.फि.	९१.००	९८.००	९८.००
	किर्तिपुर न.पा.	घ.फि.	९१.००	९८.००	९८.००
	चन्द्रागिरी न.पा.	घ.फि.	९०.००	९७.००	९७.००
	नागार्जुन न.पा.	घ.फि.	९१.००	९८.००	९८.००
	तारकेश्वर न.पा.	घ.फि.	९१.००	९८.००	९८.००
	टोखा न.पा. न.पा.	घ.फि.	९१.००	९८.००	९८.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९२.००	९९.००	९९.००
	गोकर्णेश्वर न.पा.	घ.फि.	८२.००	८८.००	८८.००
	शंखरापुर न.पा.	घ.फि.	८२.००	८८.००	८८.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	८२.००	८८.००	८८.००
११	क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	८८.००	९४.००	९४.००
	दक्षिणकाली न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	किर्तिपुर न.पा.	घ.फि.	९३.००	१००.००	१००.००
	चन्द्रागिरी न.पा.	घ.फि.	९४.००	१०१.००	१०१.००
	नागार्जुन न.पा.	घ.फि.	९४.००	१०१.००	१०१.००
	तारकेश्वर न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	टोखा न.पा. न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९४.००	१०१.००	१०१.००
	गोकर्णेश्वर न.पा.	घ.फि.	९५.००	१०२.००	१०२.००

स्थानीय निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	मेशिनबाट उत्पादित ईंटा (१-नं.)				
	का.म.न.पा.	प्रति हजार	१६२००.००	१६८४८.००	१६८४८.००
	दक्षिणकाली न.पा.	प्रति हजार	१६७८०.००	१७४५१.००	१७४५१.००
	किर्तिपुर न.पा.	प्रति हजार	१६६४०.००	१७३०५.००	१७३०५.००
	चन्द्रागिरी न.पा.	प्रति हजार	१६८८०.००	१७५५५.००	१७५५५.००
	नागार्जुन न.पा.	प्रति हजार	१६८८०.००	१७५५५.००	१७५५५.००
	तारकेश्वर न.पा.	प्रति हजार	१६८८०.००	१७५५५.००	१७५५५.००
	टोखा न.पा. न.पा.	प्रति हजार	१६६७०.००	१७३३६.००	१७३३६.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१६७००.००	१७३६८.००	१७३६८.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१६७४०.००	१७४०९.००	१७४०९.००
	शंखरापुर न.पा.	प्रति हजार	१७०१०.००	१७६९०.००	१७६९०.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१६५४०.००	१७२०१.००	१७२०१.००
२	चिम्नी भट्टाको ईंटा				
	का.म.न.पा.	प्रति हजार	१४५४०.००	१५१२१.००	१५१२१.००
	दक्षिणकाली न.पा.	प्रति हजार	१४४२०.००	१४९९६.००	१४९९६.००
	किर्तिपुर न.पा.	प्रति हजार	१४३००.००	१४८७२.००	१४८७२.००
	चन्द्रागिरी न.पा.	प्रति हजार	१४१९०.००	१४७५७.००	१४७५७.००
	नागार्जुन न.पा.	प्रति हजार	१४३००.००	१४८७२.००	१४८७२.००
	तारकेश्वर न.पा.	प्रति हजार	१४४७०.००	१५०४८.००	१५०४८.००
	टोखा न.पा. न.पा.	प्रति हजार	१४५४०.००	१५१२१.००	१५१२१.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१४९१०.००	१५५०६.००	१५५०६.००
	गोकर्णेश्वर न.पा.	प्रति हजार	१४७१०.००	१५२९८.००	१५२९८.००
	शंखरापुर न.पा	प्रति हजार	१५०५०.००	१५६५२.००	१५६५२.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१४७८०.००	१५३७१.००	१५३७१.००
३	तराई को १ नं.ईटा				
	का.म.न.पा.	प्रति हजार	१६५००.००	१७१६०.००	१७१६०.००
	दक्षिणकाली न.पा.	प्रति हजार	१७१७०.००	१७८५६.००	१७८५६.००
	किर्तिपुर न.पा.	प्रति हजार	१६६९०.००	१७३५७.००	१७३५७.००
	चन्द्रागिरी न पा.	प्रति हजार	१६५००.००	१७१६०.००	१७१६०.००
	नागार्जुन न.पा.	प्रति हजार	१६६५०.००	१७३१६.००	१७३१६.००
	तारकेश्वर न.पा.	प्रति हजार	१६७२०.००	१७३८८.००	१७३८८.००
	टोखा न.पा. न.पा.	प्रति हजार	१६६५०.००	१७३१६.००	१७३१६.००
	बुढानिलकण्ठ न.पा.	प्रति हजार	१६७६०.००	१७४३०.००	१७४३०.००
	गोकर्णेश्वर न.पा	प्रति हजार	१६६५०.००	१७३१६.००	१७३१६.००
	शंखरापुर न.पा.	प्रति हजार	१६९६०.००	१७६३८.००	१७६३८.००
	कागेश्वरी मनहरा न.पा.	प्रति हजार	१६७६०.००	१७४३०.००	१७४३०.००
४	टुक्रा ईटा	घ.मि.	२५००.००	२६२५.००	२६२५.००
५	सिमेन्टको ईटा				
	BK108N	प्रति हजार	१५४५०.००	१५४५०.००	१५४५०.००
	BK118As	प्रति हजार	१६२७४.००	१६२७४.००	१६२७४.००
६	Autoclaved Aerated Concrete Blocks(Sand based)				
	Size 2"*8"*4"	गोटा	१२७.००	१३७.००	१३७.००
	Size 2"*8"*6"	गोटा	१९०.००	२०५.००	२०५.००
	Size 2"*8"*8"	गोटा	२५६.००	२७६.००	२७६.००
७	ECO BRICK (Sada)	गोटा	१८.००	१९.००	१९.००

सडक र पुल सम्वन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट आ.व. २०७८/७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१
२०	Dust bin (polythene) 165 ltr	गोटा	३१३५.००	३२९१.००	३२९१.००
२१	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम	गोटा	१९०000.00	१९३८००.००	१९३८००.००
२२	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	६०००.००	६२४०.००	६२४०.००
२३	१ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम	गोटा	१०५००.००	१०९२०.००	१०९२०.००
२४	Geogrids	ब. मि.		१४०.००	१४०.००
	झोलुङ्गे पुल सम्वन्धि				
१	Φ 13 mm thimble	गोटा	७४.००	७९.००	७९.००
२	Φ 26 mm thimble	गोटा	३७२.००	४०१.००	४०१.००
३	Φ 32 mm thimble	गोटा	६३७.००	६८७.००	६८७.००
४	Φ 36 mm thimble	गोटा	१२७३.००	१३७३.००	१३७३.००
५	Φ 40 mm thimble	गोटा	१५९१.००	१७१६.००	१७१६.००
६	Wire mesh netting -10 SWG 50x50 mesh size	ब. मि.	४२४.००	४५७.००	४५७.००
७	Sign Board with Fittings (Size - 60cm X 90cm)	गोटा	६६९५.००	७२२३.००	७२२३.००
८	Hot deep galvanized Bolts, Nuts & Washers	के.जी.	२९०.००	३१२.००	३१२.००
९	Bolts, Nuts & Washers (Hotdip friction Grip)	के.जी.	३८०.००	४१०.००	४१०.००
१०	High tensile friction grip nut bolts	के.जी.	३५०.००	३७७.००	३७७.००
११	Hot deep galvinazation	के.जी.	४८.००	५१.००	५१.००
१२	3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) Equivalent to J.K.S 3D: Type A02-80/1.5-1.6 FEZ , Approx. Wt. 3.0 kg/m2	ब. मि.	३६४०.००	३८९८.००	३८९८.००
१३	Binding loops stainless steel type 1.4/100/NIRO, appprox wt 6.0 Kg/Bundle	प्रति बण्डल	२१५९०.००	२२९००.००	२२९००.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

सडक र पुल सम्वन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. ०७९/०८०	आ.व. ०८०/०८१
१	**Bitumen**				
	VG 10	के.जी		११५.००	११५.००
	VG 30	के.जी		११६.००	११९.००
२	CRMB-DIGO 55 Bitumen	के.जी	८१.००	८९.००	८९.००
३	**Cationic Bitumen Emulsion**				
	छिटो जम्ने (RS 60%)	के.जी	७३.००	८४.००	८६.५०
	छिटो जम्ने (RS 65%)	के.जी	७८.००	८९.००	९१.६०
	छिटो जम्ने (RS 70%)	के.जी	८२.००	९४.००	९६.८०
	मध्यम जम्ने (MS 60%)	के.जी	७४.००	८५.००	८७.५०
	मध्यम जम्ने (MS 65%)	के.जी	७९.००	८९.००	९१.६०
	ढीलो जम्ने (SS60%)	के.जी	७६.००	८६.००	८८.५०
४	Slurry Seal with 60% bitumen	के.जी	८१.००	९३.००	९५.७०
५	Hi - seal Redymix	के.जी	९८.५२	११२.००	११२.००
६	Polymer Bitumen	के.जी	१०९.५२	१२५.००	१२५.००
७	सडक कालोपत्रे गर्दा विटुमीन नउप्कीनको लागी प्रयोग गर्ने सामान Anti stripping	के.जी	३२२.५०	३७०.००	३७०.००
८	कालेपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामाग्री	के.जी	३१.५०	३५.००	३५.००
९	कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Therom Plastic Road marking सामाग्री				
	a) B.S. Grade	के.जि	१७३.००	१९८.००	१९८.००
	b) Most Grade	के.जी	१९१.००	२१९.००	२१९.००
	c) Glass beads	के.जी	१५७.००	१८०.००	१८०.००
१०	**Elastomeric Bearing Pad**				
	Free Type	गोटा	२३१०७.००	२४०३१.२८	२४०३१.२८
	Fix end Dowel Type	गोटा	४९०३२.००	५०९९३.००	५०९९३.००
११	**Expansion Joint Works**				
	Single strip seal	र. मि.	९६५०.००	१०१३२.००	१०१३२.००
	Slab seal (320*50)	र. मि.	१९२३०.००	१९९९९.००	१९९९९.००
१२	मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७८५००.००	१७८५००.००
१३	मोटर पुलको लागि स्टील प्लेट गर्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम	टन	१७५०००.००	१७८५००.००	१७८५००.००
१४	**High density polyethene geo-membrane**				
	1.00 mm thickness	व.मि.	६३४.००	६८४.००	६८४.००
	2.00 mm thickness	व.मि.	१२६५.००	१३६४.००	१३६४.००
१५	**Needle punched non woven geo-textile**				
	weight-120gm/sqm	व.मि.	७२.००	७७.००	७७.००
	weight-150gm/sqm	व.मि.	८०.००	८६.००	८६.००
	weight-200gm/sqm	व.मि.	११७.००	१२६.००	१२६.००
१६	Tendon sheath	मी.	३६०.००	३८८.००	३८८.००
१७	Tendon wire	टन	१४८८२०.००	१५१७९६.००	१५१७९६.००
१८	Ancorage block with cap	गोटा	९९५०.००	१०४४७.००	१०४४७.००
१९	Road divider (polythene)	गोटा	१६५०.००	१७३२.००	१७३२.००

फलाम जन्य निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. ०७९/८०	आ.व. ०८०/८१
२६	१६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने	व.फि.	३७८.००	४१५.००	४१५.००
२७	फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्वाल भएको	व.फि.	३०२.००	३३२.००	३३२.००
२८	फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत	व.फि.	५४०.००	५९४.००	५९४.००
२९	१६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० x ५०x ५ mm) को फ्रेम समेत	व.फि.	७०२.००	७७२.००	७७२.००
३०	३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भऱ्याङ्ग (Spiral Staircase) तयार गरी जडान समेत। भऱ्याङको नापी गर्दा floor to floor height लिने।	र.फि.	३१०४.००	३४१४.००	३४१४.००
३१	फलामको होल्डफास्ट (७ वटाको १ के.जि.)	के.जी.	१३५.००	१४८.००	१४८.००
३२	विभिन्न साइजको किला काटी	के.जी.	१२०.००	१३२.००	१३२.००
३३	विभिन्न साइजको नट वोल्ट	के.जी.	१७८.००	१९५.००	१९५.००
३४	फलामे सामाग्रीको फेब्रिबेशन तथा जडान कार्य	के.जी.	४८.००	५२.००	५२.००
३५	Readymade Black Pipe Tubular Truss fitting & fixing work	के.जी.	१५१.००	१६६.००	१६६.००
३६	Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height	गोटा	२०९५.००	२३०४.००	२३०४.००
३७	स्टेनलेस स्टील पाइप				
	३/४" व्यास भएको १६ गेज मोटाई	मीटर	२०९.००	२२९.००	२२९.००
	१" व्यास भएको १६ गेज मोटाई	मीटर	२६२.००	२८८.००	२८८.००
	१ १/४" व्यास भएको १६ गेज मोटाई	मीटर	३३४.००	३६७.००	३६७.००
	१ १/२" व्यास भएको १६ गेज मोटाई	मीटर	४०६.००	४४६.००	४४६.००
	२" व्यास भएको १६ गेज मोटाई	मीटर	५४८.००	६०२.००	६०२.००
३८	Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G550 with zinc coating 150 GSM with varaible thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, teist tie, screws etc. all complete	के.जी.		४७०.००	४७०.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

फलाम जन्य निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. ०७९/८०	आ.व. ०८०/८१
	12guage	के.जी	१०८.००	१२४.००	१२४.००
	iii) Light Zinc Coated/Commercial				
	8 guage	के.जी	१०२.००	११७.००	११७.००
	10 guage	के.जी	१०२.००	११७.००	११७.००
	12guage	के.जी	१०२.००	११७.००	११७.००
१५	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क कोटेड तयारी गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	२४९.००	२७३.००	२७३.००
१६	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क कोटेड तयारी गेवियन वाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	३०२.००	३३२.००	३३२.००
१७	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क र पि.भि.सि.कोटेड तयारी गेवियन वाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm	व.मि.	४९३.००	५४२.००	५४२.००
१८	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क र पि.भि.सि.कोटेड तयारी जम्वो गेवियन वाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm	व.मि.	३२६.००	३५८.००	३५८.००
१९	मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क र पि.भि.सि.कोटेड तयारी जम्वो गेवियन वाकस mesh size-100x120mm , mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm	व.मि.	२९३.००	३२२.००	३२२.००
२०	Barbed Wire (काँढेतार)				
	12 guage commercial, Medium duty	के.जी	१०५.००	११५.००	११५.००
	U-hook for barbed wire fencing	गोटा	०.८१	०.८९	०.८९
२१	Fabrication of chain link mesh of size				
	1"x1" 12 guage	बर्ग मी.	७५२.००	८२७.००	८२७.००
	1.5"x1.5" 12 guage	बर्ग मी.	७०४.००	७७४.००	७७४.००
	2"x2" 10 guage	बर्ग मी.	५५८.००	६१३.००	६१३.००
	3"x3" 10 guage	बर्ग मी.	४५६.००	५०१.००	५०१.००
	4"x4" 10 guage	बर्ग मी.	३६३.००	३९९.००	३९९.००
२२	विभिन्न प्रकारको जालीहरु				
	मसिनो खालको Mosquito proof जाली	व.मि.	१२५.००	१३७.००	१३७.००
	बालुवा चाल्ने जाली	व.मि.	१३०.००	१४३.००	१४३.००
	कुखुरे जाली (Chicken wire mesh)	व.मि.	७९.००	८६.००	८६.००
	ब्रास क्रसिङ्ग जाली	व.मि.	२०४.००	२२४.००	२२४.००
	स्टील जाली (crossing)	व.मि.	१६४.००	१८०.००	१८०.००
	मसिनो खालको Steel Mosquito proof जाली	व.मि.	२८४.००	३१२.००	३१२.००
	फलामबाट निर्मित सामानहरु				
२३	विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम	के.जी	१४०.००	१५४.००	१५४.००
२४	सोलिड स्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत	के.जी	१२९.००	१४१.००	१४१.००
२५	कोल्याप्सीबल गेट बनाई जडान गर्ने	व.फि.	५४०.००	५९४.००	५९४.००

दीपक कुमार रिसाल
नगरप्रमुख

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

फलाम जन्य निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. ०७९/८०	आ.व. ०८०/८१
१	विभिन्न साइजका TMT Bar				
	a) 8 mm dia	के.जी	९२.००	९९.००	१००.००
	b) 10,12,16,20, mm dia	के.जी	९१.००	९८.००	९९.००
	c) 25 mm dia	के.जी	९२.००	९९.००	१००.००
	c) 28,32 mm dia	के.जी	९२.००	९९.००	१००.००
२	विभिन्न साइजको TOR Steel				
	a) 8mm dia TOR steel	के.जी	८८.००	९४.००	९४.००
	b) 10-25mm TOR steel	के.जी	८५.००	९१.००	९१.००
	c) 28-32mm TOR steel	के.जी	८८.००	९४.००	९४.००
३	TOR kari-4.75, 7 mm dia	के.जी	९२.००	१०१.००	१०१.००
४	Parallel thread rebars couplers				
	a) 16mm dia				१०४.००
	b) 20mm dia				२१०.००
	c) 25mm dia				२९८.००
	d) 28mm dia				३८०.००
	e) 32mm dia				४८०.००
	f) 36mm dia				६४०.००
	g) 40mm dia				८७५.००
५	Parallel threading of rebars with one thread cap				
	a) 16mm dia				२७.००
	b) 20mm dia				४०.००
	c) 25mm dia				७४.००
	d) 28mm dia				९०.००
	e) 32mm dia				९९.००
	f) 36mm dia				१६५.००
	g) 40mm dia				१८०.००
६	डण्डी बाँध्नेतार .	के.जी	९९.००	१०६.००	१०६.००
७	एम.एस.सोलिड स्वायर रड	के.जी	७५.००	८०.००	८०.००
८	विभिन्न साइजको एम.एस. एङ्गल	के.जी	८७.००	९३.००	९३.००
९	विभिन्न साइजको ब्याक पाईप	के.जी	८७.००	९३.००	९३.००
१०	विभिन्न साइजको एम.एस. च्यानल	के.जी	८९.००	९६.००	९६.००
११	विभिन्न साइजको आइ.विम	के.जी	८८.००	९४.००	९४.००
१२	विभिन्न साइजको एम.एस. प्लेट	के.जी	१५०.००	१६१.००	१६१.००
१३	विभिन्न मोटाइको एम.एस. कालो सिट	के.जी	१५०.००	१६१.००	१६१.००
१४	**G.I. Wire**				
	i) Heavy Zinc coated				
	8 guage	के.जी	११३.००	१२९.००	१२९.००
	10 guage	के.जी	११३.००	१२९.००	१२९.००
	12guage	के.जी	११३.००	१२९.००	१२९.००
	ii) Medium zinc Coated				
	8 guage	के.जी	१०८.००	१२४.००	१२४.००
	10 guage	के.जी	१०८.००	१२४.००	१२४.००

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

घर र जग्गा भाडा तथा क्षतिपूर्ति/मुआव्जा निर्धारण

घर र जग्गा भाडा तथा क्षतिपूर्ति मुआव्जा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो ।

सि. नं.	घरको बनावट विवरण	स्तर	ईकाई	आ.व. २०८०/०८१ को प्रस्तावित दर(रु)					
				व्यवसायिक भवनको हकमा			आवासीय भवनको हकमा		
				सिभिल कार्य	विधुत कार्य	स्यानिटरी कार्य	सिभिल कार्य	विधुत कार्य	स्यानिटरी कार्य
१	आर सि.सि फ्रेम लोकल ईंटा (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व फु	३६२२.५६	१०९.८८	२७४.६५	२८४८.२४	९३.४०	२३३.४५
२		मध्यम	व फु	३०६४.१०	७०.२७	२०३.८२	२४०९.१५	६०.५८	१७३.२५
३		सामान्य	व फु	२७०१.७७	३२.२५	१३५.२४	२१२४.२८	२७.४२	११४.९५
४	आर.सि.सि फ्रेम लोकल ईंटा (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व.फु	३०४५.९३	८९.१९	२२२.९४	२३९४.८६	७५.८१	१८९.५०
५		मध्यम	व.फु	२५१९.४३	५७.८५	१६५.४५	१९८०.९०	४९.१७	१४०.६३
६		सामान्य	व.फु	२२८६.२८	२६.१८	१०९.७८	१७९७.५८	२२.२५	९३.३१
७	आर.सि.सि.फ्रेम चाईनिज ईंटा (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व.फु	३५५१.५७	१०९.८८	२७४.६५	२७९२.४२	९३.४०	२३३.४५
८		मध्यम	व.फु	२९५८.९३	७१.२७	२०३.८२	२३२६.४६	६०.५८	१७३.२५
९		सामान्य	व.फु	२७१४.९१	३२.२५	१३५.२४	२१३४.५९	२७.४२	११४.९५
१०	आर सि सि फ्रेम चाईनिज ईंटा (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व फु	३४३३.२०	८९.१९	२२२.९४	२६९९.३६	७५.८१	१८९.५०
११		मध्यम	व फु	२८१८.१७	५७.८५	१६५.४५	१९०१.२९	४९.१७	१४०.६३
१२		सामान्य	व फु	२२९९.१०	२६.१८	१०९.७८	१८०७.७२	२२.२५	९३.३१
१३	लोड विर्यारङ्ग लोकल ईंटाको गारो (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व फु	३५६४.४२	१०९.८८	२७४.६५	२८०२.५३	९३.४०	२३३.४५
१४		मध्यम	व फु	३०१३.९४	७१.२७	२०३.८२	२३६९.७१	६०.५८	१७३.२५
१५		सामान्य	व फु	२७५३.१३	३२.२५	१३५.२४	२१६४.६५	२७.४२	११४.९५
१६	लोड विर्यारङ्ग लोकल ईंटाको गारो (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व फु	३०९२.६५	८९.१९	२२२.९४	२४३१.६०	७५.८१	१८९.५०
१७		मध्यम	व फु	२५६३.४१	५७.८५	१६५.४५	२०१५.४८	४९.१७	१४०.६३
१८		सामान्य	व फु	२३४४.००	२६.१८	१०९.७८	१८४२.९७	२२.२५	९३.३१
१९	लोड विर्यारङ्ग लोकल ईंटाको गारो (सिमेन्टको जोडाई) , टायल छाना	मध्यम	व फु	२९२९.०१	५७.८५	१६५.४५	२३०२.९९	४९.१७	१४०.६३
२०		सामान्य	व फु	२७१७.३०	२६.१८	१०९.७८	२१३६.४८	२२.२५	९३.३१
२१	लोड विर्यारङ्ग चाईनिज ईंटाको गारो (सिमेन्टको जोडाई) , आर सि सि छाना	उत्तम	व फु	३५८०.०१	१०९.८८	२७४.६५	२८१४.७८	९३.४०	२३३.४५
२२		मध्यम	व.फु	३०२९.५२	७१.२७	२०३.८२	२३८२.००	६०.५८	१७३.२५
२३		सामान्य	व.फु	२७६८.७२	३२.२५	१३५.२४	२१७६.९०	२७.४२	११४.९५
२४	लोड विर्यारङ्ग चाईनिज ईंटाको गारो (सिमेन्टको जोडाई) , कर्कटपाता छाना	उत्तम	व फु	३१०७.५३	८९.१९	२२२.९४	२४४३.३०	७५.८१	१८९.५०
२५		मध्यम	व फु	२५७८.२८	५७.८५	१६५.४५	२०२७.१७	४९.१७	१४०.६३
२६		सामान्य	व फु	२३५८.८८	२६.१८	१०९.७८	१८५४.६७	२२.२५	९३.३१
२७	लोड विर्यारङ्ग लोकल ईंटाको गारो (माटोको जोडाई) , आर सि सि छाना	मध्यम	व फु	३४९२.६०	५७.८५	१६५.४५	२७४६.०६	४९.१७	१४०.६३
२८		सामान्य	व फु	३२३१.३९	२६.१८	१०९.७८	२५४१.००	२२.२५	९३.३१
२९	लोड विर्यारङ्ग लोकल ईंटाको गारो (माटोको जोडाई), कर्कटपाता छाना	मध्यम	व फु	२९९३.९८	५७.८५	१६५.४५	२३५४.०२	४९.१७	१४०.६३
३०		सामान्य	व.फु	२७८२.२८	२६.१८	१०९.७८	२१८७.५६	२२.२५	९३.३१
३१	लोड विर्यारङ्ग लोकल ईंटाको गारो (माटोको जोडाई), टायल छाना	मध्यम	व.फु	३२८९.२१	५७.८५	१६५.४५	२५८६.१४	४९.१७	१४०.६३
३२		सामान्य	व.फु	३०६९.८१	२६.१८	१०९.७८	२४१३.६४	२२.२५	९३.३१
३३	लोड विर्यारङ्ग लोकल ईंटाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको (काठको भुईं	मध्यम	व फु	३३५७.५७	५७.८५	१६५.४५	२६३९.८९	४९.१७	१४०.६३
३४		सामान्य	व फु	३१९०.२३	२६.१८	१०९.७८	२५०८.३२	२२.२५	९३.३१
३५	लोड विर्यारङ्ग लोकल ईंटाको गारो (माटोको जोडाई , टायल छाना तथा माटोको (काठको भुईं	मध्यम	व फु	३६५७.४८	५७.८५	१६५.४५	२८७५.७०	४९.१७	१४०.६३
३६		सामान्य	व फु	३१९०.१५	२६.१८	१०९.७८	२७४४.१३	२२.२५	९३.३१
३७	लोड विर्यारङ्ग ढुङ्गाको गारो (माटोको जोडाई), कर्कटपाता छाना तथा माटोको (काठको भुईं	सामान्य	व फु	२६९७.९२	२६.१८	१०९.७८	२१२१.२४	२२.२५	९३.३१
३८	लोड विर्यारङ्ग ढुङ्गाको गारो (माटोको जोडाई), टायल छाना तथा माटोको (काठको भुईं	सामान्य	व.फु	२९५७.८४	२६.१८	१०९.७८	२३५७.०५	२२.२५	९३.३१
३९	लोड विर्यारङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), कर्कटपाता छाना तथा माटोको (काठको भुईं	सामान्य	व फु	३५६२.२३	२६.१८	१०९.७८	२८००.८०	२२.२५	९३.३१
४०	लोड विर्यारङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई), टायल छाना तथा माटोको (काठको भुईं	सामान्य	व.फु	३८६२.१३	२६.१८	१०९.७८	३०३६.६१	२२.२५	९३.३१
४१	लोड विर्यारङ्ग ढुङ्गाको गारो (सिमेन्टको जोडाई) आर सि सि छाना	उत्तम	व.फु	४०९०.१५	१०९.८८	२७४.६५	३२१५.८८	९३.४०	२३३.४५
४२		मध्यम	व.फु	३५३९.६७	७१.२७	२०३.८२	२७८३.०७	६०.५८	१७३.२५
४३		सामान्य	व फु	३२७८.८६	३२.२५	१३५.२४	२५७८.०१	२७.४२	११४.९५

भवनको बनावट र फिनिसिङ्ग तथा सामान/उपकरण जडानको आधारमा वर्गीकरण

क लिफट जडान भएको हकमा रु २५,६२,५००।०० भ्याट समेत थप गर्नु पर्नेछ । ६ व्यक्ति क्षमता भएको लिफट

ख सेप्टिक ट्याङ्क तथा सोक पिट (Soak pit) नभएको हकमा भवनको कुल मुल्याङ्कनमा रु १५९,००२।५ (भ्याट बाहेक) घटाउनुपर्नेछ ।

ग। सयुक्त आवास (Apartment) र Housing का भवनहरुको मुल्याकन गर्दा भवनले ओगटेको जग्गा भवन परिसर भित्र रहेका सडक, Swimming Pool लगायतका पूर्वाधारहरु तथा Land scaping कार्य हरुको मुल्यांकन यस दर रेटमा समावेश नगरिएकोले सो को छुट्टै मुल्यांकन गर्नुपर्ने छ ।

घ। माथिका सिभिल कार्यका दर रेटहरु सामान्य किसिमका जग भएका भवनहरुको लागि निर्धारण गरिएको हो । अन्य किसिमका जगहरुको हकमा जग complex (combined/ Mat) भएमा वा pile foundation भएमा सोको छुट्टै मुल्यांकन गरी भवनको कुल मुल्यांकनमा समावेश गर्ने ।

ङ उपरोक्त अनुसारका दररेट प्रयोग गरी घरको मुल्याकन गर्दा ह्रासकट्टी लगायतका मुल्यांकनका विधि र सुत्र (Formula) "भवनको लागत मुल्याकन कार्य विधि २०७०" ले निर्दिष्ट गरे बमोजिम हुनेछ ।

श्रमिकको ज्याला दर

सि. नं.	कामदारहरुको विवरण	एकाई	ज्याला दर प्रतिदिन रु.		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	निर्माणकामको लागि श्रमिक (ज्यामी)	प्रति दिन	७९०.००	८७०.००	९००.००
२	फोहर ढल सफा गर्ने कामदार	प्रति दिन	११२५.००	१२००.००	१२००.००
३	उच्च माध्यमिक तह उर्त्तिण गरी ल्याब टेक्निसियनको तालिम प्राप्त गरेको	प्रति दिन		१५००.००	१५००.००
४	दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, वज्रकर्मी), प्लम्बर, ढुङ्गा र काठ बुट्टा काट्ने साधारण मूर्तिकार ,चित्रकार, आर्टिस्ट,	प्रति दिन	१०८०.००	११८५.००	१२००.००
५	अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी) ,चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, जुनियर सुपरभाईजर, नदी निरीक्षक, आदी ।	प्रति दिन	८९०.००	९८०.००	१०००.००
६	साइक्लो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंदेल (खानी सम्बन्धी काम गर्ने कामदार), आदी ।	प्रति दिन	७९०.००	८४५.००	८४५.००
७	निर्माण कार्यको क्याम्प वर्कर, सुपरभाइजर, ब्लाष्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, लाइट भेहिकल ड्राइभर, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator (न्युनतम एस.एल.सी वा सो सरह), आदी ।	प्रति दिन	७२५.००	७९५.००	७९५.००
८	माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोवी, वन हेरालु, चौकिदार, आदी ।	,,	६६०.००	७२५.००	७२५.००
९	सामान लोड अनलोड गर्ने ज्याला	१०० किलो	२३.००	२५.००	२५.००
	सडकको कामको लागि				
१	पिच स्प्रेयर, पिच ब्वायलर	प्रति दिन	८०५.००	८८०.००	८८०.००
२	प्याच वर्कर (दिउसो को समयमा काम गर्ने) ।	प्रति दिन	७९०.००	८७०.००	८७०.००
३	प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह ।	प्रति दिन	८२५.००	९०५.००	९०५.००
४	प्याच वर्कर (रात्री समयमा काम गर्ने) ।	प्रति दिन	११२५.००	१२३०.००	१२३०.००
५	प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने)	प्रति दिन	११५५.००	१२३०.००	१२३०.००
६	भरिया (४० के.जी. तौल सम्म	प्रति दिन	८२५.००	८९०.००	८९०.००
७	वोलेरो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	५७७५.००	६३५०.००	६३५०.००
८	स्कर्पियो ४ व्हील डवल क्याव पिकअप भाडा ईन्धन र चालक समेत	प्रति दिन	६९३०.००	७६२०.००	७६२०.००
	माथि उल्लेख नभएका अन्य सवै पद/श्रेणिका ज्यालादारी कर्मचारी/कामदारहरुको हकमा संवन्धित पद/श्रेणिको लागि नेपाल सरकारको वा सम्वन्धित संस्थानको प्रचलित तलव मानलाई ३० ले भाग गर्दा हुन आउने रकमलाई दैनिक ज्यालादर मान्नुपर्ने छ ।				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

स्थानीय निर्माण सामग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	शंखरापुर न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
१२	क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि				
	का.म.न.पा.	घ.फि.	९४.००	१०१.००	१०१.००
	दक्षिणकाली न.पा.	घ.फि.	९४.००	१०१.००	१०१.००
	किर्तिपुर न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	चन्द्रागिरी न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	नागार्जुन न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	तारकेश्वर न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	टोखा न.पा. न.पा.	घ.फि.	९६.००	१०३.००	१०३.००
	बुढानिलकण्ठ न.पा.	घ.फि.	९५.००	१०२.००	१०२.००
	गोकर्णेश्वर न.पा.	घ.फि.	९४.००	१०१.००	१०१.००
	शंखरापुर न.पा.	घ.फि.	९१.००	९८.००	९८.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	९४.००	१०१.००	१०१.००
१३	क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि				
	का.म.न.पा.	घ.फि.	८१.००	८७.००	८७.००
	दक्षिणकाली न.पा.	घ.फि.	८२.००	८८.००	८८.००
	किर्तिपुर न.पा.	घ.फि.	८१.००	८७.००	८७.००
	चन्द्रागिरी न.पा.	घ.फि.	८२.००	८८.००	८८.००
	नागार्जुन न.पा.	घ.फि.	८३.००	८९.००	८९.००
	तारकेश्वर न.पा.	घ.फि.	८३.००	८९.००	८९.००
	टोखा न.पा. न.पा.	घ.फि.	८४.००	९०.००	९०.००
	बुढानिलकण्ठ न.पा.	घ.फि.	८४.००	९०.००	९०.००
	गोकर्णेश्वर न.पा.	घ.फि.	८३.००	८९.००	८९.००
	शंखरापुर न.पा.	घ.फि.	८१.००	८७.००	८७.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	८२.००	८८.००	८८.००
१४	**Crusher run sub-base material (63mm down)**				
	का.म.न.पा.	घ.फि.	७१.००	७६.००	७६.००
	दक्षिणकाली न.पा.	घ.फि.	७६.००	८२.००	८२.००
	किर्तिपुर न.पा	घ.फि.	७०.००	७५.००	७५.००
	चन्द्रागिरी न.पा.	घ.मि.	७१.००	७६.००	७६.००
	नागार्जुन न.पा.	घ.फि.	७२.००	७७.००	७७.००
	तारकेश्वर न.पा.	घ.फि.	७२.००	७७.००	७७.००
	टोखा न.पा. न.पा.	घ.फि.	७३.००	७८.००	७८.००
	बुढानिलकण्ठ न.पा.	घ.फि.	७६.००	८२.००	८२.००
	गोकर्णेश्वर न.पा.	घ.फि.	७६.००	८२.००	८२.००
	शंखरापुर न.पा.	घ.फि.	७९.००	८५.००	८५.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	७८.००	८४.००	८४.००
१५	**40 mm down crushed Base material (Wet)**				
	का.म.न.पा.	घ.फि.	८२.००	८८.००	८८.००
	दक्षिणकाली न.पा.	घ.फि.	८३.००	८९.००	८९.००
	किर्तिपुर न.पा.	घ.फि.	८२.००	८८.००	८८.००
	चन्द्रागिरी न.पा.	घ.फि.	८४.००	९०.००	९०.००
	नागार्जुन न.पा.	घ.फि.	८४.००	९०.००	९०.००
	तारकेश्वर न.पा.	घ.फि.	८५.००	९१.००	९१.००

स्थानीय निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	टोखा न.पा. न.पा.	घ.फि.	८५.००	९१.००	९१.००
	बुढानिलकण्ठ न.पा.	घ.फि.	८४.००	९०.००	९०.००
	गोकर्णेश्वर न.पा.	घ.फि.	८२.००	८८.००	८८.००
	शंखरापुर न.पा.	घ.फि.	८५.००	९१.००	९१.००
	कागेश्वरी मनहरा न.पा.	घ.फि.	८५.००	९१.००	९१.००
१६	छानामा छाउने क्ले टायलहरु				
	मेशिनबाट उत्पादित टायल	गोटा	१८.००	१९.००	१९.००
	चिम्नी भट्टाको टायल	गोटा	१६.००	१७.००	१७.००
	मेशिनबाट उत्पादित धुरी	गोटा	३२.००	३४.००	३४.००
	चिम्नी भट्टाको धुरी	गोटा	२६.००	२८.००	२८.००
१७	भुईमा/ कौसीमा छाप्ने क्ले टायलहरु				
	मेशिनबाट उत्पादित क्ले टायल	गोटा	१०.००	१०.००	१०.००
	चिम्नी भट्टाको क्ले टायल	गोटा	९.००	९.००	९.००
१८	छाप्ने ढुङ्गा (**Flag stone**)				
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	व.फि	७६.००	८२.००	८२.००
	१½" सम्म बाक्लो ,, ,,	व.फि	८८.००	९४.००	९४.००
	२ सम्म बाक्लो ढुङ्गा ,, ,,	व.फि	१०३.००	१११.००	१११.००
	२.५ सम्म बाक्लो ढुङ्गा ,, ,,	व.फि	१११.००	११९.००	११९.००
	२.५" - ३" सम्म बाक्लो ढुङ्गा ,,	व.फि	१३८.००	१४८.००	१४८.००
१९	खोलाको वोल्डर कोवल १०० मि.मि. सम्म	घ.फि.	१०५.००	११३.००	११३.००
२०	स्थानीय स्तरमा पाउने ग्राभेल (मेलम्ची, टिकाभैरव, भकुण्डे वेसि खानी बाहेकको)	घ.फि.	५७.२४	६१.००	६१.००
२१	पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म)	घ.फि.	६५.००	७०.००	७०.००
२२	भवनको भूँई कोठामा पुर्न, सोलिङ्गको Void filling गर्न प्रयोग गरिने बालुवा	,,	४५.३६	४८.००	४८.००
२३	ढुगांको धुलो (Stone dust)	घ.फि.	४१.०४	४४.००	४४.००
२४	लिउन राख्ने माटो (ट्रक ढुवानी बाहेक)	घ.मि.	३१८.६०	३४३.००	३४३.००
२५	सबग्रेडमा राख्ने माटो (Capping layer Granular soil)	घ.मि.	५५०.८०	५९४.००	५९४.००
२६	भुस	के.जि.	५.५०	५.००	५.००
२७	गोवर	के.जि.	५.००	५.००	५.००
२८	निर्माण कार्यको लागी पानी				
	३ कि.मी. सम्म को दुरीमा	लिटर	०.२६	०.२८	०.२८
	३ कि.मी. देखि माथीको दुरीमा	लिटर	०.३१	०.३३	०.३३
२९	५०० गेज प्लाष्टिक सिट	व.मी.	३१.००	३३.००	३३.००
३०	Plastic felt (२०मी. × १मी.)	रोल	२३५५.००	२५४१.००	२५४१.००
३१	१८-२० फिट लामो बाँस	गोटा	२१०.००	२४०.००	२४०.००

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिङहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	**NP-2 Class Pipes(Plain)**				
	150 mm dia.	र.मि	५७०.००	५७०.००	५७०.००
	200 mm dia.	र.मि	७४०.००	७४०.००	७४०.००
	250 mm dia.	र.मि	९२५.००	९२५.००	९२५.००
	300 mm dia.	र.मि	१२६०.००	१२६०.००	१२६०.००
	350 mm dia.	र.मि	१३२५.००	१३२५.००	१३२५.००
	375 mm dia.	र.मि	१५२०.००	१५२०.००	१५२०.००
	400 mm dia.	र.मि	१७५०.००	१७५०.००	१७५०.००
	450 mm dia.	र.मि	१८५२.००	१८५२.००	१८५२.००
	500 mm dia.	र.मि	२०८०.००	२०८०.००	२०८०.००
	600 mm dia.	र.मि	२७४०.००	२७४०.००	२७४०.००
	700 mm dia.	र.मि	३५७५.००	३५७५.००	३५७५.००
	750 mm dia.	र.मि	३८७०.००	३८७०.००	३८७०.००
	800 mm dia.	र.मि	४३२०.००	४३२०.००	४३२०.००
	900 mm dia.	र.मि	५८३५.००	५८३५.००	५८३५.००
	1000 mm dia.	र.मि	६८०५.००	६८०५.००	६८०५.००
	1200 mm dia.	र.मि	८३०१.००	८३०१.००	८३०१.००
	1500 mm dia.	र.मि	१७४५०.००	१७४५०.००	१७४५०.००
२	**NP-3 Class Pipes(Plain)**				
	150 mm dia.	र.मि	१३१०.००	१३१०.००	१३१०.००
	200 mm dia.	र.मि	१७४५.००	१७४५.००	१७४५.००
	250 mm dia.	र.मि	२१८५.००	२१८५.००	२१८५.००
	300 mm dia.	र.मि	३१४०.००	३१४०.००	३१४०.००
	350 mm dia.	र.मि	३५२०.००	३५२०.००	३५२०.००
	375 mm dia.	र.मि	३७६०.००	३७६०.००	३७६०.००
	400 mm dia.	र.मि	४०१०.००	४०१०.००	४०१०.००
	450 mm dia.	र.मि	४५००.००	४५००.००	४५००.००
	500 mm dia.	र.मि	५०२०.००	५०२०.००	५०२०.००
	600 mm dia.	र.मि	६२००.००	६२००.००	६२००.००
	700 mm dia.	र.मि	७४८५.००	७४८५.००	७४८५.००
	750 mm dia.	र.मि	८६००.००	८६००.००	८६००.००
	800 mm dia.	र.मि	९३८५.००	९३८५.००	९३८५.००
	900 mm dia.	र.मि	१२१७२.००	१२१७२.००	१२१७२.००
	1000 mm dia.	र.मि	१३५२५.००	१३५२५.००	१३५२५.००
	1200 mm dia.	र.मि	१६१००.००	१६१००.००	१६१००.००
	1500 mm dia.	र.मि	२५३००.००	२५३००.००	२५३००.००
३	**NP-2 RCC Collar**				
	150 mm dia	गोटा	१४५.००	१४५.००	१४५.००
	200 mm dia	गोटा	१९३.००	१९३.००	१९३.००
	250 mm dia	गोटा	२३९.००	२३९.००	२३९.००
	300 mm dia	गोटा	३२४.००	३२४.००	३२४.००
	350 mm dia	गोटा	३५७.००	३५७.००	३५७.००

दिपक कुमार रिसाल
नगरप्रमुख

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिङहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	375 mm dia	गोटा	३९२.००	३९२.००	३९२.००
	400 mm dia	गोटा	४५१.००	४५१.००	४५१.००
	450 mm dia	गोटा	४७६.००	४७६.००	४७६.००
	500 mm dia	गोटा	५३५.००	५३५.००	५३५.००
	600 mm dia	गोटा	७०६.००	७०६.००	७०६.००
	700 mm dia	गोटा	९२०.००	९२०.००	९२०.००
	750 mm dia	गोटा	९९५.००	९९५.००	९९५.००
	800 mm dia	गोटा	१११०.००	१११०.००	१११०.००
	900 mm dia	गोटा	१५००.००	१५००.००	१५००.००
	1000 mm dia	गोटा	१७५२.००	१७५२.००	१७५२.००
	1200 mm dia	गोटा	२१३७.००	२१३७.००	२१३७.००
	1500 mm dia	गोटा	४४९२.००	४४९२.००	४४९२.००
४	**NP-3 Class Collars**				
	150 mm dia.	गोटा	३२७.००	३२७.००	३२७.००
	200 mm dia.	गोटा	४३६.००	४३६.००	४३६.००
	250 mm dia.	गोटा	५४४.००	५४४.००	५४४.००
	300 mm dia.	गोटा	७८३.००	७८३.००	७८३.००
	350 mm dia.	गोटा	८७९.००	८७९.००	८७९.००
	375 mm dia.	गोटा	९४०.००	९४०.००	९४०.००
	400 mm dia.	गोटा	१०००.००	१०००.००	१०००.००
	450 mm dia.	गोटा	११२५.००	११२५.००	११२५.००
	500 mm dia.	गोटा	१२५५.००	१२५५.००	१२५५.००
	600 mm dia.	गोटा	१५५०.००	१५५०.००	१५५०.००
	700 mm dia.	गोटा	१८७१.००	१८७१.००	१८७१.००
	750 mm dia.	गोटा	२१५०.००	२१५०.००	२१५०.००
	800 mm dia.	गोटा	२३४४.००	२३४४.००	२३४४.००
	900 mm dia.	गोटा	३०४२.००	३०४२.००	३०४२.००
	1000 mm dia.	गोटा	३३८२.००	३३८२.००	३३८२.००
	1200 mm dia.	गोटा	४०२४.००	४०२४.००	४०२४.००
	1500 mm dia.	गोटा	६३२४.००	६३२४.००	६३२४.००
५	**NP-3 Pipes Socket and Spigot**				
	150 mm dia.	र.मि	१४८०.००	१४८०.००	१४८०.००
	200 mm dia.	र.मि	२०१०.००	२०१०.००	२०१०.००
	250 mm dia.	र.मि	२५१०.००	२५१०.००	२५१०.००
	300 mm dia.	र.मि	३६०५.००	३६०५.००	३६०५.००
	400 mm dia.	र.मि	४६१०.००	४६१०.००	४६१०.००
	450 mm dia.	र.मि	५१८०.००	५१८०.००	५१८०.००
	500 mm dia.	र.मि	५७७०.००	५७७०.००	५७७०.००
	600 mm dia.	र.मि	७१३०.००	७१३०.००	७१३०.००
	700 mm dia.	र.मि	८६१०.००	८६१०.००	८६१०.००
	800 mm dia.	र.मि	१०७९०.००	१०७९०.००	१०७९०.००

दीपक कुमार रिसाल
नगरप्रमुख

प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिङहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	900 mm dia.	र.मि	१४०००.००	१४०००.००	१४०००.००
	1000 mm dia.	र.मि	१४८१४.००	१४८१४.००	१४८१४.००
	1200 mm dia.	र.मि	१८६००.००	१८६००.००	१८६००.००
	1400 mm dia.	र.मि	२५७५०.००	२५७५०.००	२५७५०.००
	1600 mm dia.	र.मि	३२६००.००	३२६००.००	३२६००.००
	1800 mm dia	र.मि	४३६००.००	४३६००.००	४३६००.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौं
बागमती प्रदेश, नेपाल
२०७३

भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट	ब्याग	८२५.००	७००.००	७००.००
२	नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट	ब्याग	७२५.००	६००.००	६००.००
३	सेतो सिमेन्ट (40kg/bag)	ब्याग	१२३०.००	१२३०.००	१२३०.००
४	Ready Made dry mortar (40kg/bag)	ब्याग	१२००.००	१२००.००	१२००.००
५	सिमेन्ट लोड र अनलोड	ब्याग	१०.७०	११.५५	११.५५
६	**Ready Mix Concrete (चक्रपथवाट ३ कि.मि. वाहिर सम्म)**				
	M 10 Grade	घ. मि	१३६५०.००	१३६५०.००	१३६५०.००
	M 15 Grade	घ. मि	१४७००.००	१४७००.००	१४७००.००
	M 20 Grade	घ. मि	१५२२५.००	१५२२५.००	१५२२५.००
	M 25 Grade	घ. मि	१६२७५.००	१६२७५.००	१६२७५.००
	M 30 Grade	घ. मि	१७११५.००	१७११५.००	१७११५.००
	M 35 Grade	घ. मि	१८३८२.००	१८३८२.००	१८३८२.००
	M 40 Grade	घ. मि	१९९५०.००	१९९५०.००	१९९५०.००
	M 45 Grade	घ. मि	२१४५०.००	२१४५०.००	२१४५०.००
७	स्टेनलेस स्टील रेलीङ्गको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.)	र.फी.	१२००.००	१२६०.००	१२६०.००
८	स्टेनलेस स्टील रेलीङ्गको कार्य-२ इन्च पाइपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१०५०.००	११०२.००	११०२.००
९	स्टेनलेस स्टील रेलीङ्गको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९५०.००	१०१६.००	१०१६.००
१०	सादा सेतो सिसा				
	३ मी.मी.	व.फि.	४९.००	५२.००	५२.००
	३.५ मी.मी.	व.फि.	५६.००	५९.००	५९.००
	४ मी.मी.	व.फि.	६५.००	६९.००	६९.००
	५ मी.मी.	व.फि.	७५.००	७९.००	७९.००
	६ मी.मी.	व.फि.	१००.००	१०६.००	१०६.००
	८ मी.मी.	व.फि.	१५०.००	१५९.००	१५९.००
	१० मी.मी.	व.फि.	१९०.००	२०२.००	२०२.००
	१२ मी.मी.	व.फि.	२२०.००	२३४.००	२३४.००
११	बुट्टेदार सिसा				
	३.मी.मी.	व.फि.	४८.४१	५१.००	५१.००
	४ मी.मी.	व.फि.	५६.६५	६०.००	६०.००
१२	पोलि फाईवर ग्लास				
	६ मी.मी.	व.फि.	१५४.५०	१६४.००	१६४.००
१३	कालो रङ्गको सिसा				
	३.मी.मी.	व.फि.	९६.००	१०२.००	१०२.००
	४ मी.मी.	व.फि.	१०३.००	१०९.००	१०९.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	५ मी.मी.	व.फि.	१२०.००	१२७.००	१२७.००
	६ मी.मी.	व.फि.	१८०.००	१८४.००	१८४.००
	८ मी.मी.	व.फि.	२५०.००	२६४.००	२६४.००
	१० मी.मी.	व.फि.	३५०.००	३७३.००	३७३.००
	१२ मी.मी.	व.फि.	४००.००	४२६.००	४२६.००
१४	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने				
	५ मि.मि बाक्लो	व.फि.	११६.००	१२३.००	१२३.००
१५	छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो	व.मि.	६२००.००	६५१०.००	६५१०.००
१६	विभिन्न रंगको Reflector Glass (शिशा) -५ मी.मीं मोटो	व.फि.	१८४.००	१९६.००	१९६.००
१७	**Readymade Plaster of Parish** cornice and molding				
	POP Molding 1" to 1½"	र.मि	२३८.००	२५३.००	२५३.००
	Up to 5" wide	र.मि	२८५.००	३०३.००	३०३.००
	Up to 8" wide	र.मि	३९३.००	४१९.००	४१९.००
	Above 8" wide	र.मि	१६१.००	१७१.००	१७१.००
१८	Plaster of paris	कि.ग्रा.	२३.००	२४.००	२४.००
१९	Wall putty-Normal	कि.ग्रा.	३५.००	३७.००	३७.००
२०	Wall putty-water proof	कि.ग्रा.	६०.००	६३.००	६३.००
२१	**राजस्थानी मार्वल**				
	१३ मी.मी बाक्लो गजस्थानी	व.फि.	१६८.००	१७९.००	१७९.००
	१६ मी.मी बाक्लो राजस्थानी	ब.फि.	१८४.००	१९६.००	१९६.००
२२	**ग्रेनाइट**				
	१२ मी.मी बाक्लो ग्रेनाइट	ब.फि.	२६२.००	२७९.००	२७९.००
	१६ मी.मी बाक्लो ग्रेनाइट	ब.फि.	३५२.००	३६६.००	३६६.००
	१८ मी.मी बाक्लो ग्रेनाइट	ब.फि.	३९५.००	४२१.००	४२१.००
२३	**कोटा स्टोन**				
	1" thick	ब.फि.	१५०.००	१५९.००	१५९.००
	3/4" thick	ब.फि.	१३७.००	१४६.००	१४६.००
२४	**Porcelain Glazed Tiles** (संवन्धित उत्पादक राक्ष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Thai Tiles	ब.फि.	१२६.००	१३४.००	१३४.००
	floor tile	ब.फि.	८५.००	९०.००	९०.००
	Ordinary Floor and Wall tiles	ब.फि.	५४.००	५७.००	५७.००
	Border Tile - 2"x8"	र.फि.	४३.००	४५.००	४५.००
	Ceramic Wall Tile (31*45cm)	व.फि.	१८०.००	१९१.००	१९१.००
	Ceramic Floor Tile (31*45cm)	व.फि.	१५०.००	१५५.००	१५५.००
	24" x 24" GVT	व.फि.	१६५.००	१५५.००	१५५.००
	24" x 24" GRES Virtified (Digital Floor)	व.फि.	१४४.००	१५३.००	१५३.००
	12" x 12" GRES homogenous Vertified parking Tile	व.फि.	१०६.००	१०६.००	१०६.००

भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	24" x 24" Virtified	व.फि.	१११.००	११८.००	११८.००
	Floor tiles-				
	16"X16"	व.फि.	९८.००	१०४.००	१०४.००
	12"x12"	व.फि.	८८.००	९३.००	९३.००
	12'X12" (White / Ivory)	व.फि.	७७.००	८२.००	८२.००
	24"x24" (Digital)	व.फि.	१२९.००	१२९.००	१२९.००
	12"x24" (Walls)	व.फि.	१३४.००	१३७.००	१३७.००
	12"x18"(wall)	व.फि.	१०३.००	१०९.००	१०९.००
	Artificial Granite (800mmx2600mm)	व.फि.		४७९.००	४७९.००
	GVT Floor Tile (900mm x 1800mm)	व.फि.		३७३.००	३७३.००
	Double Charge Floor tile (800mmx800mm)	व.फि.		१५९.००	१५९.००
	Double Charge Floor tile (600mmx600mm)	व.फि.		१२७.००	१२७.००
	GVT Floor Tile (800mm x 1600mm)	व.फि.		२१३.००	२१३.००
	10"x24" (Walls)	व.फि.		१३३.००	१३३.००
	(600mmx1200mm) Homogeneous Floor Tile (Full Body)	व.फि.		२३८.००	२३८.००
	(600mmx600mm) Homogeneous Floor Tile (Full Body)	व.फि.		१७०.००	१७०.००
	Planks Tile-GVT (200mm x 1200mm)	व.फि.		२३५.००	२३५.००
	Planks tile-Ceramic (148mm x 600mm)	व.फि.		१६१.००	१६१.००
	SST Vitrified Tile-Ivory (600mm x 600mm)	व.फि.		१२१.००	१२१.००
	Parking Tiles-Digital Vitrified (300mm x 300mm)	व.फि.		१२१.००	१२१.००
	Ceramic Floor-(600mm x 600 mm)	व.फि.		१३९.००	१३९.००
	Ceramic Floor-Terrace/Kitchen (397mm x 397mm)	व.फि.		१२१.००	१२१.००
	Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm)	व.फि.		१४२.००	१४२.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x 600mm)	व.फि.		१५५.००	१५५.००
	GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm)	व.फि.		१९८.००	१९८.००
	GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm)	व.फि.		१६७.००	१६७.००
	DCH Floor Tile(Double Charge) (600mm x 1200mm)	व.फि.		१८०.००	१८०.००
	Bathroom/Kitchen Wall-Ceramic (300mm x 600mm)	व.फि.		१४९.००	१४९.००
	Vitrified Elevation Tile (300mm x 600mm)	व.फि.		१५८.००	१५८.००
	Vtirified Floor-Matte (600mm x 600mm)	व.फि.		१४९.००	१४९.००
२५	**छानामा टाइलको वुट्टा काट्ने र पानी पट्टी कार्य**				
	१.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" वाक्लो प्लाष्टरमा रुफिङ टाइलको वुट्टा काट्ने सामान सहित	व.मि.	६२३.००	६६४.००	६६४.००
	१" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम	र.मी	७५.००	७९.००	७९.००
२६	**Heritage Wall Surface Texture** (Interior and Exterior) including the cost of supplying and fitting				
	Heritage granular	व.फि	८७.००	९२.००	९२.००
	Heritage flakes	व.फि	१०७.००	११४.००	११४.००

भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Heritage granite finish	व.फि	८७.००	९२.००	९२.००
	Heritage Top coat (plastic lamination)	व.फि	२२.००	२३.००	२३.००
२७	Plastic Sheet 500 guage	व.मि	३८.००	४०.००	४०.००
	Plastic Tripal 500 guage	व.मि	४१.००	४३.००	४३.००
२८.०	EPS Non burn Panel				
२८.१	Ivory colour Flat Wall Panel(0.4*1040) -50 mm	व.फि	२१६.००	२१६.००	२१६.००
	Ivory colour Flat Wall Panel(0.4*1040) -75 mm	व.फि	२५२.००	२५२.००	२५२.००
	Ivory colour Wall Panel(0.4*1040) -100 mm	व.फि	२८८.००	२८८.००	२८८.००
२८.२	Gray colour R.P Wall Panel(0.4*1105) -50 mm	व.फि	२४०.००	२४०.००	२४०.००
	Gray colour R.P Wall Panel(0.4*1105) -75 mm	व.फि	२७६.००	२७६.००	२७६.००
	Gray colour R.P Wall Panel(0.4*1105) -100 mm	व.फि	३१२.००	३१२.००	३१२.००
२८.३	Wooden Colour Sliding Wall Panel(0.4*1219) -75mm	व.फि	३००.००	३००.००	३००.००
	Wooden Colour Sliding Wall Panel(0.4*1219) -100mm	व.फि	३३६.००	३३६.००	३३६.००
२८.४	Black colour Zing Wall & Roof Panel(0.4*1219) -50mm	व.फि	२८८.००	२८८.००	२८८.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -75mm	व.फि	३२४.००	३२४.००	३२४.००
	Black colour Zing Wall & Roof Panel(0.4*1219) -100mm	व.फि	३६०.००	३६०.००	३६०.००
२८.५	Roof Blue & Orange colour (0.4*1219) -50mm	व.फि	२५२.००	२५२.००	२५२.००
	Roof Blue & Orange colour (0.4*1219) -75mm	व.फि	२८८.००	२८८.००	२८८.००
	Roof Blue & Orange colour (0.4*1219) -100mm	व.फि	३२४.००	३२४.००	३२४.००
२८.६	Steel Door (900*2100) 80 T	गोटा	१५२७४.३४	१५२७४.३४	१५२७४.३४
	Steel Door (1000*2100) 80 T	गोटा	१६१५९.२९	१६१५९.२९	१६१५९.२९
२८.७	ABS Door (900*2100) 80 T	गोटा	१३५०४.४२	१३५०४.४२	१३५०४.४२
२८.८	Panel Door (900*2100) 80 T	गोटा	११७३४.५१	११७३४.५१	११७३४.५१
२८.९	Window (115mm)	व.फि	७६६.०२	७६६.०२	७६६.०२
	Steel door				
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8~0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	व.फि		११००.००	११००.००
	Providing and fitting 60 Minute Fire-Rated Steel Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि			२५२५.००
	Providing and fitting 60 Minute Fire-Rated Steel Emergency Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material.	व.फि			३४००.००
	Providing and fitting Lead Line Radiation Proof Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI sheet and 2mm lead sheet frame inside its section, 2 mm lead sheet pasted inside the door leaf.	व.फि			६७००.००

भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Panel door				
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	व.फि		७२०.००	७२०.००
	UPVC Window				
	Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm~3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen.	व.फि		८८८.००	८८८.००
२९	**CLADDING**				
१	MCM Brick Claddding	व.फि	३८०.००	४०५.००	४०५.००
२	MCM Slate Stone Claddding	व.फि	४५०.००	४७९.००	४७९.००
३	MCM Oasis Stone Claddding	व.फि	४९०.००	५२२.००	५२२.००
४	MCM Wood Claddding	व.फि	५६०.००	५९७.००	५९७.००
५	MCM Travertine Stone Claddding	व.फि	६९०.००	७३५.००	७३५.००
३०	**Laminates**				
१	Liner 0.7mm	per sheet (8'X4')	१०५०.००	१११९.००	१११९.००
२	0.8 mm SUD	per sheet (8'X4')	१५००.००	१५९९.००	१५९९.००
३	Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8	per sheet (8'X4')	१७००.००	१८१२.००	१८१२.००
४	PGL 0.8 mm	per sheet (8'X4')	१७००.००	१८१२.००	१८१२.००
५	Marker Grade MGD 0.8 mm	per sheet (8'X4')	१८००.००	१९१९.००	१९१९.००
६	SUD 0.8 mm	per sheet (8'X4')	१५००.००	१५९९.००	१५९९.००
७	Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm	per sheet (8'X4')	१७००.००	१८१२.००	१८१२.००
८	gloss PRG 0.8 mm	per sheet (8'X4')	१७००.००	१८१२.००	१८१२.००
९	marker grade MGD 0.8 mm	per sheet (8'X4')	१८००.००	१९१९.००	१९१९.००
१०	metal ZRL 0.8 mm	per sheet (8'X4')	५५००.००	५८६४.००	५८६४.००
११	Plain 1mm	per sheet (8'X4')	२५००.००	२६६५.००	२६६५.००
१२	Texture 1mm	per sheet (8'X4')	३०००.००	३१९८.००	३१९८.००
१३	SUD 1mm	per sheet (8'X4')	२६००.००	२७७२.००	२७७२.००
१४	Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM	per sheet (8'X4')	३५००.००	३७३१.००	३७३१.००
१५	Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm	per sheet (8'X4')	४०००.००	४२६४.००	४२६४.००
१६	HDG 1mm	per sheet (8'X4')	४५००.००	४७९७.००	४७९७.००
१७	Unicore 1mm	per sheet (8'X4')	७५००.००	७९९६.००	७९९६.००
१८	Metal 1mm	per sheet (8'X4')	७५००.००	७९९६.००	७९९६.००
19	**EXTERIOR FACADE**				
	Clads Solids 6mm	व.फि	६५०.००	६९३.००	६९३.००
	Clads Wood Grains 6mm	व.फि	७२५.००	७७२.००	७७२.००
२०	Ceramic, glazed & glossy bathroom wall tiles size of 30X60 cm of 9mm thickness	व.फि			१०५.००
२१	Porcelain, unglazed, matte & unpolished bathroom floor tiles sizes of 30X30 cm of 8mm thickness	व.फि			८०.००

Khemraj

भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
२२	Ceramic, glazed, matte, glossy kitchen wall tile size of 30X45cm of 9mm thickness	व.फि			८०.००
२३	Porcelain unglazed & unpolished kitchen floor tile size of 60X60 cm of 10mm thickness	व.फि			१०५.००
२४	Porcelain unglazed & unpolished Indoor Floor Area/Corridor Tile sizes of 60X60 cm of 10mm thickness	व.फि			१०५.००
२५	Vitrified body unglazed, matt outdoor floor area tile sizes of 60X60 cm of 10mm thickness	व.फि			१३५.००
२६	Vitrified body unglazed, matt Terrace/Balcony Tile sizes of 40X40 cm of 10 mm thickness	व.फि			१३५.००
२७	Vitrified body unglazed Parking tile sizes of 30X30 cm of thickness 10 mm thickness	व.फि			१२५.००
२८	Vitrified body unglazded facade tile size of 30X60 cm of thickness 10 mm thickness	व.फि			१६०.००
२९	Ceramic matte facade tile size of 30X45 cm of thickness of 9 mm thickness	व.फि			११०.००
३०	Vitrified body unglazed matt tile of size 60X120 cm of 10 mm thickness	व.फि			१७५.००
३१	Vitrified body unglazed matt tile of size 60X60 cm of 10 mm thickness	व.फि			१३५.००

Khemaj

दिपक कुमार रिसाल

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	मठमन्दिरमा प्रयोग हुने ढुङ्गका विभिन्न सामग्रीहरु				
१	कालो ढुंगाको बुटा सहितको थाम ६"× ९"× ६०"	प्रति गोटा	७००००.००	७२१००.००	७२१००.००
२	कालो ढुंगाको बुटा सहितको थाम ६"× ९"× ६.६"	प्रति गोटा	१०५०००.००	१०७१००.००	१०७१००.००
३	कालो ढुंगाको बुटा सहिनको थाम १२"× १२"× ७.६"	प्रति गोटा	२४००००.००	२४४८००.००	२४४८००.००
४	४" बाक्लो पेटी ढुंगा (१०"× ४")	फिट	८००.००	८५६.००	८५६.००
५	४" बाक्लो नागोल ढुंगा (१०"× ४")	फिट	९००.००	९६३.००	९६३.००
६	४" बाक्लो बुटेदारी कसिमो, कार्नेस र फ्यो (१०"× ४")	फिट	३७००.००	३८८५.००	३८८५.००
७	कालो साइडल ढुंगा (इल्हों) (३०" ×३०"× १८")	प्रति गोटा	४००००.००	४१६००.००	४१६००.००
८	Peti kuna Dhunga(19.9"*9"*18")	प्रति गोटा	२७२०.००	२८५६.००	२८५६.००
९	Peti kuna Dhunga(10"*10"*14")	प्रति गोटा	१९००.००	१९९५.००	१९९५.००
१०	Bichako naykha nhu	प्रति गोटा	९५०.००	९९७.००	९९७.००
११	Dhungey dhara	प्रति गोटा	१३६०.००	१४२८.००	१४२८.००
१२	Peti Dhunga 4"	प्रति गोटा	२४५०.००	२५७२.००	२५७२.००
१३	Peti Dhunga 5"	मिटर	२९९०.००	३१३९.००	३१३९.००
१४	Shree Ganesh/Kumar Dhunga ko Murti	प्रति गोटा	१३६०.००	१४२८.००	१४२८.००
१५	ढुङ्गेधारा	गोटा	११५५.००	१२१२.००	१२१२.००
	माटो वाट निर्मित परम्परागत निर्माण सामाग्रीहरु				
१	Daachi Appa	गोटा	२५.००	२६.००	२७.००
२	Daachi kuna	गोटा	३५.००	३७.००	३९.००
२	Twa Aapa	गोटा	२७.००	२९.००	३०.००
३	Gol Aapa	गोटा	२७.००	२९.००	३०.००
४	Ganesh/kumar/tara/Panch Buddha	गोटा	३२०.००	३४२.००	३५३.००
५	Kalash(4"x6")	गोटा	५३.००	५६.००	५८.००
६	Kalash(9"x12")	गोटा	१५८.००	१७०.००	१७६.००
७	Nagol	गोटा	२७.००	२९.००	३०.००
८	Nagol kuna	गोटा	४०.००	४३.००	४५.००
९	Kashimo	गोटा	२७.००	२९.००	३०.००
१०	Kashimo Kuna	गोटा	४०.००	४३.००	४५.००
११	Sakuli	गोटा	२७.००	२९.००	३०.००
१२	Sakuli Kuna	गोटा	४०.००	४३.००	४५.००
१३	Paan butta	गोटा	२७.००	२९.००	३०.००
१४	Paan butta Kuna	गोटा	४०.००	४३.००	४५.००
१५	Sano Fa butta	गोटा	२७.००	२९.००	३०.००
१६	Sano Fa butta Kuna	गोटा	४०.००	४३.००	४५.००
१७	Thulo Fa butta	गोटा	२७.००	२९.००	३०.००
१८	Thulo Fa butta kuna	गोटा	४०.००	४३.००	४५.००
१९	Naya fa butta	गोटा	२७.००	२९.००	३०.००
२०	Naya fa butta Kuna	गोटा	४०.००	४३.००	४५.००
२१	Sano ga butta	गोटा	२७.००	२९.००	३०.००
२२	Sano ga butta Kuna	गोटा	४०.००	४३.००	४५.००
२३	Thulo Ga butta	गोटा	२७.००	२९.००	३०.००
२४	Thulo Ga butta Kuna	गोटा	४०.००	४३.००	४५.००

गोकर्णेश्वर नगरकार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख

माटो तथा ढुंङ्गावाट निर्मित परम्परागत निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
२५	Pumha buta	गोटा	२७.००	२९.००	३०.००
२६	Pumha buta Kuna	गोटा	४०.००	४३.००	४५.००
२७	Tinkune swa	गोटा	२७.००	२९.००	३०.००
२८	Tinkune swa Kuna	गोटा	४०.००	४३.००	४५.००
२९	Tinkune Pali	गोटा	२७.००	२९.००	३०.००
३०	Tinkune Pali kuna	गोटा	४०.००	४३.००	४५.००
३१	Sano swa butta	गोटा	२७.००	२९.००	३०.००
३२	Sano swa butta Kuna	गोटा	४०.००	४३.००	४५.००
३३	Thulo swa Butta	गोटा	२७.००	२९.००	३०.००
३४	Thulo swa Butta Kuna	गोटा	४०.००	४३.००	४५.००
३५	Nag tauko R/L	गोटा	१३२.००	१४२.००	१४७.००
३६	Nag Ghati R/L	गोटा	७०.००	७५.००	७८.००
३७	Nag Jiu	गोटा	२७.००	२९.००	३०.००
३८	Kuna	गोटा	४०.००	४३.००	४५.००
३९	Thulo Nag tauko R/L	गोटा	१३२.००	१४२.००	१४७.००
४०	Nag Ghati	गोटा	७०.००	७५.००	७८.००
४१	Thulo Nag Jiu	गोटा	२७.००	२९.००	३०.००
४२	Thulo Nag Jiu Kuna	गोटा	४०.००	४३.००	४५.००
४३	Nag Male/Female	गोटा	५३०.००	५६७.००	५८५.००
४४	Khal Nagol	गोटा	२७.००	२९.००	३०.००
४५	Khal Nagol Kuna	गोटा	४०.००	४३.००	४५.००
४६	Khal Fyo	गोटा	२७.००	२९.००	३०.००
४७	Khal Fyo Kuna	गोटा	४०.००	४३.००	४५.००
४८	Lahara butta	गोटा	२७.००	२९.००	३०.००
४९	Lahara butta Kuna	गोटा	४०.००	४३.००	४५.००
५०	Nagbeli	गोटा	२७.००	२९.००	३०.००
५१	Nagbeli kuna	गोटा	४०.००	४३.००	४५.००
५२	Mikhafushi mathi R/L	गोटा	३२.००	३४.००	३६.००
५३	Mikhafushi mathi R/L Kuna	गोटा	३२.००	३४.००	३६.००
५४	Mikhafushi mathi Bitch	गोटा	३२.००	३४.००	३६.००
५५	Mikhafushi Tal R/L Kuna	गोटा	३२.००	३४.००	३६.००
५६	Mikhafushi Tal R/L	गोटा	३२.००	३४.००	३६.००
५७	Mikhafushi Tal Bitch	गोटा	३२.००	३४.००	३६.००
५८	Palifo R/L	गोटा	२७.००	२९.००	३०.००
५९	Palifo R/L Kuna	गोटा	४०.००	४३.००	४५.००
६०	Palifo Bitch	गोटा	४०.००	४३.००	४५.००
६१	Naya Palifo	गोटा	२७.००	२९.००	३०.००
६२	Naya Palifo Kuna	गोटा	४०.००	४३.००	४५.००
६३	Shida Palifo	गोटा	२७.००	२९.००	३०.००
६४	Shida Palifo kuna	गोटा	४०.००	४३.००	४५.००
६५	Thulo Palifo R/L	गोटा	२७.००	२९.००	३०.००
६६	Thulo Palifo R/L Kuna	गोटा	४०.००	४३.००	४५.००
६७	Thulo Palifo Bitch	गोटा	२७.००	२९.००	३०.००
६८	2" Singh	गोटा	३२.००	३४.००	३६.००

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
६९	2" Garud	गोटा	३२.००	३४.००	३६.००
७०	Dhalimo	गोटा	३२.००	३४.००	३६.००
७१	3" Singh	गोटा	४२.००	४५.००	४७.००
७२	3" Garud	गोटा	४२.००	४५.००	४७.००
७३	3" singh full Jodiyako	गोटा	५३.००	५७.००	५९.००
७४	3" Astmangal	गोटा	४२.००	४५.००	४७.००
७५	3" Garud full	गोटा	५३.००	५७.००	५९.००
७६	4" Singh	गोटा	५३.००	५७.००	५९.००
७७	4" Garud	गोटा	५३.००	५७.००	५९.००
७८	Twa fyo	गोटा	२७.००	२९.००	३०.००
७९	Twa fyo Kuna	गोटा	४०.००	४३.००	४५.००
८०	4" Astmangal	गोटा	५३.००	५७.००	५९.००
८१	6" Singh	गोटा	१०५.००	११३.००	११७.००
८२	6" Garud	गोटा	१०५.००	११३.००	११७.००
८३	Chaal butta	गोटा	२७.००	२९.००	३०.००
८४	Chaal butta Kuna	गोटा	४०.००	४३.००	४५.००
८५	2" fyo	गोटा	२७.००	२९.००	३०.००
८६	2" fyo Kuna	गोटा	४०.००	४३.००	४५.००
८७	4" fyo	गोटा	२७.००	२९.००	३०.००
८८	4" fyo Kuna	गोटा	४०.००	४३.००	४५.००
८९	Tara Butta Puralo	गोटा	२७.००	२९.००	३०.००
९०	Tara Butta Puralo Kuna	गोटा	४०.००	४३.००	४५.००
९१	Naya tara butta	गोटा	२७.००	२९.००	३०.००
९२	Naya tara butta Kuna	गोटा	४०.००	४३.००	४५.००
९३	Swafo tara	गोटा	२७.००	२९.००	३०.००
९४	Swafo tara Kuna	गोटा	४०.००	४३.००	४५.००
९५	Sikri butta	गोटा	२७.००	२९.००	३०.००
९६	Sikri butta Kuna	गोटा	४०.००	४३.००	४५.००
९७	Na Sikri	गोटा	२७.००	२९.००	३०.००
९८	Na Sikri Kuna	गोटा	४०.००	४३.००	४५.००
९९	Nhaya butta sano	गोटा	२७.००	२९.००	३०.००
१००	Na Sikri Kuna	गोटा	४०.००	४३.००	४५.००
१०१	Nhaya butta Thulo	गोटा	२७.००	२९.००	३०.००
१०२	Nhaya butta Thulo Kuna	गोटा	४०.००	४३.००	४५.००
१०३	Gol Nagol	गोटा	२७.००	२९.००	३०.००
१०४	Gol Nagol kuna	गोटा	४०.००	४३.००	४५.००
१०५	Ga swa butta	गोटा	२७.००	२९.००	३०.००
१०६	Ga swa butta Kuna	गोटा	४०.००	४३.००	४५.००
१०७	Chandrama butta	गोटा	२७.००	२९.००	३०.००
१०८	Chandrama butta kuna	गोटा	४०.००	४३.००	४५.००
१०९	Ga tha butta	गोटा	२७.००	२९.००	३०.००
११०	Ga tha butta Kuna	गोटा	४०.००	४३.००	४५.००
१११	Bajra lahara	गोटा	२७.००	२९.००	३०.००
११२	Bajra lahara Kuna	गोटा	४०.००	४३.००	४५.००

Khemaj

कुमार

माटो तथा ढुङ्गावाट निर्मित परम्परागत निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
११३	Simakacha	गोटा	२७.००	२९.००	३०.००
११४	Simakacha Kuna	गोटा	४०.००	४३.००	४५.००
११५	Methpau	गोटा	२७.००	२९.००	३०.००
११६	Chir butta	गोटा	२७.००	२९.००	३०.००
११७	Chir butta Kuna	गोटा	४०.००	४३.००	४५.००
११८	Thi butta	गोटा	२७.००	२९.००	३०.००
११९	Thi butta Kuna	गोटा	४०.००	४३.००	४५.००
१२०	32 No. swa	गोटा	२७.००	२९.००	३०.००
१२१	32 No. swa Kuna	गोटा	४०.००	४३.००	४५.००
१२२	Sano Ribbon	गोटा	२७.००	२९.००	३०.००
१२३	Sano Ribbon Kuna	गोटा	४०.००	४३.००	४५.००
१२४	Thulo Ribbon	गोटा	२७.००	२९.००	३०.००
१२५	Thulo Ribbon Kuna	गोटा	४०.००	४३.००	४५.००
१२६	Bajra tara butta	गोटा	२७.००	२९.००	३०.००
१२७	Bajra tara butta Kuna	गोटा	४०.००	४३.००	४५.००
१२८	fa paliha swa	गोटा	६०.००	६४.००	६६.००
१२९	2" Tham	गोटा	५३.००	५७.००	५९.००
१३०	3" Tham	गोटा	६९.००	७४.००	७७.००
१३१	4" Tam	गोटा	१०५.००	११३.००	११७.००
१३२	Ga tara butta	गोटा	२७.००	२९.००	३०.००
१३३	Ga tara butta Kuna	गोटा	४०.००	४३.००	४५.००
१३४	Full tara butta	गोटा	२७.००	२९.००	३०.००
१३५	Full tara butta Kuna	गोटा	४०.००	४३.००	४५.००
१३६	Meth	गोटा	५००.००	५३९.००	५५६.००
१३७	12" Tham Set	गोटा	१८९६.००	२०२८.००	२०८९.००
१३८	6"x6" teliya/ 6*6 tinkune	गोटा	२२.००	२३.००	२४.००
१३९	8*8 teliya	गोटा	३५.००	३७.००	३९.००
१४०	Teliya nagol	गोटा	२५.००	२६.००	२७.००
१४१	Teliya nagol kuna	गोटा	३७.००	३९.००	४१.००
१४२	Khoshi Kerafo	गोटा	२७.००	२९.००	३०.००
१४३	Khoshi Kerafo Kuna	गोटा	४०.००	४३.००	४५.००
१४४	teliya skating	गोटा	३७.००	३९.००	४१.००
१४५	Naya lahara butta	गोटा	२७.००	२९.००	३०.००
१४६	Naya lahara butta Kuna	गोटा	४०.००	४३.००	४५.००
१४७	kamal lahara	गोटा	२७.००	२९.००	३०.००
१४८	kamal lahara Kuna	गोटा	४०.००	४३.००	४५.००
१४९	Sano kera Fo	गोटा	२७.००	२९.००	३०.००
१५०	Sano kera Fo Kuna	गोटा	४०.००	४३.००	४५.००
१५१	Thulo kera fo	गोटा	२७.००	२९.००	३०.००
१५२	Thulo kera fo Kuna	गोटा	४०.००	४३.००	४५.००
१५३	Dhalimo	गोटा	३२.००	३४.००	३६.००
१५४	Dhalimo Kuna	गोटा	४०.००	४३.००	४५.००
१५५	Illa butta	गोटा	२७.००	२९.००	३०.००
१५६	Illa butta Kuna	गोटा	४०.००	४३.००	४५.००

माटो तथा ढुङ्गाबाट निर्मित परम्परागत निर्माण सामाग्रीहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१५७	Parda Butta Sano R/L	गोटा	२७.००	२९.००	३०.००
१५८	Parda Butta Sano R/L Kuna	गोटा	४०.००	४३.००	४५.००
१५९	Parda Butta Sano Bitch	गोटा	४०.००	४३.००	४५.००
१६०	Parda butta Thulo R/L	गोटा	२७.००	२९.००	३०.००
१६१	Parda butta Thulo R/L Kuna	गोटा	४०.००	४३.००	४५.००
१६२	Parda butta Thulo bitch	गोटा	४०.००	४३.००	४५.००
१६३	Pu pali butta	गोटा	६३.००	६७.००	७०.००
१६४	Thulo Singal Palifo	गोटा	६३.००	६७.००	७०.००
१६५	Kalash jhalar	गोटा	६३.००	६७.००	७०.००
१६६	ganesh Gajur Pali	गोटा	६३.००	६७.००	७०.००
१६७	ganesh Gajur Pali Kuna	गोटा	१०५.००	११३.००	११७.००
१६८	60 No. khwabutta	गोटा	२७.००	२९.००	३०.००
१६९	60 No. khwabutta Kuna	गोटा	४०.००	४३.००	४५.००
१७०	Tiki jhaya	गोटा	२७.००	२९.००	३०.००
१७१	bhyafyo apa	गोटा	६९.००	७४.००	७७.००
१७२	Naya Jhalar	गोटा	२७.००	२९.००	३०.००
१७३	Naya Jhalar Kuna	गोटा	४०.००	४३.००	४५.००
१७४	nyakucha	गोटा	२७.००	२९.००	३०.००
१७५	Jingati	गोटा	१०.००	१०.००	११.००
१७६	Lock Dhuri	गोटा	७५.००	८०.००	८३.००
१७७	Dhuku	गोटा	७५.००	८०.००	८३.००
१७८	मा आपा	गोटा	१९.००	२०.००	२१.००
१७९	त्वा आपा	गोटा	२५.००	२६.००	२७.००
१८०	फ्या अपा	गोटा	२७.००	२९.००	३०.००
१८२	गोंगचा सानो	गोटा	१५०.००	१६१.००	१६६.००
१८३	गोंगचा मझैला	गोटा	२५०.००	२६९.००	२७८.००
१८४	गोंगचा ठूलो	गोटा	३००.००	३२३.००	३३३.००
१८५	न्याकुचा	गोटा	२२.००	२३.००	२४.००
१८६	श्री गणेश	गोटा	११५५.००	१२१२.००	१२१२.००
१८७	कुमार	गोटा	११५५.००	१२१२.००	१२१२.००
१८८	४"X ४" भैरव	गोटा	२०००.००	२१००.००	२१००.००
१८९	५"X ५" भैरव	गोटा	३०००.००	३१५०.००	३१५०.००
१९०	ठूलो कलश	गोटा	१७३.००	१८६.००	१८६.००
१९१	मसीनो सूर्कि	के.जी.	१४.००	१५.००	१५.००
१९२	खस्रो सुर्कि	के.जी.	८.००	८.००	८.००
१९३	गट्टा चुन	के.जि.	२३.००	२४.००	२४.००
१९४	तामा पाता.	के.जी.	१३५०.००	१४१७.००	१४१७.००
१९५	पित्तल पाता	के.जी.	१०२५.००	१०७६.००	१०७६.००
१९६	पारो	तोला	३००.००	३२३.००	३२३.००
१९७	सूर्कि इटा कुटि धुलो बनाएको	टन	१३८६.००	१४५५.००	१४५५.००
१९८	हवा घण्टी ४"	गोटा	४७६.००	५०९.००	५०९.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख

काठ तथा प्लाइउड सवन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	६' सम्मको सालकाठ	घ. फि	५६००.००	५८८०.००	५८८०.००
२	६' देखि ८' सम्मको सालकाठ	घ. फि	५८००.००	६०९०.००	६०९०.००
३	८' देखि १२' सम्मको सालकाठ	घ. फि	६२५०.००	६५६२.००	६५६२.००
४	१२ फिट देखि माथिको साल काठ	घ. फि	६६००.००	६९३०.००	६९३०.००
५	साज काठ	घ. फि	३३५०.००	३५१७.००	३५१७.००
६	जामुन काठ	घ. फि	२१५०.००	२२५७.००	२२५७.००
७	सल्लाको काठ	घ. फि	१५५०.००	१६२७.००	१६२७.००
८	सिसौं काठ	घ. फि	३५००.००	३६७५.००	३६७५.००
९	जंगली सिसौं काठ ,,	घ. फि	५२७०.००	५५३३.००	५५३३.००
१०	उतीस को काठ	घ. फि	६२५.००	६६८.००	६६८.००
११	काठ दाउरा	के.जी	१८.००	१९.००	१९.००
१२	३८ मि.मि. मोटाईको केमिकल्ली ट्रिटेड मेसिनमेड वाटरप्रुफ, बोरर फ्रि सोलीडकोर फ्लसडोर सटर				
	साधारण				
	Plain	व.फि	२३५.००	२५३.००	२५३.००
	Ordinary-one side teak water proof	व.फि	२८०.००	३०१.००	३०१.००
	Both side teak water Proof	व.फि	३२५.००	३५०.००	३५०.००
	वाटर प्रुफ गरिएको				
	Plain	व.फि	२४५.००	२६४.००	२६४.००
	One side teak	व.फि	२८८.००	३१०.००	३१०.००
	Both side teak	व.फि	३३३.००	३५८.००	३५८.००
१३	**कुदिएको काठको काम तयारी**				
	भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१०८०.००	१०८०.००	१०८०.००
	भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3")	गोटा	१२६०.००	१३२३.००	१३२३.००
	भऱ्याङ्गको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4")	र.फि.	६८०.००	७२४.००	७२४.००
	भऱ्याङ्गको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4")	गोटा	२२५०.००	२३६२.००	२३६२.००
	देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	१३५००.००	१३५००.००	१३५००.००
	देवी देवताको मुर्ति कुँदिएको ६' देखि ७' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम	गोटा	२२५००.००	२२५००.००	२२५००.००
	विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको झ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म)	व.फि.	३१५०.००	३१५०.००	३१५०.००
	घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुँडाल बनाउने काम ।	गोटा	७२८०.००	७२८०.००	७२८०.००

काठ तथा प्लाइउड संवन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	सामान्य प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी	व.फि.	१३५०.००	१३५०.००	१३५०.००
	मध्यम प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी	व.फि.	१६२०.००	१६२०.००	१६२०.००
	विशेप प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक सहीत	व.फि.	२२५०.००	२३६२.००	२३६२.००
	विशेष प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक नभएको	व.फि.	१९८०.००	१९८०.००	१९८०.००
	३"X १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम	र.फि.	३६०.००	३६०.००	३६०.००
	कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"X ५"को कार्नेस बिम आदि तयारी गर्ने कार्य	र.फि.	१६२०.००	१६२०.००	१६२०.००
	४"X ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य	र.फि.	१७१०.००	१७१०.००	१७१०.००
१४	**Wooden Parquet Flooring**				
	Shisam wooden parqueting150mm*30mm*8mm	व.फि.	२२०.००	२२०.००	२२०.००
	Wall panelling (with wood frame) sisam wood. (75mm*16mm)	व.फि.	५६०.००	५९९.००	५९९.००
१५	**विभिन्न मोटाईको प्लाइउडहरु**				
	साधारण प्लाइउड				
	३ मी.मी	व.फि	३६.००	३६.००	३६.००
	३.५ मी.मी.	व.फि	२६.००	२६.००	२६.००
	४ मी.मी	व.फि	२६.००	२८.००	२८.००
	६ मी.मी	व.फि	५३.००	५३.००	५३.००
	८ मी.मी	व.फि	५७.००	५७.००	५७.००
	१२ मी.मी	व.फि	८०.००	८०.००	८०.००
	१९ मी.मी B/B	व.फि	१०७.००	११२.००	११२.००
	१८ मी.मी PLY	व.फि	११०.००	११५.००	११५.००
१६	**वाटर प्रुफ प्लाइउड**				
	४ मी.मी	व.फि	५२.००	५२.००	५२.००
	६ मी.मी	व.फि	६७.००	६५.००	६५.००
	८ मी.मी.	व.फि	६३.००	६७.००	६७.००
	९ मी.मी.	व.फि	८९.००	८९.००	८९.००
	१२ मी.मी	व.फि	९९.००	९९.००	९९.००
	१५ मी.मी PLY	व.फि	११३.००	११३.००	११३.००
	१८ मी.मी B/B	व.फि	१३९.००	१३९.००	१३९.००
१७	**Natural Teak Plywood**				
	३ मी .मी	व.फि	४८.००	५१.००	५१.००
	४ मी. मी (Group Match of in 5 pcs)	व.फि	६९.००	७४.००	[illegible]

काठ तथा प्लाइउड सवन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	४ मी. मी (Regular)	व.फि	६०.००	६४.००	६४.००
	४ मी. मी (Crown)	व.फि	४३.००	४६.००	४६.००
	४ मी. मी (Beri)	व.फि	४९.००	५२.००	५२.००
	४ मी. मी (Whitest line)	व.फि	३९.००	४२.००	४२.००
	४ मी. मी (Beach)	व.फि	४६.००	४९.००	४९.००
	४ मी. मी (Recon 18 No.)	व.फि	३७.००	३९.००	३९.००
१८	सनमाईका तथा फरमाईका				
	सनमाईका (4' x 8')	व.फि	१७.००	१८.००	१८.००
	फोरमाईका	व.फि	७५.००	८०.००	८०.००
	हार्डवोर्ड (Hard board) 12 mm thick	व.फि	४४.००	४७.००	४७.००
१९	**DECORATIVE (THICKER)**				
	6 OST	व.फि	१२६.००	१३५.००	१३५.००
	6 BST	व.फि	१६०.००	१७२.००	१७२.००
	9 OST	व.फि	१४०.००	१५०.००	१५०.००
	9 BST	व.फि	१७३.००	१८६.००	१८६.००
	12 OST	व.फि	१५३.००	१६४.००	१६४.००
	12 BST	व.फि	१८७.००	२०१.००	२०१.००
	19 B/B OST	व.फि	१६५.००	१७७.००	१७७.००
	19 B/B BST	व.फि	२००.००	२१५.००	२१५.००
	18 OST	व.फि	१८७.००	२०१.००	२०१.००
	18 BST	व.फि	२२१.००	२३८.००	२३८.००
२०	**Ready made Teak wood Doors** **(Seasoned and Poisoned treated)** (excluding the cost of fitting, transportation, Painting)				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१७४.००	१८७.००	१८७.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२३७.००	२५५.००	२५५.००
	Oneside water proof ply fitting				
	Readymade door shutter Recon, ordinary (1 side teak)	व.फि	१९९.००	२१४.००	२१४.००
	Readymade door shutter Recon, Special (1 side teak)	व.फि	२६८.००	२८८.००	२८८.००
२१	काठको लिष्टि				
	1/2" wide	र.फि.	१४.००	१५.००	१५.००
	3/4" wide	र.फि.	१६.००	१७.००	१७.००
	1.5" wide	र.फि.	२७.००	२९.००	२९.००
	Decorative	र.फि.	३८.००	४०.००	४०.००
२२	**Infill Material**				
	Frame C - Studs(0.55mm*0.75mm*3m)	गोटा	३८०.००	४०९.००	४०९.००
	Frame U - Studs(0.55mm*0.75mm*3m)	गोटा	३८०.००	४०९.००	४०९.००
	Board 9 mm	गोटा	२२२७.००	२४००.००	२४००.००
	Fiber mess tape (for 90mm/roll)	गोटा	३००.००	३२३.००	३२३.००
	PU sasuage rod	गोटा	१८००.००	१८९०.००	१८९०.००

काठ तथा प्लाइउड संवन्धि निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
२३	**Parquet(sisam,saaj & Teak)**				
	1"x3"x6mm thickness	व.फि	२००.००	२१५.००	२१५.००
	1"x6"x8mm thickness	व.फि	३००.००	३२३.००	३२३.००
	2"x10"x10mm thickness	व.फि	४००.००	४३१.००	४३१.००
	3"x14"x12mm thickness	व.फि	५५०.००	५८८.००	५८८.००
	3"x18"x14mm thickness	व.फि	६५०.००	६९५.००	६९५.००
२४	**Tounge & Groove(T.G.)Flooring**	व.फि			
	Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural	व.फि	७००.००	७४९.००	७४९.००
	Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/ Mix	व.फि	६५०.००	६९५.००	६९५.००
२५	**Wall panelling**				
	pine	व.फि	५००.००	५३५.००	५३५.००
	saaj,Teak	व.फि	६००.००	६४२.००	६४२.००
	Sisam	व.फि	७००.००	७४९.००	७४९.००
	3"Skirting				
	pine	र.फि.	१५०.००	१६१.००	१६१.००
	saaj,Teak	र.फि.	२००.००	२१५.००	२१५.००
	Sisam	र.फि.	३००.००	३२३.००	३२३.००
	4"Skirting	र.फि.			
	pine	र.फि.	२००.००	२१५.००	२१५.००
	saaj,Teak	र.फि.	२५०.००	२६९.००	२६९.००
	Sisam	र.फि.	३५०.००	३७७.००	३७७.००
	5"Skirting				
	pine	र.फि.	२५०.००	२६९.००	२६९.००
	saaj,Teak	र.फि.	३००.००	३२३.००	३२३.००
	Sisam	र.फि.	४००.००	४३१.००	४३१.००

दिपक कुमार रिसाल
नगरप्रमुख
गोदावरी नगरपालिका

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	102 SERIES WINDOWS				
१	Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	६५७.००	६८९.००	६८९.००
२	Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer).	Sq.ft.	७२३.००	७५९.००	७५९.००
३	Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	८३६.००	८७७.००	८७७.००
४	Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle).	Sq.ft.	९२०.००	९६६.००	९६६.००
५	Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaurd coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed seprately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/- 3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 The interlock section shall be housing antilift mechanism to enhance security.Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq Mtr	१५०६४.००	१५६६६.००	१५६६६.००
	90 SERIES WINDOWS				
१	Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coaded color. Section size (87x56×1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window).	Sq.ft.	५२९.००	५५०.००	५५०.००
२	Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६०४.००	६३४.००	६३४.००

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
३	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×65×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	५७१.००	५९९.००	५९९.००
४	Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window).	Sq.ft.	६५८.००	६९०.००	६९०.००
५	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color. Section size (87x25+12×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४२८.००	४५६.००	४५६.००
६	Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12×1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel).	Sq.ft.	४९२.००	५२४.००	५२४.००
७	Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm)	Sq.ft.	१८८.००	२००.००	२००.००
	102 SERIES PARTITION				
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	५१९.००	५५३.००	५५३.००
२	Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	५६३.००	६००.००	६००.००
	64 SERIES PARTITION				
१	Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 8.00 Sq.ft).	Sq.ft.	३९०.००	४१५.००	४१५.००
२	Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft).	Sq.ft.	४७८.००	५०९.००	५०९.००
	ACOUSTIC PARTITION				
१	SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing "Variflex" operable partition of Dorma make consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db.	Sq.m.	४५०००.००	४६८००.००	४६८००.००
	STRUCTURAL GLAZING				
१	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.)	Sq.ft.	५४८.००	५८४.००	५८४.००
२	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	६३६.००	६७८.००	६७८.००

दिपक कुमार रिमाल
नगरप्रमुख

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
३	Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.)	Sq.ft.	७७३.००	८२४.००	८२४.००
	GLASS DOOR & PARTITION				
१	Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluninium Frame (Ground Floor).	Sq.ft.	१२५९.००	१३२१.००	१३२१.००
२	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluninium Frame (Ground Floor).	Sq.ft.	८१७.००	८७१.००	८७१.००
३	Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting.	Sq.ft.	१३५४.००	१४२१.००	१४२१.००
	Aluminium Composite Panel (ACP).				
१	Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	३३३.००	३५५.००	३५५.००
२	Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing.	Sq.ft.	४४७.००	४७६.००	४७६.००
	FABRIC LINED ACOUSTIC PANEL				
१	DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum),wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area).	Sq.m	२५०००.००	२६०००.००	२६०००.००
	ALUMINIUM DOOR & WINDOW				
१	Supply and installation for Casement door & Window pre-engineered System with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaurd coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer.	Sq.m	१६२५०.००	१६९००.००	१६९००.००

(Khemraj)

दिपक कुमार रिजाल

Aluminum Doors and Windows

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
२	EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK (CASEMENT- NC 65 HDS): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite	Sq.m	१००००० .००	१०२००० .००	१०२००० .००
	Steel Door & Windows				
१	Steel Door (a set with frame)				
	900x2100	set	२१०००.००	२१८४०.००	२१८४०.००
	1000x2100	set	२२०००.००	२२८८०.००	२२८८०.००
२	ABS Door				
	900x2100	set	१८०००.००	१८७२०.००	१८७२०.००
३	Panel Door				
	900x2100	set	१४०००.००	१४५६०.००	१४५६०.००
४	Window				
	115mm	set	८७५.००	९३२.००	९३२.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm. Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drinage cover, etc.				
A	**Single glazing**				
१	UPVC Sliding window with net (frame 50*80 mm. sash 58*36 mm. white colour with 5mm glass)	व.मि	७२१५.००	७५७५.००	७५७५.००
२	UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass)	व.मि	६६६४.००	६९९७.००	६९९७.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass)	व.मि	७४९३.००	७८६७.००	७८६७.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm. white colour with 5mm glass)	व.मि	७४९३.००	७८६७.००	७८६७.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm. sash 60*104 mm. white colour with 5mm glass)	व.मि	८२१४.००	८६२४.००	८६२४.००
६	UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour)	व.मि	८३२८.००	८७४४.००	८७४४.००
७	UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass)	व.मि	८८८४.००	९३२८.००	९३२८.००
८	UPVC Sliding Door with net (frame 52*88 mm. sash 88*42 mm. white colour with 5mm glass)	व.मि	८८८४.००	९३२८.००	९३२८.००
९	UPVC Sliding Door without net (frame 60*60 mm. sash 88*42 mm. white colour with 5mm glass)	व.मि	८६०६.००	९०३६.००	९०३६.००
१०	UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm)	व.मि	९९९१.००	१०४९०.००	१०४९०.००
११	UPVC 88x60mm Sliding white colour window with 5mm glass pannele	व.मि	८६२६.००	९०५७.००	९०५७.००
११	UPVC 60x64mm white colour casement window with 5mm glass pannele	व.मि	९७९६.००	१०२८५.००	१०२८५.००
१२	UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour	व.मि	१०३५३.००	१०७६७.००	१०७६७.००
१२	UPVC60x60mm x9mmthick white colour partition board with 5mm glass	व.मि	१०७१७.००	१११४५.००	१११४५.००
१३	UPVC60x60mm white colour swing door with 5mm glass pannel	व.मि	६७२७.००	७०६३.००	७०६३.००
B	**Double glazing**				
१	UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass)	व.मि	९४३५.००	९९०६.००	९९०६.००
२	UPVC Sliding window without net (frame 60*60 mm. sash 66*42 mm. white colour with 5mm double glass)	व.मि	८९३५.००	९३८१.००	९३८१.००
३	UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	१०२०३.००	१०२०३.००
४	UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass)	व.मि	९७१८.००	१०२०३.००	१०२०३.००
५	UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm. white colour with 5mm double glass)	व.मि	१०४३९.००	१०८५६.००	१०८५६.००
६	UPVC Double Door (frame 60*60 mm. sash 60*104 mm. white colour with 5mm double glass)	व.मि	१०५४७.००	१०९६८.००	१०९६८.००
७	UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	११९०३.००	११५४७.००	११५४७.००
८	UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass)	व.मि	१०८२५.००	११२५८.००	११२५८.००
९	Supply & fixing of 80*50 mm white colour casement window	व.मि	९६११.००	१००९१.००	१००९१.००

दिपक कुमार रिसाल
नगरप्रमुख

UPVC Profile for Door/Window

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Supplying and installation of RoHS Complint. 100% lead free. 100% recyclable UPVC profile:sliding window frame 50*80mm;sash 58*36mm, Sliding Door Frame 52*88; sash 80*42 ,Casement window frame 60*60;sash 60*104mm white colour with reinforcement,5mm thick clear float glass ,insect net,patented standard hard ware like :rollers.gaskets.brush.seal.moon locks.push locks.drining cover.etc.				
	Single glazing				
1	upvc sliding window with net (frame 50x80mm,sash 58x36mm , whit colou with 5mm glass)	व.मि		१४६०१.००	१४६०१.००
2	upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass)	व.मि		१४१५९.००	१४१५९.००
3	upvc top hung window (frame 60x60mm .sash 60x78mm. white colour with 5mm glass)	व.मि		१४८६७.००	१४८६७.००
4	upvc casement window (fream 60x60mm .sash 60x78mm .white colour with 5mm glass)	व.मि		१४८६७.००	१४८६७.००
5	upvc single door with half pannel half glass (fream 60x60mm , sash 60x104mm ,white colour with 5mm glass)	व.मि		१५०४४.००	१५०४४.००
6	upvc single door with full pannel (fream 60x60mm ,sash 60x104mm ,white colour)	व.मि		१५०४४.००	१५०४४.००
7	upvc double door (fream 60x60mm.sash 60x104mm .white colour with 5mm glass)	व.मि		१५४८६.००	१५४८६.००
8	upvc sliding door with net (fream 52x88mm,sash 88x42mm ,white coliur with 5mm glass)	व.मि		१५४८६.००	१५४८६.००
9	upvc sliding door without net (fream60x60mm,sash 88x42mm, white colour with 5mm glass)	व.मि		१४१५९.००	१४१५९.००
10	upvc swing door with half glass half upvc pannel (fream 60x60mm)	व.मि		१५९२९.००	१५९२९.००
11	upvc 88x60 mm sliding white colour window with 5mm glass pannel.	व.मि		१५४८६.००	१५४८६.००
12	upvc 60x64mm white colour casement window with 5mm glass pannel.	व.मि		१५९२९.००	१५९२९.००
13	upvc 110x64 mm x9mm thick board and 5mm tijck glass pannel with white colour.	व.मि		१६८१४.००	१६८१४.००
14	upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour.	व.मि		१७२५६.००	१७२५६.००
15	upvc 60x60mmx white colour swing door with 5mm glass pannel.	व.मि		१४१५९.००	१४१५९.००
	Double glazing				
1	upvc sliding window with net (frame 50x80mm.sash 58x 36mm.white colour with 5mm double glass)	व.मि		१५७५२.००	१५७५२.००
2	upvc sliding window without net (frame 60x60mm, sash 66x42mm ,white colour with 5mm double glass)	व.मि		१५४८६.००	१५४८६.००
3	upvc tophung window (frame 60x60mm ,sash 60x78mm,ehite colour with 5mm double glass)	व.मि		१५९२९.००	१५९२९.००
4	upvc casememt window (frame 60x60mm,sash 60x78mm.white colour with 5mm double glass)	व.मि		१५९२९.००	१५९२९.००
5	upvc single door with half pannel half glass (frame 60x60mm,sash 60x104mm ,white colour with 5mm double glass)	व.मि		१७०७९.००	१७०७९.००
6	upvc double door (frame 60x60mm,sash60x78mm, white colour with 5mm double glass)	व.मि		१७२५६.००	१७२५६.००
7	upvc sliding door with net (frame 52x88mm,sash 88x42mm,white colour with 5mm double glass)	व.मि		१७६९९.००	१७६९९.००
8	upvc sliding door without net (frame 60x60 mm,sash 88x42mm,white colour with 5mm double glass)	व.मि		१७२५६.००	१७२५६.००
9	supply and fixing of 80x50mm white colour casement window	व.मि		१५९२९.००	१५९२९.००

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

छाना छोउने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	ग्याल्भनाईज सेतो सादा जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४७०८	४७८१.00	४७८१.00
	0.22 mm (30 guage Medium)	बण्डल	५१४२	५२३९.00	५२३९.00
	0.24 mm (30 guage Heavy)	बण्डल	५५२२	५५९२.00	५५९२.00
	0.26 mm (28 guage light)	बण्डल	५८४१	५८९0.00	५८९0.00
	0.28 mm (28 guage Medium)	बण्डल	६१८६	६२७७.00	६२७७.00
	0.31 mm (28 guage Heavy)	बण्डल	६७३५	६८६0.00	६८६0.00
	0.35 mm (26 guage light)	बण्डल	७४६0	७६0३.00	७६0३.00
	0.37 mm (26 guage Medium)	बण्डल	८0९७	८0९७.३५	८0९७.३५
	0.41 mm (26 guage Heavy)	बण्डल	८६१९	८७४३.00	८७४३.00
	0.45 mm (24 guage light)	बण्डल	९४0७	९४८५.00	९४८५.00
	0.50 mm (24 guage Medium)	बण्डल	१0३९८	१0४३३.00	१0४३३.00
	0.52 mm (24 guage Heavy)	बण्डल	११३३६	१0७९८.00	१0७९८.00
	0.75 mm	बण्डल	१५४१६	१५५0२.00	१५५0२.00
२	कोरुगेटेड रंगिन जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	५८५८	६१५१.00	६१५१.00
	0.22 mm (30 guage Medium)	बण्डल	६२६५	६५७८.00	६५७८.00
	0.24 mm (30 guage Heavy)	बण्डल	६७0८	७0४३.00	७0४३.00
	0.26 mm (28 guage light)	बण्डल	७0६२	७४१५.00	७४१५.00
	0.28 mm (28 guage Medium)	बण्डल	७४३४	७८0५.00	७८0५.00
	0.31 mm (28 guage Heavy)	बण्डल	७९८२	८३८१.00	८३८१.00
	0.35 mm (26'guage light)	बण्डल	८८३२	९२७३.00	९२७३.00
	0.37 mm (26 guage Medium)	बण्डल	९४५१	९९२३.00	९९२३.00
	0.41 mm (26 guage Heavy)	बण्डल	१00८0	१0४८२.00	१0४८२.00
	0.45 mm (24 guage light)	बण्डल	१0९२९	११३६६.00	११३६६.00
	0.50 mm (24 guage Medium)	बण्डल	११९३८	१२४१५.00	१२४१५.00
	0.52 mm (24 guage Heavy)	बण्डल	१२३८१	१२८७५.00	१२८७५.00
	0.55 mm(24 guage Medium)	बण्डल	१२९६५	१३४८३.00	१३४८३.00
	0.75 mm	बण्डल	१७४१६	१८११२.00	१८११२.00
३	ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता				
	0.20 mm (30 guage light)	बण्डल	४७0८	४९४३.00	४९४३.00
	0.22 mm (30 guage Medium)	बण्डल	५१0६	५३६१.00	५३६१.00
	0.24 mm (30 guage Heavy)	बण्डल	५४८७	५७६१.00	५७६१.00
	0.26 mm (28 guage light)	बण्डल	५८0५	६0९५.00	६0९५.00
	0.28 mm (28 guage Medium)	बण्डल	६१४२	६४४८.00	६४४८.00
	0.31 mm (28 guage Heavy)	बण्डल	६६८१	७0१५.00	७0१५.00
	0.35 mm (26 guage light)	बण्डल	७४0७	७७७७.00	७७७७.00
	0.37 mm (26 guage Medium)	बण्डल	८0३५	८४३७.00	८४३७.00
	0.41 mm (26 guage Heavy)	बण्डल	८५६६	८९९४.00	८९९४.00
	0.45 mm (24 guage light)	बण्डल	९३६३	९८३0.00	९८३0.00
	0.50 mm (24 guage Medium)	बण्डल	१0३४५	१0७५८.00	१0७५८.00
	0.52 mm (24 guage Heavy)	बण्डल	१0७१७	१११४५.00	१११४५.00
	0.75 mm	बण्डल	१५४१६	१६0३२.00	१६0३२.00

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

छाना छाउने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
४	जस्ता पाताको धुरी				
	0.20 mm base metal	बण्डल	१६०२	१६८१.००	१६८१.००
	0.22 mm base metal	बण्डल	१७४३	१८३०.००	१८३०.००
	0.24 mm base metal	बण्डल	१८६७	१९६०.००	१९६०.००
	0.26 mm base metal	बण्डल	१९७३	२०७२.००	२०७२.००
	0.28 mm base metal	बण्डल	२०८८	२१९२.००	२१९२.००
	0.31 mm base metal	बण्डल	२२६५	२३७८.००	२३७८.००
	0.35 mm base metal	बण्डल	२५१३	२६३८.००	२६३८.००
	0.38 mm base metal	बण्डल	२७१७	२८५२.००	२८५२.००
	0.41 mm base metal	बण्डल	२८९४	३०३८.००	३०३८.००
५	४ फिट X८ फिट को जि.आई. प्लेन सिट				
	1.1 mm base metal	पिस	३२६५	३४२८.००	३४२८.००
	0.90 mm base metal	पिस	२६९९	२८३४.००	२८३४.००
	0.80 mm base metal	पिस	२४३४	२५५५.००	२५५५.००
	0.75 mm base metal	पिस	२२८३	२३९७.००	२३९७.००
	0.70 mm base metal	पिस	२१३३	२२३९.००	२२३९.००
	0.62 mm base metal	पिस	१९१२	२००७.००	२००७.००
	0.55 mm base metal	पिस	१७०८	१७९३.००	१७९३.००
	0.50 mm base metal	पिस	१५५८	१६३५.००	१६३५.००
	0.48 mm base metal	पिस	१४९६	१५७०.००	१५७०.००
	0.45 mm base metal	पिस	१४१६	१४८६.००	१४८६.००
	0.42 mm base metal	पिस	१३२७	१३९३.००	१३९३.००
	0.40 mm base metal	पिस	१२६५	१३२८.००	१३२८.००
	0.37 mm base metal	पिस	११७७	१२३५.००	१२३५.००
	0.35 mm base metal	पिस	११३३	११८९.००	११८९.००
	0.30 mm base metal	पिस	९९१	१०६०.००	१०६०.००
	0.28 mm base metal	पिस	९२९	९९४.००	९९४.००
६	४ x ८ फिट को रङ्गिन प्लेन सिट				
	0.90 mm base metal	पिस	२९८२	३१३१.००	३१३१.००
	0.80 mm base metal	पिस	२७०८	२८४३.००	२८४३.००
	0.75 mm base metal	पिस	२५४०	२६६६.००	२६६६.००
	0.70 mm base metal	पिस	२४३४	२५५५.००	२५५५.००
	0.62 mm base metal	पिस	२१७७	२२८५.००	२२८५.००
	0.55 mm base metal	पिस	१९५६	२०५३.००	२०५३.००
	0.50 mm base metal	पिस	१७८८	१८७६.००	१८७६.००
	0.48 mm base metal	पिस	१७१७	१८०२.००	१८०२.००
	0.45 mm base metal	पिस	१६१९	१७००.००	१७००.००
	0.42 mm base metal	पिस	१५१३	१५८८.००	१५८८.००
	0.40 mm base metal	पिस	१४८७	१५६१.००	१५६१.००
	0.37 mm base metal	पिस	१३८९	१४५८.००	१४५८.००
	0.35 mm base metal	पिस	१३२७	१३९३.००	१३९३.००
	0.30 mm base metal	पिस	११७७	१२३५.००	१२३५.००
	0.28 mm base metal	पिस	१११५	११७०.००	११७०.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

छाना छाउने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
७	**GI Expanded metal Mesh**				
	1.20 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१५९	१५९.००	१५९.००
	1.20 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	२१२	२१२.००	२१२.००
	1.00 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१३३	१३२.००	१३२.००
	1.00 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१७७	१७६.००	१७६.००
	0.90 mm मोटाई र ३ फिट चौडाई भएको जाली	र.मि.	१२४	१२३.००	१२३.००
	0.90 mm मोटाई र ४ फिट चौडाई भएको जाली	र.मि.	१५९	१५९.००	१५९.००
८	**UPVC Roofing Sheet (3mm thick)**				
	PMMA coating & Mesh (Regular)	व.मि.	१५०६.००	१५८१.००	१५८१.००
	Stone coated (18 inch* 4 feet)	व.मि.	१२००.००	१२६०.००	१२६०.००
	Ridge cover Regular Profile 1.10 R.m.	र.मि.	१९२५.००	२०२१.००	२०२१.००
	Ridge cover Tile Profile 1.05 R.m.	र.मि.	१९२५.००	२०२१.००	२०२१.००
	UPVC Clip	गोटा	२६.००	२७.००	२७.००
	self tapping screw 3"	गोटा	३०.००	३१.००	३१.००
	self tapping screw 2.2"	गोटा	२०.००	२१.००	२१.००
	self tapping screw 2"	गोटा	११.००	११.००	११.००
	self tapping screw 1.5"	गोटा	८.५०	९.००	९.००
	UPVC Roofing Sheet Double Mesh (Tile or regular)	व.मि.	१४५२.६०	१५२५.००	१५२५.००
	UPVC Roofing Sheet Single Mesh (Tile or regular)	व.मि.	१२९१.२०	१३५५.००	१३५५.००
	UPVC Roofing Sheet No Mesh (Tile or regular)	व.मि.	११२९.८०	११८६.००	११८६.००
	Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	१४००.००	१४७०.००	१४७०.००
	Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape)	व.मि.	१३००.००	१३६५.००	१३६५.००
९	**Eco-UPVC Roofing Sheet (Ultra Modern Technology)**				
	Corrugated sheets(2mm)	व.फि.	६६.३७	७०.००	७०.००
	Corrugated ridge (2mm) (3'*1.4')	गोटा	७४५.१३	७९७.००	७९७.००
	Corrugated ridge side(2mm)(3'*1.4')	गोटा	४४७.७९	४७७.००	४७७.००
	Spanish tile without fiber mesh(3mm)	व.फि.	१०१.७७	१०८.००	१०८.००
	Spanish tile with fiber mesh(3mm)	व.फि.	११०.६२	११७.००	११७.००
	Spanish ridge(3mm)(3'*1.4')	गोटा	१३४३.३६	१४१०.००	१४१०.००
	Spanish ridge side(3mm)	गोटा	७४५.१३	७९४.००	७९४.००
	Spanish tile tripod(3mm)	गोटा	९९६.४६	१०६६.००	१०६६.००
	Clip Set	गोटा	८.८५	९.००	९.००
१०	**एल्मुनियम प्लेन सिट**				
	(क) २६ गेज	व.फि.	२९.००	३०.००	३०.००
	(ख) ३० गेज	व.फि.	२७.००	२८.००	२८.००
११	**Corrugated/Plain Fiber Glass Sheet**				
	०.८ मी. मी. मोटो प्लेन	व.फि.	११५.००	१२२.००	१२२.००
	०.८ मी. मी. मोटो कोरोगेटेड	व.फि.	१२७.००	१३५.००	१३५.००
	१.२ मी.मी. मोटा प्लेन	व.फि.	१२७.००	१३५.००	१३५.००
	१.२ मी.मी. मोटो कोरोगेटेड	व.फि.	१४६.००	१५५.००	१५५.००
	२ मी.मी. मोटो प्लेन	व.फि.	२१६.००	२३०.००	२३०.००
	२ मी.मी. मोटो कोरोगेटेड	व.फि.	२५५.००	२७१.००	२७१.००

(Chema)

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

छाना छाउने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	३ मी. मी. मोटो प्लेन	व.फि.	२९३.००	३१२.००	३१२.००
	३ मी. मी. मोटो कोरोगेटेड	व.फि.	३८२.००	४०७.००	४०७.००
१२	**ASP Corrugated roofingSheet** (L-6,8,10,12,14,16,18 ft W-3ft)				
	Corrugated steel Sheet-Thickness-1.mm , Weight-5.5Kg/sqm)	व.मिटर	१०७६.००	११२९.००	११२९.००
	Ridge Cover corrugated	र.मिटर	१५५०.००	१६२७.००	१६२७.००
	Self tapping screw 75mm with clip set	गोटा	२०.००	२१.००	२१.००
	Ridge Cover regular Profile 1.10 RM	र.मिटर	१६००.००	१६८०.००	१६८०.००
	Ridge Cover regular Profile 1.05 RM	र.मिटर	१६००.००	१६८०.००	१६८०.००
	Self tapping screw 3" with clip set	गोटा	३०.००	३१.००	३१.००
	Self tapping screw 2.2" with clip set	गोटा	२५.००	२६.००	२६.००
१३	Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm	र.मि.	६७.००	७१.००	७१.००
१४	Fiber Glass छानाको लागि Ribet nut	गोटा	७.००	७.००	७.००
१५	विभिन्न साईजको जे-हुक, यु-हुक	केजी	१३७.००	१४६.००	१४६.००
१६	२" साइज रुफिङ्ग नेल्स	गोटा	७.००	७.००	७.००
१७	३" साइज रुफिङ्ग नेल्स	गोटा	१०.००	१०.००	१०.००
१८	**Roofing Material**				
	Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm. Steel Total Coating Thickness: 0.50 mm. Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर	४०००.००	४२००.००	४२००.००
	Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm	व.मिटर	३०००.००	३१५०.००	३१५०.००
१९	**Fiber Plain Sheet**				
	(Thickness : 1.2 mm)-Red. Blue. Green and Clear	व.फि.	१००.००	१०६.००	१०६.००
	(Thickness : 1.5 mm)-Red. Blue. Green and Clear	व.फि.	१२०.००	१२७.००	१२७.००
	(Thickness : 1.8 mm)-Red, Blue, Green and Clear	व.फि.	१४५.००	१५४.००	१५४.००
	(Thickness : 2 mm)-Red, Blue, Green and Clear	व.फि.	१५५.००	१६५.००	१६५.००
	(Thickness : 2.5 mm)-Red, Blue, Green and Clear	व.फि.	१९५.००	२०७.००	२०७.००
	(Thickness : 3 mm)-Red, Blue, Green and Clear	व.फि.	२४०.००	२५५.००	२५५.००
२०	**Fiber Corrugated Sheet**				
	Fiber S span Thickness 2mm, width 42"	र.फि.	६४०.००	६८२.००	६८२.००
	Normal Corrugation (Thickness : 0.6 mm)-Clear	र.फि.	१२५.००	१३३.००	१३३.००
	Normal Corrugation (Thickness : 0.8 mm)-Clear	र.फि.	१७०.००	१८१.००	१८१.००
	Fiber Heritage Sheet Width 34" Thickness 2 mm	र.फि.	४८५.००	५१७.००	५१७.००
	Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty. Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules.	ब.मी.	२९६०.००	३१०८.००	३१०८.००

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

छाना छाउने निर्माण सामाग्री

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	IKO Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection.	व.मी.	४००.००	४२६.००	४२६.००
	Providing and installing 12mm thick Cement Fiber Board complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles.	ब.मी.	१५६०.००	१६३८.००	१६३८.००
२१	Black Color/Combat Color Zinc Panel for wall & Roof				
	50mm		४५६.००	४८६.००	४८६.००
	75mm		४६३.००	४९३.००	४९३.००
	100mm		५१२.००	५४५.००	५४५.००
	125mm		६०८.००	६४८.००	६४८.००
	150mm		६५२.००	६९५.००	६९५.००
२२	Blue & Orange Color Roofing Panel				
	50mm		३९८.००	४२४.००	४२४.००
	75mm		४४७.००	४७६.००	४७६.००
	100mm		५३६.००	५७१.००	५७१.००
	125mm		५४५.००	५८१.००	५८१.००
	150mm		५९३.००	६३२.००	६३२.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	**Plain Particle Board (Exteriors Grade)**				
	९ मी .मी	व.फि	३८.००	४०.००	४०.००
	१२ मी .मी	व.फि	४३.००	४५.००	४५.००
	१८ मी .मी	व.फि	५५.००	५८.००	५८.००
	२५ मी .मी २५	व.फि	७४.००	७८.००	७८.००
२	**PPB One side lamination Melamined faced** (Exterior Grade)				
	९ मी .मी	व.फि	७७.००	८२.००	८२.००
	१२ मी .मी	व.फि	८६.००	९१.००	९१.००
	१८ मी .मी	व.फि	१०२.००	१०८.००	१०८.००
	मी .मी	व.फि	१३२.००	१४०.००	१४०.००
३	**PPB Both side lamination Melamined faced** (Exteriors Grade)				
	९ मी .मी	व.फि	८६.००	९१.००	९१.००
	१२ मी .मी	व.फि	९९.००	१०५.००	१०५.००
	१८ मी .मी	व.फि	११४.००	१२१.००	१२१.००
	, २५ मी .मी	व.फि	१४५.००	१५४.००	१५४.००
४	**Plain Particle Board (Interiors Grade)**				
	९ मी .मी	व.फि	२८.००	२९.००	२९.००
	१२ मी .मी	व.फि	३२.००	३४.००	३४.००
	१८ मी .मी	व.फि	४८.००	५१.००	५१.००
	, २५ मी .मी	व.फि	६१.००	६५.००	६५.००
५	**PPB One side lamination Melamined faced** (InteriorGrade)				
	३ मी .मी	व.फि	४२.००	४४.००	४४.००
	६ मी .मी	व.फि	५९.००	६२.००	६२.००
	९ मी .मी	व.फि	६८.००	७२.००	७२.००
	१२ मी .मी	व.फि	७७.००	८२.००	८२.००
	१८ मी .मी	व.फि	८९.००	९४.००	९४.००
	, २५ मी .मी	व.फि	१११.००	११८.००	११८.००
६	**PPB Both side lamination Melamined faced** (Interiors Grade)				
	३ मी .मी	व.फि	४८.००	५१.००	५१.००
	६ मी .मी	व.फि	६४.००	६८.००	६८.००
	९ मी .मी	व.फि	७७.००	८२.००	८२.००
७	**PPB One side lamination Melamined faced** (Interior Grade)				
	३ मी .मी	व.फि	४८.००	५१.००	५१.००
	४ मी .मी	व.फि	५५.००	५८.००	५८.००
	६ मी .मी	व.फि	६८.००	७२.००	७२.००
	९ मी .मी	व.फि	८८.००	९३.००	९३.००
	१२ मी .मी	व.फि	९९.००	१०५.००	१०५.००
	१८ मी .मी	व.फि	१२७.००	१३५.००	१३५.००
	, २५ मी .मी	व.फि	१७६.००	१८७.००	१८७.००

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
८	**PPB Both side lamination Melamined faced -Alstone Hybrid Board (WPC Board) ,** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	३ मी .मी	व.फि	५५.००	५८.००	५८.००
	४ मी .मी	व.फि	६१.००	६५.००	६५.००
	६ मी .मी	व.फि	७६.००	८१.००	८१.००
	९ मी .मी	व.फि	९५.००	१०१.००	१०१.००
	१२ मी .मी	व.फि	१०५.००	१११.००	१११.००
	१८ मी .मी	व.फि	१३३.००	१४१.००	१४१.००
	, २५ मी .मी	व.फि	१८०.००	१९१.००	१९१.००
९	**Alstone Hybrid Board (WPC Board)**				
	६ मी .मी (१२२० X २४४०)	व.फि	१७५.००	१८६.००	१८६.००
	१२ मी .मी	व.फि	२८०.००	२९८.००	२९८.००
	१८ मी .मी	व.फि	४२३.००	४५१.००	४५१.००
१०	**Alstone Hybrid Board**				
	४ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	८४.००	८९.००	८९.००
	६ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	१२०.००	१२७.००	१२७.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	२२१.००	२३५.००	२३५.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Board)	व.फि	३०५.००	३२५.००	३२५.००
	६ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	३७०.००	३९४.००	३९४.००
	१२ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	५५३.००	५८९.००	५८९.००
	१८ मी.मी बाक्लो Hybrid Board (WPC Art Jali)	व.फि	७१३.००	७६०.००	७६०.००
	WPC door framme 100*50 mm upto ht 7 ft	व.फि	३८०.००	४०५.००	४०५.००
	WPC door shutter 30 mm th. (7*3) size	व.फि	५४०.००	५७५.००	५७५.००
	18 mm th. WPC OLIGO (colour)	व.फि	५७५.००	६१३.००	६१३.००
११	**Alstone Hybrid Board (WPC Board) ,** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	६ मी .मी size (1220*2440) mm	व.फि	१६८.००	१७९.००	१७९.००
	१२ मी .मी size (1221*2440) mm	व.फि	३१९.००	३४०.००	३४०.००
	१८ मी .मी size (1222*2440) mm	व.फि	४४४.००	४७३.००	४७३.००
१२	**Supplying and fixing of Thai gypsum board**				
	Wall partition	व.फि	१२४.००	१३२.००	१३२.००
	Wall paneling	व.फि	८२.००	८७.००	८७.००
	12.5mm thick Gypsum Board False ceiling	व.फि	८३.००	८८.००	८८.००
१३	**Fiber cement board (Wall)**				
	3.2 MM (2'x2')	व.फि.	२६.००	२७.००	२७.००
	3.2 MM (4'x8')	व.फि.	२८.००	२९.००	२९.००
	3.5 MM (4'x8')	व.फि.	३२.००	३४.००	३४.००
	4MM (4'x8')	व.फि.	३३.००	३५.००	३५.००
	6MM (4'x8')	व.फि.	४७.००	५०.००	५०.००
	8MM (4'x8')	व.फि.	६३.००	६७.००	६७.००
	9MM (4'x8')	व.फि.	७१.००	७५.००	७५.००
	10MM (4'x8')	व.फि.	८०.००	८५.००	८५.००
	12MM (4'x8')	व.फि.	८९.००	९४.००	९४.००

दिपक कुमार रिसाल
नगरप्रमुख

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Fiber cement board (Floor)				
	15MM (4'x8')	व.फि.	१३४.४५	१४३.००	१४३.००
	18MM (4'x8')	व.फि.	१६०.७७	१७१.००	१७१.००
	20MM (4'x8')	व.फि.	१८०.३२	१९२.००	१९२.००
	Fiber cement board (Cassiano)				
	8MM (4'x8')	व.फि.	८८.२०	९४.००	९४.००
१४	**Fiber Cement Board (Planck)**				
	8MM (3"x9'-10") 9'-10"Rft	व.फि.	३२.००	३४.००	३४.००
	8MM (6"x9'-10") 9'-10"Rft	व.फि.	५०.००	५५.००	५५.००
	8MM (8"x9'-10") 9'-10"Rft	व.फि.	६८.००	७४.००	७४.००
	8MM Coloured Teak Texture Walnut (6"x9'-10") 9'-10"Rft	व.फि.	६४.८६	६९.००	६९.००
	8MM Coloured Teak Texture GST (6"x9'-10") 9'-10"Rft	व.फि.	६४.८६	६९.००	६९.००
	8MM Coloured Teak Texture Cherry Red (6"x9'-10") 9'-10"Rft	व.फि.	६४.८६	६९.००	६९.००
	8MM Coloured Teak Texture Afromosia -Brown (6"x9'-10") 9'-10"Rft	व.फि.	६४.८६	६९.००	६९.००
१५	Infill wall Partition using 6mm Board on 74mm Stud	ब.मि	४९९७.२४	५२४७.००	५२४७.००
	Infill wall Partition using 10mm Board on 74mm Stud		५९६३.५८	६२६१.००	६२६१.००
	Infill wall Partition using 6mm Board on 50mm Stud		४०५६.५२	४२५९.००	४२५९.००
	Dry wall Partition using 10mm Board on 74mm Stud		५०१३.६६	५२६४.००	५२६४.००
१६	Vinyl Laminated gypsum ceiling board (7 mm thick)	व.फि.	९०.००	९५.००	९५.००
१७	**Material for Wall**				
	Mural Wall: 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment.	ब.मि	१५०००.००	१५६००.००	१५६००.००
१८	**Ivory Color Flat Wall Panel**				
	50mm		३४२.५०	३६५.००	३६५.००
	75mm		३५०.००	३७३.००	३७३.००
	100mm		३९८.००	४२४.००	४२४.००
	125mm		४९६.००	५२८.००	५२८.००
	150mm		५४५.००	५८१.००	५८१.००
१९	**Gray Color RP Wall Panel**				
	50mm		३७५.००	३९९.००	३९९.००
	75mm		३८२.००	४०७.००	४०७.००
	100mm		४३१.००	४५९.००	४५९.००
	125mm		५२८.००	५६२.००	५६२.००
	150mm		५७७.५०	६१५.००	६१५.००
२०	**Wooden Color Siding Wall Panel**				
	75mm		४६३.००	४९३.००	४९३.००
	100mm		५१२.००	५४५.००	५४५.००
	125mm		५६८.००	६०५.००	६०५.००

Partition Board and Ceiling

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	150mm		६१०.००	६५०.००	६५०.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Prefab Panel for Wall Partition

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Supply and erection of different mm th. cement base prefabricated everst solid wall panel (RAPION) non asbestos including 1.1 mm thick GI chennel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete				
	a) 75 mm thick	व.फि	३०२.००	३२१.००	३२१.००
	b) 50 mm thick	व.फि	२३९.००	२५४.००	२५४.००
१	**False Ceiling/Partition/External cladding** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Supplying, making. fixing of false ceiling with everest fibre designer board in E-grid	व.फि	९३.००	९९.००	९९.००
	Supplying, making, fixing of 70mm thick exterior with full height of partirion with fibre cemnet board	व.फि	२७९.००	२९७.००	२९७.००
	Supplying, making, fixing of 66mm thick exterior with full height of partirion with fibre cemnet board	व.फि	२४४.००	२६०.००	२६०.००
	Supplying, making, fixing of 91mm thick exterior with full height of partirion with fibre cemnet board	व.फि	३११.००	३३१.००	३३१.००
	Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board	व.फि	२७४.००	२९२.००	२९२.००
	Supplying, making, fixing of 50mm thick full height of partirion with RAPICON wall panels	व.फि	२१७.००	२३१.००	२३१.००
	Supplying, making, fixing of 75mm thick full height of partirion with RAPICON wall panels	व.फि	२८८.००	३०७.००	३०७.००
	6 mm thick Flex-O- Board (Water proof cement board) 6mm thick for false ceiling	व.फि	३५.००	३७.००	३७.००
	TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design.				
	150X150Tile	गोटा	२८००.००	२९४०.००	२९४०.००
	150X300 Tile	गोटा	३५००.००	३६७५.००	३६७५.००
	300X300 Tile	गोटा	४०००.००	४२००.००	४२००.००
३	**Cement board Aerocon C Board**				
	6 mm thick	व.फि	३४.००	३६.००	३६.००
	8 mm thick	व.फि	४२.००	४४.००	४४.००
	10 mm thick	व.फि	५३.००	५६.००	५६.००
	12 mm thick	व.फि	६४.००	६८.००	६८.००
४	**Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire**				
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	३९३.००	४१९.००	४१९.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	४२४.००	४५२.००	४५२.००
	Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work.	व.फि	५२४.००	५५८.००	५५८.००
	Joint less false celling chanel 0.55mm thick flange of 20 mm and another flange 30mm (conform to IS 4862 : 2000) all complete work Everest or equivalent	व.फि	११२.००	११९.००	११९.००
	Rapicon solid wall panel 50/75 mm thick conform to IS 14862 (density more than 1200kg /m3) Everest or equivalent				
	50 mm thick	व.फि	२६३.००	२८०.००	२८०.००

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	75 mm thick	व.फि	३४७.००	३६९.००	३६९.००
	External cladding with 9mm /7.5 mm siding board and GI steel frame work	व.फि	२८२.००	३००.००	३००.००
	Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२८६.००	३०४.००	३०४.००
	Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	२५०.००	२६६.००	२६६.००
	Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993	व.फि	३१९.००	३४०.००	३४०.००
	False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000	व.फि	३५९.००	३८२.००	३८२.००
५	**EPS (Expanded Polystyrene) and Cement Base Light Weight Sandwitch Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos) as face board on both sides (Size 2270*610mm)-excluding installation**				
	50mm thickness	व.फि	१८०.००	१९१.००	१९१.००
	60mm thickness	व.फि	२७५.००	२९३.००	२९३.००
	75mm thickness	व.फि	३३०.००	३५१.००	३५१.००
	90mm thickness	व.फि	३८५.००	४१०.००	४१०.००
	120mm thickness	व.फि	४६५.००	४९५.००	४९५.००
	Installation charge	व.फि	२५.००	२६.००	२६.००
	Other Accessories	व.फि	४५.००	४७.००	४७.००
६	**Precast boundary wall, Precast slab, Precast Beam**				
	H-beam	र.फि	१८५.००	१९७.००	१९७.००
	50 mm wall slab	व.फि	१६०.००	१७०.००	१७०.००
	120 mm floor slab (with installation)	व.फि	३५०.००	३७३.००	३७३.००
	70 mm water permeable				
	Color Block	व.फि	१३५.००	१४३.००	१४३.००
	Non Color Block	व.फि	१२०.००	१२७.००	१२७.००
७	**PUF रुफिङ्ग प्यानल**				
	३० मि.मि.मोटाई,रङ्गिन	व.फि	२३०.००	२४५.००	२५०.००
	४० मि.मि.मोटाई,रङ्गिन	व.फि	२५०.००	२६६.००	२७१.००
	५० मि.मि.मोटाई,रङ्गिन	व.फि	२७५.००	२९३.००	२९९.००
	६० मि.मि.मोटाई,रङ्गिन			३४५.००	३४५.००
८	**PUF वाल प्यानल**				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२३५.००	२५०.००	२५५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	२५५.००	२७१.००	२७६.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		३४५.००	३४५.००
	७५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि	३३०.००	३५१.००	३५८.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		४००.००	४००.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	४१५.००	४४२.००	४२५.००
	१२५ मि.मि.मोटाई,रङ्ग क्रिम	व.फि	५०५.००	५३८.००	५३८.००
	१५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि	४९०.००	५२२.००	५२२.००

दिपक कुमार रिसाल

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
९	**PUF ब्रिक वाल प्यानल**				
	४० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	२८०.००	२९८.००	२९८.००
	५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	३००.००	३१९.००	३१९.००
	७५ मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	३७५.००	३९९.००	३९९.००
	१०० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	४६०.००	४९०.००	४९०.००
	१५० मि.मि.मोटाई,रङ्ग दुबै तर्फ ब्रिक(इट्टा)	व.फि	५३५.००	५७०.००	५७०.००
10	**PUF ब्रिक वाल प्यानल**				
	४० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	२५५.००	२७१.००	२७१.००
	५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	२७५.००	२९३.००	२९३.००
	७५ मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	३५०.००	३७३.००	३७३.००
	१०० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	४३५.००	४६३.००	४६३.००
	१५० मि.मि.मोटाई,रङ्ग एका तर्फ ब्रिक(इट्टा) अर्का तर्फ क्रिम	व.फि	५१५.००	५४९.००	५४९.००
11	**PUF स्लेब सिट**				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		१७५.००	१७५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		२००.००	२००.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		२२५.००	२२५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		२८५.००	२८५.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		३४०.००	३४०.००
12	EPE Pannel (Puff Density=20kg±2)				
	४० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		२४५.००	२४५.००
	५० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		२८०.००	२८०.००
	६० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		३१५.००	३१५.००
	८० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		३७०.००	३७०.००
	१०० मि.मि.मोटाई,रङ्ग क्रिम	व.फि		४३०.००	४३०.००
13	**पोलिकार्बोनेट रुफिङ्ग सिट**				
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ ०.८ मि.मि चौडाई ३२ इन्च	व.फि	११९.००	१२६.००	१२६.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १ मि.मि चौडाइ ३२ इन्च	व.फि	१४९.००	१५८.००	१५८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.२ मि.मि चौडाइ ४२ इन्च	व.फि	१७७.००	१८८.००	१८८.००
	नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.५ मि.मि चौडाइ ४३ इन्च	व.फि	२२४.००	२३८.००	२३८.००
14	**पोलिकार्बोनेट प्लेन तथा किस्टल सिट**				
	नर्मल तथा किस्टल सिट मोटाइ १.५ मि.मि चौडाई ३२ इन्च	व.फि	१८५.००	१९७.००	१९७.००
	नर्मल तथा किस्टल सिट मोटाइ २ मि.मि चौडाई ३२ इन्च	व.फि	२४७.००	२६३.००	२६३.००
	नर्मल तथा किस्टल सिट मोटाइ १ मि.मि चौडाई ३२ इन्च	व.फि	१५५.००	१६५.००	१६५.००
	टायल प्रोफायल मेटल रुफिङ्ग सिट सिट मोटाइ ०.५ मि.मि चौडाई ३२ इन्च	व.फि	१२०.००	१२७.००	१२७.००
15	**सि एण्ड जेड पर्लिन**				
	सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाइ १.८ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१४९.००	१५८.००	१५८.००

Khemaj

दिपक कुमार रि... नगरप्रमुख गोकर्णेश्वर न...

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	सि एण्ड जेड पर्लिन(३२०/३६०/४१० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड	प्रति केजी	१४७.००	१५६.००	१५६.००
16	अल्मुनियम				
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.६ मि.मि	प्रति वण्डल	१८५००.००	१९२४०.००	१९२४०.००
	पेन्टेड अल्मुनियम एस स्पान सिट नर्मल मोटाइं ०.६ मि.मि	प्रति वण्डल	१४५००.००	१५०८०.००	१५०८०.००
	पेन्टेडअल्मुनियम एस स्पान सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१६५००.००	१७१६०.००	१७१६०.००
	पेन्टेड अल्मुनियम नर्मल सिट मोटाई ०.५ मि.मि	प्रति वण्डल	१२५००.००	१३०००.००	१३०००.००
17	**Metal Tile Roofing Sheet**				
	0.45 Thickness - (Red, Green, Blue)	वन्डल	२२१५०.००	२३०३६.००	२३०३६.००
	0.5 Thickness	वन्डल	२४५५०.००	२५५३२.००	२५५३२.००
18	**Ridge Cap**(0.4 Thickness)	र फि	२००.००	२००.००	२००.००
	Gutter				
	0.50 mm Thickness (Size- 12")	र फि	९५.००	१०१.००	१०१.००
	0.50 mm Thickness (Size- 16")	र फि		१२५.००	१२५.००
	0.50 mm Thickness (Size- 18")	र फि		१७५.००	१७५.००
	0.40 mm Thickness (Size- 12")	र फि	११५.००	१२२.००	१२२.००
	0.40 mm Thickness (Size- 16")	र फि	१६५.००	१३०.००	१३०.००
	0.40 mm Thickness (Size- 12")	र फि		१७५.००	१७५.००
19	**Polycarbonate Corrugated Sheet**				
	0.8 mm Thickness	व.फि			१०५.००
	1 mm Thickness	व.फि	१००.००	१०६.००	१०८.००
	1.25mm Thickness	व.फि		१२७.००	१३०.००
	1.5 mm Thickness	व.फि	१४५.००	१५४.००	१५७.००
	1.75mm Thickness	व.फि		१७५.००	१७९.००
	2mm Thickness	व.फि	१९०.००	२०२.००	२०६.००
	2.5 mm Thickness	व.फि	२३०.००	२४५.००	२५०.००
	3 mm Thickness	व.फि		३८५.००	३८५.००
20	**Polycarbonate Plain Sheet**				
	1 mm Thickness	व.फि	८५.००	९०.००	९२.००
	2 mm Thickness	व.फि	१७५.००	१८६.००	१९०.००
	2.5 mm Thickness	व.फि	२१५.००	२२९.००	२२१.००
	3 mm Thickness	व.फि	२६०.००	२७७.००	२५५.००
	4 mm Thickness	व.फि	३५०.००	३७३.००	३६०.००
	5 mm Thickness	व.फि	४३५.००	४६३.००	४२०.३५
	6 mm Thickness	व.फि	५२५.००	५५९.००	५०८.८५
	7 mm Thickness	व.फि		६४३.००	६०६.१९
	8 mm Thickness	व.फि	७००.००	७४६.००	७६१.००
	9 mm Thickness	व.फि		८२१.००	८२१.००
	10 mm Thickness	व.फि	८८०.००	९३८.००	९५७.००
	12 mm Thickness	व.फि	१०५५.००	११०७.००	११२९.००
21	Angle & U channel				
	CZU Non Galvanized 2mm thickness	के जी			१५९.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Prefab Panel for wall Partition

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	CZU Galvanized 2mm thickness	के जी			२३८.००
	Angle 0.5 mm thickness	र फि			९.००
22	**False Ceiling boards and zinc coated metal profile 120 GSM**				
	Standard plaster board plain 12.5 mm thick	व.मि.			२९८.००
	Metal ceiling section 80x26x51x0.5x3660 mm	गोटा			३२७.००
	Intermediate Channel 45x15x15x0.9x3660 mm	गोटा			३१४.००
	Perimeter channel 20x28x30x0.5x3660 mm	गोटा			१९५.००
	Ceiling Angle 25x10x0.5x3660 mm	गोटा			१०९.००
23	**Thermal and Acoustic Insulation for roofing & Drywall**				
	Roofing Insulation				
	Glass wool 50 mm thickness	व.फि			५०.००
	Stone wool 50mm thickness	व.फि			६५.००
	Stone wool 100mm thickness	व.फि			११५.००
	Drywall Insulation				
	Stone wool 50mm thickness	व.फि			६०.००
	Stone wool 75mm thickness	व.फि			१००.००
	Stone wool 100mm thickness	व.फि			१२०.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

झ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	फलामको कब्जा				
	(क) ३" साइज	गोटा	१५.००	१५.००	१५.००
	(ख) ४" साइज	गोटा	२८.००	२९.००	२९.००
	(ग) ५" साइज	गोटा	४३.००	४५.००	४५.००
	(घ) ६" साइज	गोटा	५६.००	५९.००	५९.००
२	Locking Set (L-drop)				
	300 mm	गोटा	२६०.००	२७७.००	२७७.००
	225 mm	गोटा	२२७.००	२४२.००	२४२.००
	150 mm	गोटा	१९५.००	२०७.००	२०७.००
३	Aluminum Towerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	२०.००	२१.००	२१.००
	(ख) ४" लामो	गोटा	४०.००	४२.००	४२.००
	(ग) ६" लामो	गोटा	६७.००	७१.००	७१.००
	(घ) ८" लामो	गोटा	८०.००	८५.००	८५.००
	(ङ) १०" लामो	गोटा	९४.००	१००.००	१००.००
	(च) १२" लामो	गोटा	१०७.००	११४.००	११४.००
४	Aluminum Handle (हतकल)				
	Ordinary	गोटा	३२.००	३४.००	३४.००
	Special	गोटा	४७.००	५०.००	५०.००
५	ब्रासको कब्जा				
	$2" \times {}^{1}/_{2}"$	गोटा	६३.००	६७.००	६७.००
	$2{}^{1}/_{2} \times {}^{3}/_{4}"$	गोटा	७१.००	७५.००	७५.००
	$3" \times {}^{3}/_{4}"$	गोटा	८७.००	९२.००	९२.००
	$2" \times {}^{3}/_{4}"$	गोटा	७१.००	७५.००	७५.००
	$2{}^{1}/_{2}" \times {}^{3}/_{4}"$	गोटा	७९.००	८४.००	८४.००
	$3" \times {}^{3}/_{4}"$	गोटा	८७.००	९२.००	९२.००
	3"×1"	गोटा	१८९.००	२०१.००	२०१.००
	4"×1"	गोटा	२८४.००	३०२.००	३०२.००
	5"×1"	गोटा	३७९.००	४०४.००	४०४.००
	6"×1"	गोटा	४५८.००	४८८.००	४८८.००
६	BrassTowerbolt (छेस्कीनी)				
	(क) ३" लामो	गोटा	१४२.००	१५१.००	१५१.००
	(ख) ४" लामो	गोटा	१८९.००	२०१.००	२०१.००
	(ग) ६" लामो	गोटा	२८४.००	३०२.००	३०२.००
	(घ) ८" लामो	गोटा	३७९.००	४०४.००	४०४.००
	(ङ) १०" लामो	गोटा	४७३.००	५०४.००	५०४.००
	(च) १२" लामो	गोटा	५६८.००	६०५.००	६०५.००
७	Brass Handle (हतकल)				
	6" Brass handle	गोटा	१५०.००	१५९.००	१५९.००
	8" Brass handle	गोटा	४५८.००	४८८.००	४८८.००
	10" Brass handle	गोटा	९४७.००	१००९.००	१००९.००

झ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
८	Brass Locking Set (L-drop)				
	(क) ८" लामो	गोटा	९४७.००	१००९.००	१००९.००
	(ख) १०" लामो	गोटा	१५६२.००	१६४०.००	१६४०.००
	(ग) १२" लामो	गोटा	१७३५.००	१८२१.००	१८२१.००
	Special Fittings				
९	एल ड्रप				
	८" लामो	गोटा	१०६२.००	१११५.००	१११५.००
	१०" लामो	गोटा	११९९.००	१२५८.००	१२५८.००
	१२" लामो	गोटा	१२४९.००	१३११.००	१३११.००
१०	ह्याण्डल ८" लामो	गोटा	१२४९.००	१३११.००	१३११.००
११	टावर बोल्ट				
	६" लामो	गोटा	२२५.००	२३९.००	२३९.००
	८" लामो	गोटा	३००.००	३१९.००	३१९.००
	१०" लामो	गोटा	३७५.००	३९९.००	३९९.००
१२	डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर)				
	एल ड्रप				
	८" लामो	गोटा	८९२.००	९५१.००	९५१.००
	१०" लामो	गोटा	११३०.००	११८६.००	११८६.००
	१२" लामो	गोटा	१२४९.००	१३११.००	१३११.००
	ह्याण्डल				
	६" लामो	गोटा	२५०.००	२६६.००	२६६.००
	८" लामो	गोटा	३७५.००	३९९.००	३९९.००
	मोर्टिस लक				
	Ordinary	गोटा	६२५.००	६६६.००	६६६.००
	Chinese	गोटा	४१६.००	४४३.००	४४३.००
	Indian Godrej Company	गोटा	२५५७.००	२६८४.००	२६८४.००
	Brass		११३०.००	११८६.००	११८६.००
१३	Door Spring (Door Closer)				
	Ordinary	गोटा	१७८.००	१८९.००	१८९.००
	hydraulic	गोटा	१८७४.००	१९६७.००	१९६७.००
	Window I-hook	गोटा	१८.००	१९.००	१९.००
१४	Gate Hook				
	4" Gate hook	गोटा	३१.००	३३.००	३३.००
	5" Gate hook	गोटा	३५.००	३७.००	३७.००
	6" Gate hook	गोटा	४२.००	४४.००	४४.००
	Brass Gate hook	गोटा	७५.००	७९.००	७९.००
१५	Door stopper				
	Butterfly	गोटा	१४८.००	१५७.००	१५७.००
	Bell catch 2" size	गोटा	१९६.००	२०८.००	२०८.००
	C.P. handle	गोटा	४२५.००	४५३.००	४५३.००
	Power coated handle	गोटा	४०६.००	४३२.००	४३२.००
	Brass coated handle	गोटा	८७४.००	९३१.००	९३१.००
	Door stopper, single brass stopper	गोटा	१००.००	१०६.००	१०६.००

दिपक कुमार रिसाल

झ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Door stopper double brass stopper	गोटा	१७८.००	१८९.००	१८९.००
१६	**Screw Brass**				
	20mm	गोटा	१.९२	२.००	२.००
	25mm	गोटा	२.६७	२.००	२.००
	35mm	गोटा	४.११	४.००	४.००
	50mm	गोटा	१२.०६	१२.००	१२.००
	75mm	गोटा	१५.०८	१६.००	१६.००
१७	**Screw Steel**				
	20mm	गोटा	१.१७	१.००	१.००
	25mm	गोटा	१.९२	२.००	२.००
	35mm	गोटा	२.३३	२.००	२.००
	50mm	गोटा	७.२०	७.००	७.००
	75mm	गोटा	७.५४	८.००	८.००
१८	Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap	गोटा	९२.७०	९८.००	९८.००
१९	Staircase को 1" x 1" square pipe मा लगाउने Brass cap	गोटा	९७.८५	१०४.००	१०४.००

दिपक कुमार रिजाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौं
बागमती प्रदेश, नेपाल
२०७३

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	सिमेन्ट पेन्ट	के.जि.	६५.००	६९.००	६९.००
२	सिमेन्ट प्राइमर सेतो	के.जि.	२७१.००	२८८.००	२८८.००
३	उड प्राइमर	लिटर	३६५.००	३८९.००	३८९.००
४	सेन्थेटिक इनामेल पेन्ट	लिटर	५०९.००	५४२.००	५४२.००
५	नेपाल रेडको म्याट फिनिसिङ्ग	लिटर	४९१.००	५२३.००	५२३.००
६	कोरुगेटेड रुफ पेन्ट	लिटर	४६२.००	४९२.००	४९२.००
७	तयारी अल्मुनियम पेन्ट	लिटर	५३०.००	५६५.००	५६५.००
८	तयारी वार्नेस	लिटर	४२७.००	४५५.००	४५५.००
९	तयारी वार्नेर सेन्थेटिक	लिटर	३३०.००	३५१.००	३५१.००
१०	भारतिय थिनर	लिटर	२२४.००	२३८.००	२३८.००
११	उड एण्ड ग्लास पुटिन	के.जी	१२८.००	१३६.००	१३६.००
१२	मेटल पुटिन	के.जी	१५१.००	१६०.००	१६०.००
१३	चुना पेन्ट गर्न राख्ने गम	के.जी	१९७.००	२१०.००	२१०.००
१४	नेपाली थिनर	लिटर	२११.००	२२४.००	२२४.००
१५	तारपिन तेल	लिटर	२०८.००	२२१.००	२२१.००
१६	रेड अकसाइड पेन्ट	लिटर	२५४.००	२७०.००	२७०.००
१७	उड प्रिजरभेटिव पेन्ट	लिटर	२२२.००	२३६.००	२३६.००
१८	व्याक जापान	लिटर	४६६.००	४९६.००	४९६.००
१९	राम तिलक	के.जि.	५४.००	५७.००	५७.००
२०	गेरु रंग	के.जि.	१३३.००	१४१.००	१४१.००
२१	चप्रा	के.जि.	१२८०.००	१३४४.००	१३४४.००
२२	स्प्रीट	लिटर	८७.००	९२.००	९२.००
२३	तयारी वासेवल डिस्टेम्पर	लिटर	२१७.००	२३१.००	२३१.००
२४	तयारी प्लास्टिक्स इमल्सन पेन्ट (interior)	लिटर	५११.००	५४४.००	५४४.००
२५	तयारी वेदरकोट पेन्ट (exterior)	लिटर	६१२.००	६५२.००	६५२.००
२६	प्लास्टिक ईमल्सन पेण्ट	लिटर	६५०.००	६९३.००	६९३.००
२७	एक्सटेरियर वेदर कोट	लिटर	६८३.००	७२८.००	७२८.००
२८	रोड मार्कीङ थमोप्लास्टीक पेण्ट	लिटर	५६२.००	५९९.००	५९९.००
२९	लिनसिड आयल	लिटर	१९१.००	२०३.००	२०३.००
३०	स्थानीय स्प्रीट	लिटर	११४.००	१२१.००	१२१.००
३१	मोविकल/फेविकल	के.जि.	२५५.००	२७१.००	२७१.००
३२	मैन पालिस	के.जि.	३४५.००	३६७.००	३६७.००
३३	अक्जालिक एसिड	के.जि.	११८.००	१२५.००	१२५.००
३४	1" चौडा पेन्ट ब्रस	गोटा	७०.००	७४.००	७४.००
३५	2" चौडा पेन्ट ब्रस	गोटा	१४०.००	१४९.००	१४९.००
३६	3" चौडा पेन्ट ब्रस	गोटा	२१०.००	२२३.००	२२३.००
३७	4" चौडा पेन्ट ब्रस	गोटा	२८०.००	२९८.००	२९८.००
३८	रंग लगाउने रोलर	गोटा	४००.००	४२६.००	४२६.००
३९	Sand paper	गोटा	६.००	६.००	६.००
४०	Wall putty plain	के.जि.	३६.००	३८.००	३८.००
४१	Wall putty- water Proof		६०.००	६३.००	६३.००
४२	Plaster of Parish (POP)	के.जि.	२२.००	२३.००	२३.००
४३	Redoxide zink cromate primer For Bridge	लिटर	४५०.००	४७९.००	४७९.००
४४	Silk Breathless easy	लिटर	१२३८.००	१२९९.००	१२९९.००
४५	Epoxy Paint for Operation theater	लिटर	११७०६.००	१२१७४.००	१२१७४.००

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
४६	SPC CemTec Exterior Primer	लिटर	२३३.२४	२४८.००	२४८.००
४७	SPC CemTec Interior Primer	लिटर	१६८.५६	१७९.००	१७९.००
४८	SPC SynTec Enamel Paints	लिटर	५०१.७६	५३४.००	५३४.००
४९	SPC WoodTec Primer	लिटर	३०६.७४	३२७.००	३२७.००
५०	SPC Tetrox Red Oxide	लिटर	२७०.४८	२८८.००	२८८.००
५१	SPC WalTec Wall Putty	के.जि.	३५.२८	३७.००	३७.००
	Decorative Painting Material				
A	**Specialized paints**				
१	Bio-guard (Anti bacterial Hospital Paint)	लिटर	१०९९.००	११५३.००	११५३.००
२	Ellastocrab (Anti carbonisation paint)	लिटर	७६२.००	८१२.००	८१२.००
३	Dr. wallz CeraInsul (Heat Reflecting Energy Saving Insulation Paint)	लिटर	११३०.००	११८६.००	११८६.००
४	Dr. Wallz Firegard (Instumescent weather resistant chlorinated rubber fire resistant retardant coating)	लिटर	११३८.००	११६६.००	११६६.००
५	Dr. Wallz Renustu	के.जि.	९७.३५	९७.३५	९७.३५
६	Health -Guard Silver Ion higeinic Coating Paint	लिटर	९५०.००	९७०.००	९७०.००
७	Health Pro Self Sanitizing Silver Ion Higienic Coating	लिटर	९५०.००	९७०.००	९७०.००
B	**Texture paints**				
१	Mediterrano	के.जि.	१७६.००	१८७.००	१८७.००
२	Stucco Veneziano	के.जि.	१२७०.००	१३१६.००	१३१६.००
३	Velvetino	के.जि.	४३०५.००	४५२०.००	४५२०.००
४	Travertino	के.जि.	३४६.००	३६२.००	३६२.००
५	Gtone plaster	के.जि.	१२१.००	१२९.००	१२९.००
६	Colorato (Multi color)	के.जि.	९२१.००	९५०.००	९५०.००
७	Pearl skin texture	के.जि.	१४९.००	१५८.००	१५८.००
८	TS 52 Spray white	के.जि.	१९९.००	२१२.००	२१२.००
९	Rustic	के.जि.	१९७.००	१९९.००	१९९.००
१०	Rockart	लिटर	१८७.००	१९६.००	१९६.००
११	Manhattan	के.जि.	२३८.००	२४०.००	२४०.००
१२	Sabbia	के.जि.	२३८.००	२४०.००	२४०.००
१३	Sandy Stone	के.जि.	१७४.००	१८५.००	१८५.००
१४	Insulplast	के.जि.	२३७.००	२३७.००	२३७.००
१५	Poly Under White	के.जि.	२६४.००	२८१.००	२८१.००
१६	Antica(Top coat)	के.जि.	१२६७.००	१३३०.००	१३३०.००
१७	T.C 100(Top coat)	के.जि.	७२८.००	७६४.००	७६४.००
१८	Dekorica White	के.जि.	२६३१.००	२७५७.००	२७५७.००
१९	Poly Plaster	के.जि.	१०७.००	११२.३५	११२.३५
२०	Granite tone	के.जि.	१६५.००	१७०.००	१७०.००
२१	Graffiato	के.जि.	१५९.००	१६५.००	१६५.००
२२	Elligance stone	के.जि.	१८९.००	१९२.००	१९२.००
२३	Marmorino Base	के.जि.	४१२.००	४१२.००	४१२.००
२४	Acro fine	के.जि.	१८१.००	१८६.००	१८६.००
२५	Marmocastro base	के.जि.	१३९.००	१४६.००	१४६.००
२६	Selva Granite	के.जि.	२१५.००	२१५.००	२१५.००
२७	Romart	के.जि.	२३९.००	२३९.००	२३९.००

दिपक कुमार रिसाल
नगरप्रमुख

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
२८	Renstu plaster putty	के.जि.	८६.७०	९१.००	९१.००
२९	Hyperion base putty	के.जि.	५०७.००	५०७.००	५०७.००
३०	Cementzio base putty	के.जि.	२३०.००	२४५.००	२४५.००
३१	Helios base putty	के.जि.	४९७.००	४९७.००	४९७.००
३२	Cratere base putty	के.जि.	४८८.००	४८८.००	४८८.००
३३	Cerrotta base putty	के.जि.	४८८.००	४८८.००	४८८.००
३४	Coppotto Di cemento	के.जि.	१७०८.००	१७०८.००	१७०८.००
३५	Muroplast putty	के.जि.	७१.००	७५.००	७५.००
३६	Acro pure (PU top coat)	के.जि.	११४५.००	११४५.००	११४५.००
३७	Satenatto emulsion	लिटर	६००.००	६३०.००	६३०.००
३८	StuccoPlaster	लिटर	२८२.६४	२८९.००	२८९.००
३९	Elegantile	के.जि.	१९०.००	१९९.५०	१९९.५०
४०	Multi Granite	के.जि.	१९०.००	१९९.५०	१९९.५०
४१	Hermes Base	के.जि.	२३५.००	२४६.७५	२४६.७५
४२	Botticelli Base	के.जि.	२८२.००	२९६.१०	२९६.१०
४३	Granito Wall	के.जि.	१४६.००	१६०.००	१६०.००
C	**Weather coat paints**				
१	Guard	लिटर	५०३.००	५३६.००	५३६.००
२	Guard -3x	लिटर	५८८.००	६२६.००	६२६.००
३	Shield	लिटर	३२२.००	३४३.००	३४३.००
४	Tex matt	लिटर	५१०.००	५२०.००	५२०.००
५	Ext wall Primer	लिटर	२३८.००	२५३.००	२५३.००
६	SPC ExterShield Premium	लिटर	५७६.२४	६१४.००	६१४.००
७	SPC ExterShield Smooth	लिटर	४९२.९४	५२५.००	५२५.००
८	SPC ExterShield Standard	लिटर	३१५.५६	३३६.००	३३६.००
D	**Emulsion Paints/Distemper**				
१	Silk Emulsion paints	लिटर	५२२.००	५५६.००	५५६.००
२	Int.Emulsion	लिटर	२८०.००	२९८.००	२९८.००
३	Pearl Emulsion paints	लिटर	७७२.००	८२३.००	८२३.००
४	Int. wall Primer	लिटर	१७२.००	१८३.००	१८३.००
५	Washable Distemper	लिटर	१४२.००	१५१.००	१५१.००
६	Gold Enamel	लिटर	५१२.००	५४५.००	५४५.००
७	Universal primer (wood primer)	लिटर	३१३.००	३३३.००	३३३.००
८	Red oxide metal primer	लिटर	२७६.००	२९४.००	२९४.००
	Water seal stretch (Damp coat)	लिटर		५२७.००	५२७.००
९	Construction Chemical / waterproof coating system				
	crack sill	लिटर	३८७.००	४१२.००	४१२.००
	crack fill A+B	लिटर	१७०.००	१८१.००	१८१.००
१०	Silicon Bases water repellent impregnation				
	Acropreg	लिटर	४६६.००	४९६.००	४९६.००
	Acropreg W	लिटर	६१९.००	६५९.००	६५९.००
	Wall putty	के.जि.	३९.००	४०.००	४०.००
११	SPC InnraCare Premium Emulsion	लिटर	७०७.५६	७५४.००	७५४.००
१२	SPC InnraCare Smooth Emulsion	लिटर	५११.५६	५४५.००	५४५.००
१३	SPC InnraCare Standard Emulsion	लिटर	२७४.४०	२९२.००	२९२.००

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१४	SPC EvtinVigil Washable Distemper	के.जि.	१३९.१६	१४८.००	१४८.००
E	**Wall Paper**				
	Wall paper (10m.x 0.53m)	रोल	१२३६.००	१३१७.००	१३१७.००
	Fittings for wall paper	व.फि	७.००	७.००	७.००
	White glue for wall paper	लि.	१०८.००	११५.००	११५.००
F	**Pro_Plaster Material**	के.जी	३२.४३	३४.००	३४.००
	Environment Friendly Paints				
1	Eco - Friendly High glossy Exterior Wall Paint	20 L	२०८८०.००	२१५०६.००	२१५०६.००
		10 L	११४४०.००	११७८३.००	११७८३.००
		4 L	४५८०.००	४७१७.००	४७१७.००
		1 L	११५०.००	११८४.००	११८४.००
2	Environmentally Friendly Natural Exterior Paint	20 L			
		10 L	१३८००.००	१४२१४.००	१४२१४.००
		4 L	७१००.००	७३१३.००	७३१३.००
		1 L	२९८०.००	३०६९.००	३०६९.००
			८२०.००	८४४.००	८४४.००
3	Environmentally Friendly Constant Color Exterior Paint	20 L			
		10 L	१०८८०.००	११२०६.००	११२०६.००
		4 L	५९४०.००	६११८.००	६११८.००
		1 L	२५८०.००	२६५७.००	२६५७.००
			६५०.००	६६९.००	६६९.००
4	Eco - Friendly Dark Color Interior and Exterior Wall Paint	20 L			
		10 L	११८००.००	१२१५४.००	१२१५४.००
		4 L	६४००.००	६५९२.००	६५९२.००
		1 L	२७६०.००	२८४२.००	२८४२.००
			७००.००	७२१.००	७२१.००
5	Eco - Friendly High glossy Interior Wall Paint	20 L			
		10 L	१८८००.००	१९३६४.००	१९३६४.००
		4 L	९९००.००	१०१९७.००	१०१९७.००
		1 L	३९६०.००	४०७८.००	४०७८.००
			९९०.००	१०१९.००	१०१९.००
6	Environmentally Friendly Natural Interior Wall paint	20 L			
		10 L	१२८००.००	१३१८४.००	१३१८४.००
		4 L	६६००.००	६७९८.००	६७९८.००
		1 L	२७६०.००	२८४२.००	२८४२.००
			७२०.००	७४१.००	७४१.००
7	Environmentally Friendly Constant Interior wall Paint	20 L			
		10 L	९८००.००	१००९४.००	१००९४.००
		4 L	५१००.००	५२५३.००	५२५३.००
		1 L	२१६०.००	२२२४.००	२२२४.००
			५८०.००	५९७.००	५९७.००
8	Eco Friendly Interior Wall Paint	20 L			
		10 L	५९००.००	६०७७.००	६०७७.००
		4 L	३१५०.००	३२४४.००	३२४४.००
		1 L	१३८०.००	१४२१.००	१४२१.००
			४००.००	४१२.००	४१२.००
9	Environmentally Efficient Exterior Wall Primer	20 L			

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख

रंगरोगन तथा पुटिका सामानहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
		10 L	१०८००.००	११९२४.००	११९२४.००
		4 L	६६००.००	६७९८.००	६७९८.००
		1 L	३९६०.००	४०७८.००	४०७८.००
			१२४०.००	१२७७.००	१२७७.००
10	Environmentally Friendly Alkali Resistant wall primer interior	20 L			
		10 L	८४००.००	८६५२.००	८६५२.००
		4 L	५२००.००	५३५६.००	५३५६.००
		1 L	२५६०.००	२६३६.००	२६३६.००
			१०८०.००	१११२.००	१११२.००
11	Eco Friendly Primer	20 L			
		10 L	६४००.००	६५९२.००	६५९२.००
		4 L	४३००.००	४४२९.००	४४२९.००
		1 L	२२००.००	२२६६.००	२२६६.००
			८८०.००	९०६.००	९०६.००
12	Granite texture Spray / Imitation Stone Paint	1 sq ft			
			१४५.००	१४९.००	१४९.००
13	Water in Water Colorfull Paint Four in one				
	Granite Primer	6 kg	५८२०.००	५९९४.००	५९९४.००
	Intermediate Coating Paint	7 Kg	७०००.००	७२१०.००	७२१०.००
	Granite Surface Paint	9 kg	१५०००.००	१५४५०.००	१५४५०.००
	Dust proof Surface Paint	3 kg	४९८०.००	५१२९.००	५१२९.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
A	**CONCRETE ADMIXTURES (Chemical)**				
१	Form Oil	लिटर	१००.००	१०६.००	१०६.००
२	Polymer for M35, M 40 or higher concrete	लिटर	३५०.००	३७३.००	३७३.००
३	Epoxy Bonding agent for old and new construction	लिटर	२०००.००	२१००.००	२१००.००
४	डैम्प प्रूफ तथा हार्डेनिङ कम्पाउण्ड सेफ माईट	लिटर	२३५.००	२५०.००	२५०.००
५	(Damp proof. Anti Termite , Anti Fungal.Anti Saltpetre and benefit of High Compressive Strength)				
	Waterproof Coating With Latex	के.जी.	३५०.००	३७३.००	३७३.००
	Waterproof Coating with Polymer	के.जी.	४५०.००	४७९.००	४७९.००
१	Water Reducing Admixture Concrete & Mortar [Lignosulphonate Based] ASTM C 494 -(Type A.B&D) IS 9103/2645 /1981	के.जी.	१५०.००	१५९.००	१५९.००
२	High Range Water Reducing Super Plasticizer for Concrete & Mortar [Napthalene Formladehyde Based] ASTM C 494 -(Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of cement .	के.जी.	२५०.००	२६६.००	२६६.००
३	Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [Polycarboxylate Ether Based] ASTM C 494 -(Type A,F& G) IS 9103-1999 /1981	के.जी.	४५०.००	४७९.००	४७९.००
४	Integral Waterproofing Additive for Concrete & Plaster .ASTM C 494 IS 2645-75 (Type G) , IS 9103-2007 / IS 2645	के.जी.	३००.००	३१९.००	३१९.००
५	Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997, DIN 1048 -1991 Part 5	के.जी.	१०००.००	१०५०.००	१०५०.००
६	Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 Part	के.जी.	१०००.००	१०५०.००	१०५०.००
७	Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997. DIN 1048 -1991 Part 5	के.जी.	१२५०.००	१३१२.००	१३१२.००
८	Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494. IS 3085-1997. DIN 1048-1991 Part 5	के.जी.	१८०.००	१९१.००	१९१.००
९	Accelerator & Spray Shotcrete / Concrete Plasticizer [Silicate Based]	के.जी.	२५०.००	२६६.००	२६६.००
१०	Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [Alkali Free]	के.जी.	३५०.००	३७३.००	३७३.००
११	Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [Alkali Free] ASTM C 1240, IS 15388-2003	के.जी.	३५०.००	३७३.००	३७३.००
१२	Retarding Superplasticiczer for Concrete [Napthalene Based] ASTM C 494-1981 (TYPE G/D). IS 9103-2007	के.जी.	२५०.००	२६६.००	२६६.००
१३	Retarding Superplasticiczer for Concrete [Polycarboxylate Ether Based] ASTM C 494-1981 (Type G)	के.जी.	४५०.००	४७९.००	४७९.००
B	**CONCRETE ADMIXTURES (Mineral)**				
१	Silica Cement Admixture (Volcanic Product Inorganic)	के.जी.	३३०.००	३५१.००	३५१.००
२	Micro Silica for High Performance Concrete ASTM C 1240 -2005 , IS 15388-2003.	के.जी.	११०.००	११७.००	११७.००
३	Processed FA Based Mineral Additives	के.जी.	८५.००	९०.००	९०.००
C	**FOR JOINT SEALANTS & SYSTEMS**				
१	Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces	के.जी.	१८००.००	१८९०.००	१८९०.००
२	Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces	के.जी.	१८००.००	१८९०.००	१८९०.००
३	One Component Low Viscosity Primer For Polysulfide Sealant	के.जी.	३०००.००	३१५०.००	३१५०.००
४	Two Component Pour Grade Polyurethane Sealant for Joints	के.जी.	२०००.००	२१००.००	२१००.००
५	Low Viscosity Primer For Polyurethane Sealant	के.जी.	३०००.००	३१५०.००	३१५०.००
६	High Performance Hybrid Silyl Sealant (290 ml per set)	सेट	१२००.००	१२६०.००	१२६०.००
७	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A]	के.जी.	३५०.००	३७३.००	३७३.००

दिपक कुमार रिसाल
नगरप्रमुख

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
८	HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B]	के.जी.	४५०.००	४७९.००	४७९.००
९	Butyl Tape for various Applications	र. मि.	१२५.००	१३३.००	१३३.००
१०	Waterproofing Joint Tape [120 mm]	र. मि.	५५०.००	५८६.००	५८६.००
११	Waterproofing Joint Tape [200 mm]	र. मि.	७५०.००	७९९.००	७९९.००
१२	NBR based Waterproofing Joint Tape [200 mm]	र. मि.	४०००.००	४२००.००	४२००.००
१३	Joint Tape Epoxy Adhesive	के.जी.	३०००.००	३१५०.००	३१५०.००
१४	Glass Fiber Joint Tape	र. मि.	२७५.००	२९३.००	२९३.००
१५	Waterproofing / Expansion Joint Tape [100 mm]	र. मि.	१५००.००	१५७५.००	१५७५.००
१६	Waterproofing / Expansion Joint Tape [200 mm]	र. मि.	२७००.००	२८३५.००	२८३५.००
१७	Construction Joint Tape [100 mm]	र. मि.	८००.००	८५२.००	८५२.००
१८	Cross Linked Premoulded Compressive Joint Filler [25 mm]	ब. मि.	२४५०.००	२५७२.००	२५७२.००
१९	Cross Linked Premoulded Compressive Joint Filler [50 mm]	ब. मि.	४८५०.००	५०९२.००	५०९२.००
२०	Closed Cell Polymerbased Joint Filler [25 mm]	ब. मि.	८००.००	८५२.००	८५२.००
२१	Closed Cell Polymerbased Joint Filler [50 mm]	ब. मि.	१५००.००	१५७५.००	१५७५.००
२२	Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}]	ब. मि.	२५००.००	२६२५.००	२६२५.००
२३	Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}]	ब. मि.	३५००.००	३६७५.००	३६७५.००
२४	Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}]	ब. मि.	४५००.००	४७२५.००	४७२५.००
D	**INDUSTRIAL FLOORING SOLUTIONS**				
१	Hardwearing, abrasion resistant monolithic industrial flooring compound [Metallic]	के.जी.	१२०.००	१२७.००	१२७.००
२	Liquid Concrete Hardener & Dust Proofer	के.जी.	४५०.००	४७९.००	४७९.००
३	Anti Bacterial Wall Coating [Walgard WBA]	के.जी.	७००.००	७४६.००	७४६.००
४	Anti Bacterial Wall Coating [Polyurethane] Walgard WBA	के.जी.	१०४५.००	१०९७.००	१०९७.००
५	Anti bacterial Wall Coating Clearseal	के.जी.	७८५.००	८३६.००	८३६.००
६	Self Levelling Flooring System [Epoxy] Florgard SL	के.जी.	१३०५.००	१३७०.००	१३७०.००
७	Flooring System [Polyurethane] Florthane	के.जी.	१३०५.००	१३७०.००	१३७०.००
८	Anti Bacterial Floor & Wall Coating [Epoxy]	के.जी.	२५००.००	२६२५.००	२६२५.००
९	Anti Bacterial Floor & Wall Coating [Polyurethane]	के.जी.	३०००.००	३१५०.००	३१५०.००
१०	Anti bacterial Floor & Wall Coating [Acrylic]	के.जी.	२०००.००	२१००.००	२१००.००
११	Self Levelling Flooring System [Epoxy]	के.जी.	२२००.००	२२००.००	२२००.००
१२	Self Levelling Flooring System [Polyurethane]	के.जी.	३०००.००	३०००.००	३०००.००
१३	Self Levelling Cementitious Flooring System	के.जी.	५००.००	५००.००	५००.००
E	**ENGINEERING GROUTS**				
१	General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [M40]	के.जी.	११०.००	११७.००	११७.००
२	Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60]	के.जी.	१२५.००	१३३.००	१३३.००
३	Hard wearing cementitious tile grout	के.जी.	१६०.००	१७०.००	१७०.००
४	Hard wearing epoxy based tile grout	के.जी.	१०००.००	१०५०.००	१०५०.००
५	Super Plasticizer, Shrinkage Compensating Grout Admixture	के.जी.	५००.००	५३३.००	५३३.००
६	High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout	के.जी.	२५००.००	२६२५.००	२६२५.००
७	Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [400 Ml Cartridge]	मिलि लिटर	४५००.००	४७२५.००	४७२५.००
८	Low Viscosity Injection Epoxy Grout	के.जी.	७५००.००	७८७५.००	७८७५.००

दिपक कुमार रिसाल
नगरप्रमुख

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
९	Low Viscosity Polyurethane Injection Grout	के.जी.	१२५००.००	१३०००.००	१३०००.००
१०	Low Viscosity Acrylate Gel Injection Grout	के.जी.	८५००.००	८९२५.००	८९२५.००
११	Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout	के.जी.	१४०००.००	१४५६०.००	१४५६०.००
१२	Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout	के.जी.	९५००.००	९९७५.००	९९७५.००
१३	Resin Capsule (32*300mm)	पिस	१३०.००	१३८.००	१३८.००
१४	Cement Capsule(32*300mm)	पिस	६०.००	६३.००	६३.००
१५	Microfine Cement (MFC)	के.जी.	२५०.००	२६६.००	२६६.००
१६	Durasport (Sport court coating)		१३०५.००	१३७०.००	१३७०.००
१७	Eposeal (for water storage tanks)		१३०५.००	१३७०.००	१३७०.००
१८	Duraseal WB (Water Base/Weather proofing & decorative coating for buildings)		६९६.००	७४२.००	७४२.००
१९	Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors)		६९६.००	७४२.००	७४२.००
२०	K10 Sovacryl (Waterproofs external surfaces)		१०४५.००	१०९७.००	१०९७.००
२१	Zinc Rich Primer (Cathodic protection to the base metal)		७८५.००	८३६.००	८३६.००
२२	Coaltar Epoxy (Excellent resistance to water and alkali in steel surface)		३९२.००	४१७.००	४१७.००
२३	Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc)		७८५.००	८३६.००	८३६.००
२४	Epilux 610 prime (anti-corrosive nature suitable for steel surfaces)		६९६.००	७४२.००	७४२.००
२५	Ferrotol HR Aluminium paints (Excellent durability and weather reisistant properties)		६९६.००	७४२.००	७४२.००
२६	ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments)		३४८.००	३७१.००	३७१.००
F	**BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)**				
१	Acrylic Bonding Agent For Concrete & Mortar	के.जी.	७५०.००	७९९.००	७९९.००
२	Versatile SBR Latex for Bonding, Grouting & Repair Mortars	के.जी.	९५०.००	१०१२.००	१०१२.००
३	High Performanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive	के.जी.	१२००.००	१२६०.००	१२६०.००
४	Two Component Epoxy Resin Bonding Agent [For bonding new to old concrete]	के.जी.	१८००.००	१८९०.००	१८९०.००
G	**FIBERS (Steel & Polypropylene)**				
१	FIBERMESH MF [Monofilament PP Fibers]	के.जी.	१२००.००	१२६०.००	१२६०.००
२	FIBERMESH FB [Collated PP Fibers]	के.जी.	१५००.००	१५७५.००	१५७५.००
३	FIBERMESH MACRO [Structural PP Fibers]	के.जी.	२०००.००	२१००.००	२१००.००
४	Loose steel Fibers	के.जी.	२५०.००	२६६.००	२६६.००
५	Glued Steel Fibers	के.जी.	३५०.००	३७३.००	३७३.००
६	Crimped Steel Fibers	के.जी.	२५०.००	२६६.००	२६६.००
H	**SURFACE TREATMENT**				
१	Protective, Decorative Anti Carbonation Coating	के.जी.	१२००.००	१२६०.००	१२६०.००
२	Protective, Decorative Insulating Anti Carbonation Coating	के.जी.	१३५०.००	१४१७.००	१४१७.००
३	Concrete Penetrating Corrosion Inhibitor	के.जी.	४५००.००	४७२५.००	४७२५.००
४	Protective Acrylic Sealer	के.जी.	१५००.००	१५७५.००	१५७५.००
५	Protective Polyurethane Sealer	के.जी.	१८००.००	१८९०.००	१८९०.००
६	Water Based Fire Retardant Coating	के.जी.	१५००.००	१५७५.००	१५७५.००
७	High Performance Water Repellent Paint	लिटर	९००.००	९५९.००	९५९.००
८	Concentrated & Emulsified Chemical Mould Release Agent	लिटर	५००.००	५३३.००	५३३.००

दिपक कुमार रिसाल
नगरप्रमुख

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
९	Ready to use Chemical Mould Release Agent	लिटर	५००.००	५३३.००	५३३.००
१०	Concrete Curing Aid	के.जी.	४५०.००	४७९.००	४७९.००
I	**CONCRETE REPAIRS**				
१	Rust Remover & Passivator	लिटर	१०००.००	१०५०.००	१०५०.००
२	Corrosion Inhibitor	के.जी.	१२००.००	१२६०.००	१२६०.००
३	Micro Concrete [M60] for Permanant Repairs	के.जी.	१४०.००	१४९.००	१४९.००
४	Single Component Polymer Modified Cementitious Repair Mortar	के.जी.	१७५.००	१८६.००	१८६.००
५	Two Component Polymer Modified Cementitious Repair Mortar	के.जी.	२५०.००	२६६.००	२६६.००
६	Cementitious, Waterproof Crack Repair Mortar	के.जी.	२००.००	२१३.००	२१३.००
७	Acrylic Based Crack Filling Putty	के.जी.	१२००.००	१२६०.००	१२६०.००
J	**PREPACKED MORTARS**				
१	Tile, Mabrble, Granite etc. Adhesive	के.जी.	८५.००	९०.००	९०.००
२	Marble & Granite etc. Adhesive	के.जी.	३५०.००	३७३.००	३७३.००
३	Coarse and water resistant Readymix plastring Mortar	के.जी.	८५.००	९०.००	९०.००
४	High Performanance Polymer Based Wall Putty (Skim Coat)	के.जी.	८५.००	९०.००	९०.००
५	High Performanance Polymer Based Insulting Wall Putty (Skim Coat)	के.जी.	९०.००	९५.००	९५.००
K	**WATERPROOFING SYSTEMS**				
	INTEGRAL				
१	Integral Waterproofing Additive for Concrete & Plaster	के.जी.	२७५.००	२९३.००	२९३.००
२	High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System	के.जी.	७५००.००	७८७५.००	७८७५.००
L	**LIQUID APPLIED**				
१	Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat .	के.जी.	७००.००	७४६.००	७४६.००
२	Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat .	के.जी.	५००.००	५३३.००	५३३.००
३	Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2.	के.जी.	७५०.००	७९९.००	७९९.००
४	Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat.	के.जी.	८५०.००	९०६.००	९०६.००
५	Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 coat .	के.जी.	७५०.००	७९९.००	७९९.००
६	Crystalline Based Waterproofing System	के.जी.	३५०.००	३७३.००	३७३.००
७	Fast setting plugging compound for stopping running water system	के.जी.	४००.००	४२६.००	४२६.००
८	Polyurethane based waterproof coating system	के.जी.	१६५०.००	१७३२.००	१७३२.००
९	Polymer modified Bitumen Based Water Proofing Coating System	के.जी.	१२५०.००	१३१२.००	१३१२.००
१०	Efflorescence Resistance Penetrating primer Dose : Cover Area: 80sqft/ltr 1 coat	के.जी.	६००.००	६३९.००	६३९.००
M	**PREFORMED**				
१	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain]	ब. मि.	१८००.००	१८९०.००	१८९०.००
२	Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish]	ब. मि.	२०००.००	२१००.००	२१००.००
३	Polymer Modified Self Adhesive Bituminous Membranes [1mm]	ब. मि.	१०५०.००	११०२.००	११०२.००
४	Polymer Modified Self Adhesive Bituminous Membranes [2mm]	ब. मि.	१५००.००	१५७५.००	१५७५.००

दिपक कुमार रिसाल
नगरप्रमुख

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
५	Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover	व. मि.	१५००.००	१५७५.००	१५७५.००
६	1.2 mm High Polymer PVC Membranes	व. मि.	२०००.००	२१००.००	२१००.००
७	PVC Adhesive	के.जी.	२५००.००	२६२५.००	२६२५.००
८	1.2 mm EPDM Membranes	व. मि.	२५००.००	२६२५.००	२६२५.००
९	EPDM Adhesive	के.जी.	२५००.००	२६२५.००	२६२५.००
१०	EPDM Primer	के.जी.	३०००.००	३१५०.००	३१५०.००
११	2mm TPO Membranes	व. मि.	३५००.००	३६७५.००	३६७५.००
१२	Polythene & Polypropylene Polymer Compound Waterproof Membrane	व. मि.	८००.००	८५२.००	८५२.००
१३	100% Synthetic Rubber Roof Coating	के.जी.	४५००.००	४७२५.००	४७२५.००
N	**SPECIALTY**				
१	Antistripping Agent for Bitumen	के.जी.	५५०.००	५८६.००	५८६.००
२	Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding	के.जी.	२२५.००	२३९.००	२३९.००
३	Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc)	के.जी.	५२५.००	५५९.००	५५९.००
४	Bituminous based Aluminized Heat Reflective Paint	के.जी.	६५०.००	६९३.००	६९३.००
५	Cold Applied Sealing & Calking Compound	के.जी.	१२५०.००	१३१२.००	१३१२.००
६	ROAD REPAIR PRE-MIX	के.जी.	१०००.००	१०५०.००	१०५०.००
७	ANTI CORROSIVE PIPE WRAP 2 mm	के.जी.	७५०.००	७९९.००	७९९.००
८	ANTI CORROSIVE PIPE WRAP 4 mm	के.जी.	१०००.००	१०५०.००	१०५०.००
९	Anti Termite [Imidacloprid 30.5%]	के.जी.	१२०००.००	१२०००.००	१२०००.००
१०	Expanding Concrete Joint WATERSTOP	र. मि.	२५००.००	२६२५.००	२६२५.००
११	WB ADHESIVE Primer for Expanding Waterstop	लिटर	७५००.००	७८७५.००	७८७५.००
१२	Swellable WATERSTOP	र. मि.	२५००.००	२६२५.००	२६२५.००
१३	SEALGUARD PVC WATERSTOP - PVC Waterstops	र. मि.	२५००.००	२६२५.००	२६२५.००
१४	Nodular Drain with Geotextile Roof Garden	व. मि.	२५००.००	२६२५.००	२६२५.००
१५	SEALGUARD GEOTEX [P] -Polyester Geotextile	व. मि.	११०.००	११७.००	११७.००
१६	XPS - Extruded Polystyrene Boards [25 mm]	व. मि.	२८००.००	२८००.००	२८००.००
१७	XPS - Extruded Polystyrene Boards [50 mm]	व. मि.	३५००.००	३६७५.००	३६७५.००
	Water Treatment Components				
a	**Pump**				
1	Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump.	गोटा			१०००००.००
2	Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump.	गोटा			१२३०००.००
b	**Motorized Actuator Butterfly Valve with CI Materials**				
1	6" Dia	गोटा			११८०००.००
2	4" Dia	गोटा			६८५००.००
3	3" Dia	गोटा			५७५००.००
4	2.5" Dia	गोटा			४२०००.००
5	2" Dia	गोटा			३७५००.००
c	**Vessel Strainer Top and Bottom (2 pieces= 1 set)**				
1	40m3/Hour	सेट			२६१२५.००

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाण्डौं बागमती प्रदेश, नेपाल २०७३

Khemaj

दिपक कुमार रिसाल

Water Proofing Chemicals & Treatment works

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
2	25m3/Hour	सेट			२१३७५.००
3	15m3/Hour	सेट			१४२५०.००
4	9m3/Hour	सेट			७१२५.००
d	**Air Release And Vaccum Breaker valve(1 unit per Vessel)**				
1	1" Small	गोटा			१५००.००
2	1" Big	गोटा			३३२५.००
3	2" Big	गोटा			८०७५.००
e	**Rotameter**				
1	Small(upto 5m3/h in 3/4" or 1" Male or Female Thread)	गोटा			७६००.००
2	Medium(upto 10m3/h in 1.5" or 2" Male or Female Thread)	गोटा			१९०००.००
3	Big(40m3-60m3/h in 3" Thread or Flange type)	गोटा			२६१२५.००
f	**Pressure Gauze(Glycerenine/Liquid Filled)**				
1	Pressure Range 0-7Kg or 0-21Kg/ Side or Buttom Thread	गोटा			१२५०.००
g	**Automatic Vessel Control Panel**				
1	Semi Scada Control Panel with GSM/GPRS- Support features(MASTER)	गोटा			१२००००.००
2	Semi Scada Control Panel (Slave)	गोटा			७००००.००
h	**FRP Water Filter Vessels**				
1	14" Dia x 65" Height T/B 4"/Threaded	गोटा			२१८५०.००
2	16" Dia x 65" Height T/B 4"/ Threaded	गोटा			२२८००.००
3	18" Dia x 65" Height T/B 4"/ Threaded	गोटा			२६१२५.००
4	24" Dia x 72" Height T/B 4"/ Threaded	गोटा			५२२५०.००
5	30" Dia x 72" Height T/B 4"/ Threaded	गोटा			१०४५००.००
6	36" Dia x 72" Height T/B 4"/ Threaded	गोटा			११६८५०.००
7	42" Dia x 72" Height T/B 6"/**Flange**	गोटा			१५२०००.००
8	42" Dia x 72" Height T/B 6"/Threaded	गोटा			१९००००.००
9	48" Dia x 72" Height T/B 6"/ Threaded	गोटा			२१३७५०.००
10	48" Dia x 72" Height T/B 6"/**Flange**	गोटा			२४२२५०.००
i	**Chemical Dosing Pump and Components**				
1	4 Liter Per Hour at 4Kg pressure	गोटा			२१३७५.००
2	Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials)	गोटा			५२२५.००
3	Float switch Heavy with 16A wire/ 3 meter	गोटा			२३७५.००
4	100Ltrs Poly tank as Chemical tank	गोटा			१४२५.००
5	Zeolite Surb Sand	के.जी.			६१६.००
7	Mangnese Dioxide(MnO2)	के.जी.			११८.८०
8	Calcite	के.जी.			३१५.००
9	Anthracite	के.जी.			२७७.५०
10	Katlox lite	के.जी.			५०६.२५
11	Catalytic Carbon	के.जी.			१८००.००
12	Titansorb	के.जी.			२७००.००

दिपक कुमार रिसाल
नगरप्रमुख

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौं
बागमती प्रदेश, नेपाल
२०७३

WATER PROOFING MEMBRANE

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet	व.मि.	४४००.००	४६२०.००	४६२०.००
२	Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane.	व.मि.	३८००.००	३९९०.००	३९९०.००
३	Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment	व.मि.	१२००.००	१२६०.००	१२६०.००
४	Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane	व.मि.	४२००.००	४४१०.००	४४१०.००
५	Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system-Integritank @ 2mm thick(No protection required)	व.मि.	२८००.००	२९४०.००	२९४०.००
६	Providing and Applying polymer modified arcylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the (ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	१०२५.००	१०७६.००	१०७६.००
७	Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-IC that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete.	व.मी.	५९०.००	६२९.००	६२९.००
८	Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.06 N/MM2 for waterproofing construction joints.	र.फि.	१६५.००	१७५.००	१७५.००
९	Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints.	के.जी.	९९०.००	१०५५.००	१०५५.००
१०	Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm 2				
	12 cm	र.मि.	३९५.००	४२१.००	४२१.००
	20 cm	र.मि.	५७५.००	६१३.००	६१३.००

Samm Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
A	**STRUCTURAL STRENGTHENING**				
1	Carbon Laminate [50 mm Wide 1.4 mm Thick]	र. मि.	८५००.००	८९२५.००	८९२५.००
2	Carbon Laminate [75 mm Wide 1.4 mm Thick]	र. मि.	१००००.००	१०५००.००	१०५००.००
3	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM	ब. मि.	८०००.००	८४००.००	८४००.००
4	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM	ब. मि.	१२०००.००	१२४८०.००	१२४८०.००
5	Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640	ब. मि.	१६०००.००	१६६४०.००	१६६४०.००
6	Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM	ब. मि.	१२०००.००	१२४८०.००	१२४८०.००
7	EPOXY PRIMER	के.जी.	३५००.००	३६७५.००	३६७५.००
8	SATURANT	के.जी.	३५००.००	३६७५.००	३६७५.००
9	LAMINATE ADHESIVE	के.जी.	२५००.००	२६२५.००	२६२५.००
10	EPOXY TOPCOAT	के.जी.	३५००.००	३६७५.००	३६७५.००
11	POLYURETHANE TOPCOAT	के.जी.	४५००.००	४७२५.००	४७२५.००
12	Glass Fiber anchor system 5to 10 mm	र. मि.	२५००.००	२६२५.००	२६२५.००
13	Carbon Fiber anchor system 5to 10 mm	र. मि.	३५००.००	३६७५.००	३६७५.००
14	Carbon Laminate [50 mm Wide 2 mm Thick]	र. मि.	१००००.००	१०४००.००	१०४००.००
15	Carbon Laminate [75 mm Wide 2 mm Thick]	र. मि.	१२०००.००	१२४८०.००	१२४८०.००
B	**Horizontal Expansion Joint for Slab**				
१	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१०४९०.००	१०९०९.००	१०९०९.००
२	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१२४६०.००	१२९५८.००	१२९५८.००
३	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१४७६०.००	१५३५०.००	१५३५०.००
४	Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१९६८०.००	२०४६७.००	२०४६७.००
C	**Expansion Joint for Basement**				
१	Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap	र. मि.	१८०४०.००	१८७६१.००	१८७६१.००
D	**Expansion Joint for Roof**				
१	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	१२५८०.००	१३०८३.००	१३०८३.००
२	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	१४९५५.००	१५५५३.००	१५५५३.००
३	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	१७७१०.००	१८४१८.००	१८४१८.००
४	Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	२३६१५.००	२४५५९.००	२४५५९.००
E	**Inside Vertical Expansion Joint**				
१	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	६५६०.००	६८८८.००	६८८८.००
२	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	८२००.००	८६१०.००	८६१०.००

दिपक कुमार रिसाल

STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दर		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
३	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	९८४०.००	१०३३२.००	१०३३२.००
४	Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१३१२०.००	१३६४४.००	१३६४४.००
F	**Outside Vertical Expansion Joint**				
१	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4"	र. मि.	७५४०.००	७९१७.००	७९१७.००
२	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8"	र. मि.	९४३०.००	९९०१.००	९९०१.००
३	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12"	र. मि.	११३१०.००	११७६२.००	११७६२.००
४	Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18"	र. मि.	१५०८०.००	१५६८३.००	१५६८३.००

Khemaj

दिपक कुमार रिसाल

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	**Interlocking Cement Concrete Block (Not less than M20 concrete)**				
	Curb stone-Not less than M20 concrete	र.मि.	१०५१.००	११०३.००	११०३.००
	25 mm thick C.C. Tile (Grey color)-Burfi , Round , Boby Checker	व.फि	४०.००	४२.००	४२.००
	25 mm thick C.C. Tile (Red color)-Burfi , Round , Boby Checker	व.फि	४२.००	४४.००	४४.००
	50 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४८.००	५१.००	५१.००
	50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	४९.००	५२.००	५२.००
	60 mm thick CC Block (Grey color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५०.००	५३.००	५३.००
	60 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock	व.फि	५२.००	५५.००	५५.००
	70 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock	व.फि	५९.००	६२.००	६२.००
२	**60 mm thick CC Block (Ocm or equivalent)**				
	Brick type (23*11*6cm)non colour	गोटा	१०.००	१०.००	१०.००
	Hexagon (22*22 cm) non colour	गोटा	२२.००	२३.००	२३.००
	Hexagon (22*22 cm) colour	गोटा	२४.००	२५.००	२५.००
	Squire paver (30*30*4.5cm)non colour	गोटा	३०.००	३१.००	३१.००
	Squire paver (30*30*4.5cm)colour	गोटा	३३.००	३५.००	३५.००
	inter block(24*13*6cm)	गोटा	१५.००	१५.००	१५.००
	Isave paver (20*16*6cm)	गोटा	१६.००	१७.००	१७.००
३	**Concrete Block different items**				
	Hollow Block (16"*8"*6")	गोटा	७५.००	७९.००	७९.००
	Hollow Block (16"*8"*4")	गोटा	६६.००	७०.००	७०.००
	Corner Hollow Block (16"*8"*6")	गोटा	८४.००	८९.००	८९.००
	Lintel Block (16"*8"*6")	गोटा	८४.००	८९.००	८९.००
	Pavers Block (fish or other shape) 60mm thick	गोटा	१९.००	२०.००	२०.००
	concrete Brick (9"*4"*2.5")	गोटा	१२.००	१२.००	१२.००
५	**Concrete block**				
	Concrete block size (40*15*20) cm	गोटा	३८.००	४०.००	४०.००
	Concrete block size (40*10*20) cm	गोटा	३३.००	३५.००	३५.००
	Concrete block size (39*14*19) cm	गोटा	५२.००	५५.००	५५.००
६	**Cellular light weight concrete(CLC) block**				
	Cellular light weight concrete(CLC) block- 24"x8"x4"	गोटा	११७.००	१२४.००	१२४.००
	Cellular light weight concrete(CLC) block 24"x8"x6"	गोटा	१७६.००	१८७.००	१८७.००
	Cellular light weight concrete(CLC) block24"x8"x8"	गोटा	२३५.००	२५०.००	२५०.००
७	**Interlock Concrete Paving Blocks**				
	Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness.	व.मी	२२७८.००	२३९१.००	२३९१.००
	Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	२८२७.००	२९६८.००	२९६८.००
	Behaton Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness	व.मी	३४६६.००	३६३९.००	३६३९.००
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१६८४.००	१७६८.००	१७६८.००
	Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२११८.००	२२२३.००	२२२३.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२५७३.००	२७०१.००	२७०१.००
	Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	१८२९.००	१९२०.००	१९२०.००
	Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२३२३.००	२४३९.००	२४३९.००
	Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness	व.मी	२८१८.००	२९५८.००	२९५८.००

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Half Battered Kerb Stone with Compressive Strength M25 or Above	र.मी	१५८९.००	१६६८.००	१६६८.००
	Bull Nose Kerb Stone with Compressive Strength M25 or Above	र.मी	१८५२.००	१९४४.००	१९४४.००
	Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१०८२.००	११३६.००	११३६.००
	Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१२९८.००	१३६२.००	१३६२.००
	Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness	व.मी	१६८४.००	१७६८.००	१७६८.००
८	**CONCRETE PAVING BLOCKS**				
	Behaton Interlock I Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	१९८१.३४	२०८०.००	२०८०.००
	Behaton Interlock I Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२२१५.११	२३२५.००	२३२५.००
	Behaton Interlock I Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 200mmx165mmx80mm	व.मी.	२३१२.८४	२४२८.००	२४२८.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.		१६५६.४५	१६५६.४५
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.		१९८७.७४	१९८७.७४
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50	व.मी.		२०९८.१७	२०९८.१७
	Behaton Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	१९८१.३४	२०८०.००	२०८०.००
	Behaton Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	२२१५.११	२३२५.००	२३२५.००
	Behaton Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80	व.मी.	२३१२.८४	२४२८.००	२४२८.००
	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.		१३३६.३९	१३३६.३९
	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.		१६०३.६७	१६०३.६७
	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50	व.मी.		१६९२.७६	१६९२.७६
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१७६०.८३	१८४८.००	१८४८.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१९१८.५२	२०१४.००	२०१४.००
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 80MM Thickness Dimension: 226mmx200mmx80mm	व.मी.	१९९७.३६	२०९७.००	२०९७.००
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१२६१.४९	१३२४.००	१३२४.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१४१९.१८	१४९०.००	१४९०.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60	व.मी.	१४९८.०२	१५७२.००	१५७२.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.		१९३०.३४	१९३०.३४
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.		२१३८.२३	२१३८.२३
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70	व.मी.		२२२७.३२	२२२७.३२
	Hexagon Interlock Pavers (Grey Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१०२४.९६	१०७६.००	१०७६.००
	Hexagon Interlock Pavers (Single Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१२३५.२१	१२९६.००	१२९६.००

दिपक कुमार रिसाल

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Hexagon Interlock Pavers (Multi Color) with Compressive Strength M35 or Above. 50MM Thickness Dimension: 226mmx200mmx50mm	व.मी.	१३१४.०५	१३७९.००	१३७९.००
	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm. Dimension: 226*200*80	व.मी.	१७६०.८३	१८४८.००	१८४८.००
	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	१९१८.५१	२०१४.००	२०१४.००
	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80	व.मी.	१९९७.३६	२०९७.००	२०९७.००
	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.	१९५७.५२	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.	२२३७.१६	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80	व.मी.	२३४२.०३	२४५९.००	२४५९.००
	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.	३५८७.३३	३७६६.००	३७६६.००
	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100	व.मी.	३८५८.८९	४०५१.००	४०५१.००
	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm. Dimension:225*112.5*100	व.मी.	४१२६.२२	४३३२.००	४३३२.००
	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.		५६४८.४९	५६४८.४९
	Zigzag Interlock Pavers Single Color with compressive strength M55or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.		६०४३.४९	६०४३.४९
	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120	व.मी.		६४७७.९९	६४७७.९९
	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm. Dimension:200*100*60	व.मी.	१६९९.३८	१७८४.००	१७८४.००
	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	२१६६.९५	२२७५.००	२२७५.००
	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60	व.मी.	२६८०.५२	२८१४.००	२८१४.००
	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	३७३४.८३	३९२१.००	३९२१.००
	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	४०९२.५८	४२९७.००	४२९७.००
	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100	व.मी.	४३९८.५८	४६१८.००	४६१८.००
	Romba 3D Pavers(Grey Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१५४१.०३	१६१८.००	१६१८.००
	Romba 3D Pavers (Single Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१६९७.७४	१७८२.००	१७८२.००
	Romba 3D Pavers (Multi Blended Color) with compressive strength M35 or above 60mm Thickness Dimension: 200mmx175mmx60mm	व.मी.	१७४९.९८	१८३७.००	१८३७.००
	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	१५४१.०३	१६१८.००	१६१८.००
	Romba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60	व.मी.	१६९७.७४	१७८२.००	१७८२.००
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension:200*173 *60	व.मी.	१७४९.९८	१८३७.००	१८३७.००
	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१४१०.४२	१४८०.००	१४८०.००
	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१६२५.०५	१७०६.००	१७०६.००
	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60	व.मी.	१७१७.०३	१८०२.००	१८०२.००
	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.		१७७४.६८	१७७४.६८
	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.		२२४९.५९	२२४९.५९

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50	व.मी.		२७९९.४९	२७९९.४९
	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६६६.०७	१७४९.००	१७४९.००
	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१९६२.२६	२०६०.००	२०६०.००
	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	२२२१.५०	२३३२.००	२३३२.००
	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१६२९.२६	१७१०.००	१७१०.००
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	१९२५.७३	२०२२.००	२०२२.००
	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60	व.मी.	२२२२.२०	२३३३.००	२३३३.००
	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१५३३.७३	१६१०.००	१६१०.००
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६९८.९०	१७८३.००	१७८३.००
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७६९.६९	१८५८.००	१८५८.००
	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१५०४.१५	१५७९.००	१५७९.००
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१६५८.९९	१७४१.००	१७४१.००
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60	व.मी.	१७४७.४७	१८३४.००	१८३४.००
	CONCRETE PAVING TILES				
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१२९६.४०	१३६१.००	१३६१.००
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४३५.२६	१५०७.००	१५०७.००
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६२०.४८	१७०१.००	१७०१.००
	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२६२५.६६	२६२५.६६
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		२९३८.२३	२९३८.२३
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.		३२८२.०७	३२८२.०७
	CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS				
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१९.६८	२०.००	२०.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	२१.४५	२२.००	२२.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१४३.३६	१५२.००	१५२.००

दिपक कुमार रिसाल
नगरप्रमुख

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	गोटा	१६९.५०	१८०.००	१८०.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	१०२.५०	१०९.००	१०९.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	गोटा	११७.५०	१२५.००	१२५.००
	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	८७.००	९२.००	९२.००
	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	गोटा	९८.००	१०४.००	१०४.००
	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१७.३५	१८.००	१८.००
	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	गोटा	१८.२४	१९.००	१९.००
	CONCRETE PAVING BLOCKS				
	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१४७१.७४	१५४५.००	१५४५.००
	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६५५.७१	१७३८.००	१७३८.००
	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७३४.५५	१८२१.००	१८२१.००
	Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१२७०.४३	१३३३.००	१३३३.००
	Behaton Interlock I Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५१४.७५	१५९०.००	१५९०.००
	Behaton Interlock I Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५९६.१८	१६७५.००	१६७५.००
	Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१९५७.५२	२०५५.००	२०५५.००
	Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२२३७.१७	२३४९.००	२३४९.००
	Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	२३४२.०३	२४५९.००	२४५९.००

दिपक कुमार रिसाल
नगरप्रमुख

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२३८२.०६	२५०१.००	२५०१.००
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२६३७.२८	२७६९.००	२७६९.००
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet	व.मी.	२७२२.३५	२८५८.००	२८५८.००
	Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:400x600x80mm, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१६५८.२८	१७४१.००	१७४१.००
	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm	व.मी.	१६५८.२८	१७४१.००	१७४१.००
	CONCRETE PAVING TILES				
	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व मी.	१४११.३३	१४८१.००	१४८१.००
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१५४१.५७	१६१८.००	१६१८.००
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	व.मी.	१७१७.९८	१८०३.००	१८०३.००
	CONCRETE KERB-STONES				
	Half Battered Kerb Stone with Compressive Strength M15. 200mm Thickness-Grey Color Dimension: 300mmx200mmx350mm	र.फि.	३२९.२०	३५०.००	३५०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	३४०.७१	३६३.००	३६३.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	३७६.११	४०१.००	४०१.००
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325, Tolerance/others:±1.5 mm Variance in height)	र.फि.	२६१.०६	२७८.००	२७८.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	२७८.७६	२९७.००	२९७.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH)	र.फि.	३०९.७३	३३०.००	३३०.००
	Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३२९.२०	३५०.००	३५०.००
	Half batterd Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३४०.७१	३६३.००	३६३.००
	Half batterd Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:380*200*250, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३७६.११	४०१.००	४०१.००
	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४२१.४३	४४९.००	४४९.००
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४३६.१६	४६५.००	४६५.००
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH)	र.फि.	४८१.४८	५१३.००	५१३.००
	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	३९१.४०	४१७.००	४१७.००
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	४१९.६९	४४७.००	४४७.००

दिपक कुमार रिसाल

Cement Concrete Block

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH)	र.फि.	४४७.९९	४७७.००	४७७.००
	Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३६७.२६	३९१.००	३९१.००
	Bullnose Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	३९३.८१	४१९.००	४१९.००
	Bullnose Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:200*350*300, Tolerance/others:±1.5 mm Variance in height)	र.फि.	४२०.३५	४४८.००	४४८.००
	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	र.मी.	१६९१.११	१७७५.००	१७७५.००
	EPS-C(Expanded polystyreneconcrete) Block				
1	EPS-C Blocks 24"x4"x8" **(LxBxH)**	गोटा		१४६.००	१४६.००
2	EPS-C Blocks 24"x6"x8" **(LxBxH)**	गोटा		२१९.००	२१९.००
3	EPS-C Blocks 24"x8"x8" **(LxBxH)**	गोटा		२९२.००	२९२.००
	Compressed Stabilized Earthen Block (CSEB)				
	300x150x100 mm	गोटा			५०.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	Surface Hardness	Element	१०००.००	१०२७.००	१०२७.००
२	Cover Survey/ Rebar Orientation	Element	४०००.००	४१०८.००	४१०८.००
३	Homogeneity	Element	५०००:००	५१३५.००	५१३५.००
४	Crack Depth Measurement	Element	५०००.००	५१३५.००	५१३५.००
५	E-Modulus Calculation Test	Element	५०००.००	५१३५.००	५१३५.००
६	Resistivity	Element	२५००.००	२५६७.००	२५६७.००
७	Curing Efficency Test	Element	२५००.००	२५६७.००	२५६७.००
८	Corrosion Mapping	Element	१५०००.००	१५४०५.००	१५४०५.००
९	Half Cell Potential	Element	७०००.००	७१८९.००	७१८९.००
१०	Sonic Echo/ Void Detection Test	Element	१००००.००	१०२७०.००	१०२७०.००
११	Pulloff Test/ Bond Test	Element	७०००.००	७१८९.००	७१८९.००
१२	Concrete Tensile Strength Test	Element	७०००.००	७१८९.००	७१८९.००
१३	Moisture Content	Element	४५००.००	४६२१.००	४६२१.००
१४	Core Extraction				
	32 mm Dia	Element	७५००.००	७७०२.००	७७०२.००
	52 mm Dia	Element	८०००.००	८२१६.००	८२१६.००
	75 mm Dia	Element	८५००.००	८७२९.००	८७२९.००
	100 mm Dia	Element	१०००.००	१०२७.००	१०२७.००
	150 mm Dia	Element	१२५००.००	१२८३७.००	१२८३७.००
	200 mm Dia	Element	१५०००.००	१५४०५.००	१५४०५.००
	250 mm Dia	Element	१७५००.००	१७९७२.००	१७९७२.००
	300 mm Dia	Element	२००००.००	२०५४०.००	२०५४०.००
	350 mm Dia	Element	२५०००.००	२५६७५.००	२५६७५.००
१५	Rapid Chloride Penetration Test	Element	१५०००.००	१५४०५.००	१५४०५.००
१६	Anchor Pullout Test	Element	२००००.००	२०५४०.००	२०५४०.००
१७	Infrared Thermography	Element	३५००.००	३५९४.००	३५९४.००
१८	Low Strain Pile Integrity Test	Element	११०००.००	११२९७.००	११२९७.००
१९	High Strain Dynamic Pile Load Test	Element	५०००००.००	५१३५००.००	५१३५००.००
२०	Fresh Concrete Resistivity (Smart Box)	Element	४०००.००	४१०८.००	४१०८.००
२१	Fine/ Coarse Aggregate Moisture Content	Element	३५००.००	३५९४.००	३५९४.००
२२	Fresh Concrete Moisture Content (W/C Ratio)	Element	३५००.००	३५९४.००	३५९४.००
२३	Cross Hole Sonic Logging	Element	१२५००.००	१२८३७.००	१२८३७.००
२४	Impulse Echo	Element	१००००.००	१०२७०.००	१०२७०.००
२५	Maturity Meter Test	Element	३५०००.००	३५९४५.००	३५९४५.००
२६	Chloride Profile	Element	१२५००.००	१२८३७.००	१२८३७.००
२७	Carbonation Depth Detection Test	Element	२५००.००	२५६७.००	२५६७.००
२८	Boroscope	Element	३५०००.००	३५९४५.००	३५९४५.००
२९	Videoscope	Element	८५०००.००	८७२९५.००	८७२९५.००
३०	Ground Penetrating Radar	Element	५००००.००	५१३५०.००	५१३५०.००
३१	CAPO Test	Element	१२५००.००	१२८३७.००	१२८३७.००
३२	Permeability Test				
	Air	Element	३००००.००	३०८१०.००	३०८१०.००
	Water	Element	४००००.००	४१०८०.००	४१०८०.००
३३	Concrete Cutting Services	R. M.	३००००.००	३०८१०.००	३०८१०.००
३४	Wall Cutting Services	R. M.	५००००.००	५१३५०.००	५१३५०.००
३५	Impact Echo	Element	१००००.००	१०२७०.००	१०२७०.००
३६	Mortar Strength Test (Penetrometer)	Element	५०००.००	५१३५.००	५१३५.००
३७	ASR Detection Test	Element	१००००.००	१०२७०.००	१०२७०.००

NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
३८	Moisture Content Test				
	Concrete	Element	२000.00	२0५४.00	२0५४.00
	Brick	Element	२000.00	२0५४.00	२0५४.00
	Masonry	Element	२000.00	२0५४.00	२0५४.00
	Wood	Element	२५00.00	२५६७.00	२५६७.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर

वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	हेज ८ इन्च पोली	गोटा	५५.००	५९.००	५९.००
२	कार्पेट दुवो	व.फि	३३.००	३५.००	३५.००
३	कार्पेट दुवोको लागि टाप्ने कार्यै ज्याला	व.फि	२२.००	२३.००	२३.००
४	निगालो (जरा सहित)	गोटा	१२.००	१२.००	१२.००
५	स्थानीय स्तरमा उत्पासिदत विरुवा फलफूल बाहेक	गोटा	११.००	११.००	११.००
६	गोठे मल तयारी	के.जी.	६.००	६.००	६.००
७	लेयर्स कुखुराको मल	के.जी.	७.००	७.००	७.००
८	ब्रोईलर कुखुराको मल	के.जी.	५.००	५.००	५.००
९	तोरीको पिना	के.जी.	४५.००	४८.००	४८.००
१०	डाले घाँसको विरुवा	गोटा	११.००	११.००	११.००
११	मोलाटो विरुवा	गोटा	२.००	२.००	२.००
१२	नरिवल डोरी	के.जी.	१४२.००	१५३.००	१५३.००
१३	नाइलन डोरी	के.जी.	२७५.००	२९६.००	२९६.००
१४	लौड सल्ला नेपाली	गोटा	८५.००	९१.००	९१.००
१५	लौठ सल्ला अमेरिकन	गोटा	१३२.००	१४२.००	१४२.००
१६	ठूलो साइजको बाँसको विरुवा विउबाट उत्पादित	गोटा	२२०.००	२३७.००	२३७.००
	वन कार्यालयबाट सम्पादन गरिने कार्यहरु				
१	पोलिथीन टयुव ४ प्वाल भएको २०० गेजको विभिन्न साइज	के.जी.	३८५.००	४१५.००	४१५.००
२	ठूला विरुवा रोपन ४ फिट सम्म	प्रति बिरुवा	१४०.००	१५१.००	१५१.००
३	ठूला विरुवा रोपन ४ फिट ६ सम्म	प्रति बिरुवा	१५५.००	१६७.००	१६७.००
४	अग्ला विरुवा रोपन ६ फिट ८ सम्म	प्रति बिरुवा	२४०.००	२५८.००	२५८.००
५	गोलिया काठ लोड	क्यू.फि.	३०.००	३२.००	३२.००
६	गोलिया काठ अनलोन	क्यू.फि.	२०.००	२१.००	२१.००
७	दाउरा संकलन , ढुवानी चट्टा निर्माण (२० फि.* ५ फि.८ ५ फि)	चट्टा			
८	दाउरा लोड	चट्टा	४०००.००	४३१६.००	४३१६.००
९	दाउरा अनलोड	चट्टा	२०००.००	२१५८.००	२१५८.००
१०	सकंलन कटान , मुछान	चट्टा	४५००.००	४८५५.००	४८५५.००
१२	अनलोडिङ्ग	चट्टा	१४०.००	१५१.००	१५१.००
१३	चट्टा निर्माण	चट्टा	२०००.००	२१५८.००	२१५८.००
१४	ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य	गोटा	२८.००	३०.००	३०.००
१५	वन सुपारी	प्रति बिरुवा	३०.००	३२.००	३२.००
	शहरी वृक्षारोपणकार्य				
१	४ फिट सम्मको विरुवा	प्रति बिरुवा	८८०.००	९४९.००	९४९.००
२	५ फिट सम्मको विरुवा	प्रति बिरुवा	१२५०.००	१३४८.००	१३४८.००
३	६ फिट सम्मको विरुवा	प्रति बिरुवा	१५४०.००	१६६१.००	१६६१.००
४	८ फिट सम्मको विरुवा	प्रति बिरुवा	१८७०.००	२०१७.००	२०१७.००
५	४ फिट ४ फिट उचाईको	प्रति बिरुवा	४०००.००	४३१६.००	४३१६.००
६	५ फिट ५ फिट उचाईको	प्रति बिरुवा	४८००.००	५१७९.००	५१७९.००
	४ फिट सम्मको विरुवाको मुल्य				
१	कपूर	प्रति बिरुवा	१६००.००	१७२६.००	१७२६.००
२	रुद्राक्ष	प्रति बिरुवा	१९००.००	२०५०.००	२०५०.००

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख

वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
३	कल्की बोटल ब्रस	प्रति बिरुवा	१३५०.००	१४५६.००	१४५६.००
४	ज्याकारण्डा गोल्डमोहोर	प्रति बिरुवा	१३५०.००	१४५६.००	१४५६.००
५	असारे	प्रति बिरुवा	१३५०.००	१४५६.००	१४५६.००
६	अमला	प्रति बिरुवा	७८०.००	८४१.००	८४१.००
७	करबिर फुल	प्रति बिरुवा	९७०.००	१०४६.००	१०४६.००
८	चाँप	प्रति बिरुवा	१७००.००	१८३४.००	१८३४.००
९	देवदार	प्रति बिरुवा	२६५०.००	२८५९.००	२८५९.००
११	पैयू	प्रति बिरुवा	७५०.००	८०९.००	८०९.००
१२	लप्सी	प्रति बिरुवा	७५०.००	८०९.००	८०९.००
१३	धूपी	प्रति बिरुवा	१३५०.००	१४५६.००	१४५६.००
१५	काइयो	प्रति बिरुवा	१३५०.००	१४५६.००	१४५६.००
१६	रक्तकमल	प्रति बिरुवा	१३२०.००	१४२४.००	१४२४.००
१७	समी	प्रति बिरुवा	११००.००	११८६.००	११८६.००
१८	बर	प्रति बिरुवा	१३२०.००	१४२४.००	१४२४.००
१९	पिपल	प्रति बिरुवा	१३२०.००	१४२४.००	१४२४.००
२०	५ फिट सम्मको करविर विरुवा	प्रति बिरुवा	१२००.००	१२९४.००	१२९४.००
२१	५ फिट सम्मको तिकोमा विरुवा	प्रति बिरुवा	१२००.००	१२९४.००	१२९४.००
२२	५ फिट सम्मको चापको विरुवा	प्रति बिरुवा	१३००.००	१४०२.००	१४०२.००
	४ फिट देखि ५ फिट सम्मको विरुवाको मुल्य				
१	हेवि सकस	प्रति बिरुवा	१००.००	१०७.००	१०७.००
२	एजेलिया	प्रति बिरुवा	१८००.००	१९४२.००	१९४२.००
३	क्यामेलिया	प्रति बिरुवा	१८००.००	१९४२.००	१९४२.००
४	ग्राउण्ड कमर	प्रति बिरुवा	३००.००	३२३.००	३२३.००
	स्थानीय प्रजाति २ फिट देखि ४ फिट सम्मको विरुवाको मुल्य				
१	मालती	प्रति बिरुवा	५००.००	५३९.००	५३९.००
२	बगमवेली	प्रति बिरुवा	६००.००	६४७.००	६४७.००
३	वेली	प्रति बिरुवा	६००.००	६४७.००	६४७.००
४	पेशन फ्लावर	प्रति बिरुवा	७००.००	७५५.००	७५५.००
५	मान्डोमिल्ला	प्रति बिरुवा	१२००.००	१२९४.००	१२९४.००
६	फाइकस पुमिला	प्रति बिरुवा	२००.००	२१५.००	२१५.००
७	आइम प्लाण्ट	प्रति बिरुवा	३००.००	३२३.००	३२३.००
८	lqm;d;	प्रति बिरुवा	३०००.००	३२३७.००	३२३७.००
९	गोल्डेन धुपि	प्रति बिरुवा	२४००.००	२५८९.००	२५८९.००
१०	शिरिष	प्रति बिरुवा	७५०.००	८०९.००	८०९.००
११	तेजपात	प्रति बिरुवा	१०००.००	१०७९.००	१०७९.००
१२	हर्रो	प्रति बिरुवा	८५०.००	९१७.००	९१७.००
१३	बर्रो	प्रति बिरुवा	८५०.००	९१७.००	९१७.००
१४	बकाइनो	प्रति बिरुवा	८५०.००	९१७.००	९१७.००
१५	ईन्द्रकमल	प्रति बिरुवा	१८००.००	१९४२.००	१९४२.००
१६	लाली गुराँस	प्रति बिरुवा	१६५०.००	१७८०.००	१७८०.००
१७	स्यालफुस्रे	प्रति बिरुवा	१६५०.००	१७८०.००	१७८०.००
१८	पुवाले	प्रति बिरुवा	१६५०.००	१७८०.००	१७८०.००

दिपक कुमार रिसाल
नगरप्रमुख

वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१९	गुन्सी	प्रति बिरुवा	१९५०.००	२१०४.००	२१०४.००
२०	अन्य	प्रति बिरुवा	१६५०.००	१७८०.००	१७८०.००
	स्थानीय बास्नादार प्रजाति ४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
१	पारिजात	प्रति बिरुवा	१४००.००	१५१०.००	१५१०.००
२	चमेली	प्रति बिरुवा	१२००.००	१२९४.००	१२९४.००
३	जाई	प्रति बिरुवा	९५०.००	१०२५.००	१०२५.००
४	वेलपत्र	प्रति बिरुवा	९५०.००	१०२५.००	१०२५.००
	४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य				
१	तिकोमा	प्रति बिरुवा	१७००.००	१८३४.००	१८३४.००
	पाल्मका प्रजाति				
१	फिस्टेल पाल्म	प्रति बिरुवा	१५००.००	१६१८.००	१६१८.००
२	रोयल पाल्म	प्रति बिरुवा	१८००.००	१९४२.००	१९४२.००
३	बोटल पाल्म	प्रति बिरुवा	९५०.००	१०२५.००	१०२५.००
४	कि पाल्म	प्रति बिरुवा	१८००.००	१९४२.००	१९४२.००
५	हवाई पाल्म	प्रति बिरुवा	२४००.००	२५८९.००	२५८९.००
	होचो हुने प्रजाति १ देखि २ फिट सम्म			०.००	०.००
१	साइकस पाल्म	प्रति बिरुवा	१२००.००	१२९४.००	१२९४.००
२	स्याविस पाल्म	प्रति बिरुवा	९५०.००	१०२५.००	१०२५.००
३	रेक्सोन पाल्म	प्रति बिरुवा	१२००.००	१२९४.००	१२९४.००
४	फोनिक्स पाल्म	प्रति बिरुवा	७००.००	७५५.००	७५५.००
५	च्यामडोरा पाल्म	प्रति बिरुवा	७००.००	७५५.००	७५५.००
६	सिपेरिया पाल्म	प्रति बिरुवा	५००.००	५३९.००	५३९.००
७	फयान पाल्म	प्रति बिरुवा	७५०.००	८०९.००	८०९.००
८	एरिका पाल्म	प्रति बिरुवा	७५०.००	८०९.००	८०९.००
	वायो ईन्जिनियरिङ सम्वन्धि काम				
	घासको विउ				
१	जई	कि.ग्रा	७५.००	८०.००	८०.००
२	भेच	कि.ग्रा	१५०.००	१६१.००	१६१.००
३	नेपीयर	सेट	३.००	३.००	३.००
४	वर्सिम	कि.ग्रा	१७५.००	१८८.००	१८८.००
५	घाँसको बिउ र औषधि जिल्ला भित्र ढुवानी गर्दा	कि.ग्रा	०.५०	०.००	०.००
६	घाँसको बिउ जिल्ला बाहिरबाट ढुवानी गर्दा	कि.ग्रा	१.००	१.००	१.००
७	माटो भर्ने खाली बोरा	गोटा	१२.००	१२.००	१२.००
८	बास काटेको सिंगो घाना	घाना	३५०.००	३७७.००	३७७.००
९	बांसको कटिंग स्टम्प बिरुवा(१५ महिने नर्सरीमा राखेको) १.५ फिट देखि २ फिट लामो	प्रति कटिंग	५५.००	५९.००	५९.००
	Vegitation/Shrubs Cuttings/Slip/Plants/etc.				
१	अम्रिसो(राइजोम)	प्रति बिरुवा	७.००	७.००	७.००
२	अलैंची गानो	प्रति बिरुवा	११.००	११.००	११.००
३	अलैंची बिरुवा	प्रति बिरुवा	८.००	८.००	८.००
४	हार्डउड कटिङ्गस् (बैंस) पेन्सिल साइज	प्रति बिरुवा	५.००	५.००	५.००

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाण्डौ बागमती प्रदेश, नेपाल २०७३

Chemraj

दिपक कुमार रिसाल

वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
५	नेपियर कटिङ्गस्	प्रति बिरुवा	२.००	२.००	२.००
६	NB_{21} घाँस	प्रति बिरुवा	२.००	२.००	२.००
७	निगालो राईजोम	प्रति बिरुवा	५०.००	५३.००	५३.००
८	बासको बेर्ना (कटीग राईजोमं)	प्रति बिरुवा	४००.००	४३१.००	४३१.००
९	बाबियो ताइवानी दुबो	प्रति बिरुवा	३.००	३.००	३.००
१०	सिजनल फुल ८ इन्च पोली	गोटा	२५.००	२६.००	२६.००
११	गुलाफ फुल ८ इन्च पोली	गोटा	१५०.००	१६१.००	१६१.००
१२	हेज ८ इन्च पोली	गोटा	३०.००	३२.००	३२.००
१३	कार्पेट दुबो	व.फी.	३०.००	३२.००	३२.००
१४	कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला	व.फी.	२०.००	२१.००	२१.००
१५	निगालो (जरा सहीत)	गोटा	१२.००	१२.००	१२.००
१६	स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक	गोटा	५.००	५.००	५.००
१८	डाले घासको बिरुवा	गोटा	६.००	६.००	६.००
१९	मोलाटो बिरवा	गोटा	२.००	२.००	२.००
२०	लौठ सल्ला नेपाली	गोटा	७०.००	७५.००	७५.००
२१	लौठ सल्ला अमेरिकन	गोटा	१२०.००	१२९.००	१२९.००
२२	खर	गोटा	४.००	४.००	४.००
२३	अम्वा	प्रति बिरुवा	४५०	४८५.००	४८५.००
२४	उतिस ,धयेरो,असुरो,वकाइनो,निम आदी	गोटा	४१०	४४२.००	४४२.००
२५	भुजेत्रो	के.जी.	१५५०	१६७२.००	१६७२.००
२६	खर,फुर्के सिटो आदिको विउ	के.जी.	१४५०	१५६४.००	१५६४.००
२७	जुट नेट	व.मी.	४८५	५२३.००	५२३.००
	द टिम्वर कर्पोरेशनबाट सम्पादन गरिने कार्यहरु				
१	चिरान उत्पादन(बाकल,भुष,फाल्ने क्रस कटिंग समेत)	क्यू.फि.	६५	७०.००	७०.००
२	चिरान लोड	क्यू.फि.	१७	१८.००	१८.००
३	चिरान पाइलिंग	क्यू.फि.	८	८.००	८.००
४	चिरान अनलोड	क्यू.फि.	९	९.००	९.००
५	मिल सिपमेन्टको गोलिया अनलोड	क्यू.फि.	११	११.००	११.००
६	भाडाको स:मिलबाट गोलिया चिरान ज्याला (गोलियामा)	क्यू.फि.	९०	९७.००	९७.००
७	दाउरा लोड	क्वीन्टल	५०	५३.००	५३.००
८	दाउरा अनलोड	क्वीन्टल	१७	१८.००	१८.००
९	पोल लोड	प्रति गोटा	६०	६४.००	६४.००
१०	पोल अनलोड	प्रति गोटा	३०	३२.००	३२.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख

Geocell Technology

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Geocell Technology प्रयोग गरि Slope protectionn,Earth retention,channel protection जस्ता Geotechnical काम गर्न				
	Small size (opening 330 mm) strength category-B				
	cell height-50 mm	व.मी	६३०.००	६३०.००	६३०.००
	cell height-75 mm	व.मी	९००.००	९००.००	९००.००
	cell height-100 mm	व.मी	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मी	१७५०.००	१७५०.००	१७५०.००
	cell height-200 mm	व.मी	२४२५.००	२४२५.००	२४२५.००
	Small size (opening 330 mm) strength category-C				
	cell height-50 mm	व.मी	६५०.००	६५०.००	६५०.००
	cell height-75 mm	व.मी	९२५.००	९२५.००	९२५.००
	cell height-100 mm	व.मी	१२५०.००	१२५०.००	१२५०.००
	cell height-120 mm	व.मी	१५५०.००	१५५०.००	१५५०.००
	cell height-150 mm	व.मी	१८००.००	१८००.००	१८००.००
	cell height-200 mm	व.मी	२५००.००	२५००.००	२५००.००
	Small size (opening 330 mm) strength category-D				
	cell height-50 mm	व.मी	९५०.००	९५०.००	९५०.००
	cell height-75 mm	व.मी	१३५०.००	१३५०.००	१३५०.००
	cell height-100 mm	व.मी	१८००.००	१८००.००	१८००.००
	cell height-120 mm	व.मी	२३००.००	२३००.००	२३००.००
	cell height-150 mm	व.मी	२६००.००	२६००.००	२६००.००
	cell height-200 mm	व.मी	३६५०.००	३६५०.००	३६५०.००
	Small size (opening 356 mm) strength category-B				
	cell height-50 mm	व.मी	६००.००	६००.००	६००.००
	cell height-75 mm	व.मी	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मी	११५०.००	११५०.००	११५०.००
	cell height-120 mm	व.मी	१४५०.००	१४५०.००	१४५०.००
	cell height-150 mm	व.मी	१६७५.००	१६७५.००	१६७५.००
	cell height-200 mm	व.मी	२३००.००	२३००.००	२३००.००
	Small size (opening 356 mm) strength category-C				
	cell height-50 mm	व.मी	६००.००	६००.००	६००.००
	cell height-75 mm	व.मी	८५०.००	८५०.००	८५०.००
	cell height-100 mm	व.मी	१२००.००	१२००.००	१२००.००
	cell height-120 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-150 mm	व.मी	१७००.००	१७००.००	१७००.००
	cell height-200 mm	व.मी	२४००.००	२४००.००	२४००.००
	Small size (opening 356 mm) strength category-D				
	cell height-50 mm	व.मी	९००.००	९००.००	९००.००
	cell height-75 mm	व.मी	१२५०.००	१२५०.००	१२५०.००
	cell height-100 mm	व.मी	१७००.००	१७००.००	१७००.००
	cell height-120 mm	व.मी	२१५०.००	२१५०.००	२१५०.००
	cell height-150 mm	व.मी	२५००.००	२५००.००	२५००.००
	cell height-200 mm	व.मी	३४५०.००	३४५०.००	३४५०.००

Geocell Technology

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Medium size (opening 445 mm) strength category-B				
	cell height-50 mm	व.मी	५२५.००	५२५.००	५२५.००
	cell height-75 mm	व.मी	७५०.००	७५०.००	७५०.००
	cell height-100 mm	व.मी	१०००.००	१०००.००	१०००.००
	cell height-120 mm	व.मी	१२७५.००	१२७५.००	१२७५.००
	cell height-150 mm	व.मी	१४७५.००	१४७५.००	१४७५.००
	cell height-200 mm	व.मी	२०५०.००	२०५०.००	२०५०.००
	Medium size (opening 445 mm) strength category-C				
	cell height-50 mm	व.मी	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मी	७७५.००	७७५.००	७७५.००
	cell height-100 mm	व.मी	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मी	१३००.००	१३००.००	१३००.००
	cell height-150 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-200 mm	व.मी	२१००.००	२१००.००	२१००.००
	Medium size (opening 445 mm) strength category-D				
	cell height-50 mm	व.मी	८००.००	८००.००	८००.००
	cell height-75 mm	व.मी	११००.००	११००.००	११००.००
	cell height-100 mm	व.मी	१५००.००	१५००.००	१५००.००
	cell height-120 mm	व.मी	१९५०.००	१९५०.००	१९५०.००
	cell height-150 mm	व.मी	२२००.००	२२००.००	२२००.००
	cell height-200 mm	व.मी	३१००.००	३१००.००	३१००.००
	Large size (opening 660 mm) strength category-B				
	cell height-50 mm	व.मी	३६५.००	३६५.००	३६५.००
	cell height-75 mm	व.मी	५३५.००	५२५.००	५२५.००
	cell height-100 mm	व.मी	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मी	९००.००	९००.००	९००.००
	cell height-150 mm	व.मी	१०००.००	१०००.००	१०००.००
	cell height-200 mm	व.मी	१४००.००	१४००.००	१४००.००
	Large size (opening 660 mm) strength category-C				
	cell height-50 mm	व.मी	३७५.००	३७५.००	३७५.००
	cell height-75 mm	व.मी	५५०.००	५५०.००	५५०.००
	cell height-100 mm	व.मी	७२५.००	७२५.००	७२५.००
	cell height-120 mm	व.मी	९००.००	९००.००	९००.००
	cell height-150 mm	व.मी	१०५०.००	१०५०.००	१०५०.००
	cell height-200 mm	व.मी	१४५०.००	१४५०.००	१४५०.००
	Large size (opening 660 mm) strength category-D				
	cell height-50 mm	व.मी	५५०.००	५५०.००	५५०.००
	cell height-75 mm	व.मी	८००.००	८००.००	८००.००
	cell height-100 mm	व.मी	१०५०.००	१०५०.००	१०५०.००
	cell height-120 mm	व.मी	१३२५.००	१३२५.००	१३२५.००
	cell height-150 mm	व.मी	१५५०.००	१५५०.००	१५५०.००
	cell height-200 mm	व.मी	२१००.००	२१००.००	२१००.००
	Large size (opening 712 mm) strength category-B				
	cell height-50 mm	व.मी	२९०.००	२९०.००	२९०.००

नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Geocell Technology

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	cell height-75 mm	व.मी	४२५.००	४२५.००	४२५.००
	cell height-100 mm	व.मी	५९०.००	५९०.००	५९०.००
	cell height-120 mm	व.मी	७६०.००	७६०.००	७६०.००
	cell height-150 mm	व.मी	८६५.००	८६५.००	८६५.००
	cell height-200 mm	व.मी	१२००.००	१२००.००	१२००.००
	Large size (opening 712 mm) strength category-C				
	cell height-50 mm	व.मी	३००.००	३००.००	३००.००
	cell height-75 mm	व.मी	४५०.००	४५०.००	४५०.००
	cell height-100 mm	व.मी	६००.००	६००.००	६००.००
	cell height-120 mm	व.मी	७५०.००	७५०.००	७५०.००
	cell height-150 mm	व.मी	९००.००	९००.००	९००.००
	cell height-200 mm	व.मी	१२५०.००	१२५०.००	१२५०.००
	Large size (opening 712 mm) strength category-D				
	cell height-50 mm	व.मी	४५०.००	४५०.००	४५०.००
	cell height-75 mm	व.मी	६२५.००	६२५.००	६२५.००
	cell height-100 mm	व.मी	९००.००	९००.००	९००.००
	cell height-120 mm	व.मी	११००.००	११००.००	११००.००
	cell height-150 mm	व.मी	१३००.००	१३००.००	१३००.००
	cell height-200 mm	व.मी	१८००.००	१८००.००	१८००.००

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

WPS/Fibre, Concrete Prefabricated Doors & Windows

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट			
			आ.व. २०७७/७८	आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
1	**WPC Single Hollow Door Board**					
	(Thickness 32±2 mm)					
	Plain Door	व.फि		६६०.००	७०३.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि		७६५.००	८१५.००	८१५.००
2	**WPC Single Hollow Door Board**					
	(Thickness 32±2 mm)					
	Plain Door	व.फि		६६०.००	७०३.००	७०३.००
	Colored/Hot Stamping/Printing/Grooving/Embossing	व.फि		७६५.००	८१५.००	८१५.००
3	**FRP Composite Door Frame**					
	Thickness: 100 mm	र.फि		४३५.००	४६३.००	४६३.००
	Thickness: 110 mm	र.फि			६००.००	६००.००
4	**FRP Composite Window or Ventilation Frame**					
	Thickness: 110 mm	र.फि		४५००.००	५२३.००	५२३.००
5	**FRP Composite Window Net Panel**					
	Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.)	गोटा		४७४०.००	४९७७.००	४९७७.००
6	**FRP Composite Window Panel**					
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	गोटा		४९८०.००	५२२९.००	५२२९.००
	Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा		४७४०.००	४९७७.००	४९७७.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green	गोटा			४७१३.००	४७१३.००
	Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear	गोटा		३५४०.००	३७१७.००	३७१७.००
7	**FRP Composite Ventilation Panel**					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green	गोटा			४०००.००	४०००.००
	(Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear	गोटा		३३६०.००	३५२८.००	३५२८.००
8	**FRP Composite Ventilation Net Panel**					
	(Size: 3 Sq.ft. to 4.5 sq.ft.)	गोटा		२२५.००	२४७.००	२४७.००
9	**Fiber Door Panel**					
	Single Fiber Door	व.फि			१०१०.००	१०१०.००
	Double Fiber Door	व.फि			१३१०.००	१३१०.००
	Double Fiber Door	व.फि			१९५०.००	१९५०.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Vinyl Flooring				
१	Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m2, XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10μg/m3).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	४८००.००	४८००.००	४८००.००
२	Providing & Fixing 2 mm thick homogeneous Phthalate free. PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m2, XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10μg/m3).Phthalate Free.Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	३७००.००	३७००.००	३७००.००
३	Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m2 ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria, Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100μg/m3). The laid flooring should be included of Self leveling base course all complete as per the specification.	व.मी	३५००.००	३५००.००	३५००.००
४	Providing & Fixing of 6.5mm thick Vinyl Flooring. 100% recycled flexible. Phthalate free Certificate, TVOC less than 10 ug/m2 heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.16mm confirming to EN 1516 and shock absorption ≥ 17% as per EN 14808; Vertical deformation ≤ 5mm confirming to EN 14809 with Vertical ball behavior ≥ 90% as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class CflFs1 with slip resistance to rolling load ≤0.50mm on EN 1569. NFS 31-074 certified Class A ≤ 65db noise reduction with Thermal resistance Approx. 0.07m2 K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) : Omnisports Reference. Excel. & Pure Play's Weight ; The honeycomb backing, creating a suction effect.	व.मी	६२००.००	६२००.००	६२००.००
५	Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm hetrogenious Accoustic PVC Vinyl Phthalate free, flooring , total weight is 3250g/m2, PUR, No wax no polish for life (, Abrasion group T: ≤2.00 mm, residual indentation approx.0,03 mm, castor wheel test qualified, dimensional stability ≤0.40%, impact sound reduction approx +19db with accoustic improvement <65Db class A.Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10μg/m3) in roll form 23running meterx200cm. Phthalate Free.Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	५०००.००	५०००.००	५०००.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
6	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static dissipative pressed homogeneous Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches.Thermal resistance Approx. 0.01m2 K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor.	व.मी	५८००.००	५८००.००	५८००.००
7	Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. **As Carbon coated on the top of the floor it will prevent any kind of electric shock.** The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class CflFs1 with surface treatment new IQ PUR. **Flooring follows excellent dry buffing system which always give new looks to the floor.** Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m2 K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions.	व.मी	५८००.००	५८००.००	५८००.००
	False Ceiling				
1	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead	व.मी	३१५२.००	३१५२.००	३१५२.००
2	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४७५०.००	४७५०.००	४७५०.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
3	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४८४२.००	४८४२.००	४८४२.००
4	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४६२६.००	४६२६.००	४६२६.००
5	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	४६२६.००	४६२६.००	४६२६.००
6	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	११८३६.००	११८३६.००	११८३६.००
7	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	१२३७४.००	१२३७४.००	१२३७४.००

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
8	Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead.	व.मी	१२९१२.००	१२९१२.००	१२९१२.००
	Levelling Compund for Vinyl Flooring				
1	All substrate must be structurally sound, dust free, dry. solid and stable, grease OR wax free. Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level shoild be less than 8% before application for Vinyl flooring.	व.मी	५९२.००	५९२.००	592
2	Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring	व.मी	२९५.००	२९५.००	295
	WPC Items				
1	Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests. like - Thicking swelling - less than 1%. Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	९४६९.००	९४६९.००	९४६९.००
2	Providing and installing WPC Wall panel cladding in pre- painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%.	व.मी	६५१०.००	६५१०.००	६५१०.००
	Ceiling				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

FLOORING AND CEILING

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
1	Supply & Fixing of U-Baffle Ceiling System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels.	व.मी	१४५२६.००	१४५२६.००	१४५२६.००

Khemraj

दिपक कुमार
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	Reinforced Soil Wall with using precast RCC facia panels of minimum 160mm thickness and 50mm | 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	Upto 5 Height (in Metre)	व.मी	१७५९१.४३	१८२९५.००	१८२९५.००
	10 Height (in Metre)	व.मी	२२१४३.४०	२३०२९.००	२३०२९.००
	15 Height (in Metre)	व.मी	२६८६९.५९	२७९४४.००	२७९४४.००
	20 Height (in Metre)	व.मी	३४५६२.४४	३५९४४.००	३५९४४.००
	25 Height (in Metre)	व.मी	४७१०४.९७	४८९८९.००	४८९८९.००
	30 Height (in Metre)	व.मी	६००५६.७९	६१८५८.००	६१८५८.००
२	Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm | 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	२७९३१.९९	२९०४९.००	२९०४९.००
	20 Height (in meter)	व.मी	३८०६४.१३	३९५८६.००	३९५८६.००
	30 Height (in meter)	व.मी	५५७३८.१३	५७४१०.००	५७४१०.००
३	Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC facia panels of minimum 160mm thickness and 50mm | 70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories.				
	10 Height (in meter)	व.मी	३४९५४.५९	३६३५२.००	३६३५२.००

Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
४	Geo-composite Drainage with mini pipes				
i	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	९२६.५४	९९१.००	९९१.००
ii	Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	१२१९.२६	१२८०.००	१२८०.००
iii	Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours	व.मी	१४५१.५४	१५२४.००	१५२४.००
iv	Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours.	व.मी	२०८८.३०	२१९२.००	२१९२.००
५	Rockfall Protection Barrier				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm², zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete.				
	Capacity 500 KJ and height 3.5m	र.मी.	१४६९२७.००	१४९८६५.००	१४९८६५.००
	Capacity 1000 KJ and height 5m	र.मी.	२९३६५१.००	२९९५२४.००	२९९५२४.००
	Capacity 1500 KJ and height 5m	र.मी.	३४२३१०.००	३४९१५६.००	३४९१५६.००
	Capacity 2000 KJ and height 5m	र.मी.	४२३९५५.००	४३२४३४.००	४३२४३४.००
	Capacity 3000 KJ and height 5m	र.मी.	४९९४७६.००	५०९४६५.००	५०९४६५.००
	Capacity 5000 KJ and height 7m	र.मी.	९११९७३.००	९३०२१२.००	९३०२१२.००
६	High Tensile Wire mesh (wire strength≥1770N/mm2)				
	Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength ≥ 1770 N/mm²) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m² coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction.	व.मी	१३१७१.००	१३६९७.००	१३६९७.००
७	High Strength Geogrid coated with linear low-density polyethylene (LLDPE)				
i	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	२०८८.३०	२१९२.००	२१९२.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
ii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	९०१८.५३	९४६९.००	९४६९.००
iii	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	२६८९.९७	२८२४.००	२८२४.००
iv	Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure	व.मी	११६९७.७०	१२१६५.००	१२१६५.००
८	Fabric formed erosion and scour protection concrete mattresses				
i	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD | TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	५८२६.६०	६११७.००	६११७.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Slope Stabilization Structures

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
ii	Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD | TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN.	व.मी	६७८२.१०	७१२१.००	७१२१.००
iii	Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD | TD) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications.	व.मी	३७३३.६०	३९२०.००	३९२०.००
iv	Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD | TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications.	व.मी	४०६९.००	४२७२.००	४२७२.००
v	Supply of 3m long high tensile soil anchor of 2T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	८०८७.३०	८४९१.००	८४९१.००
vi	Supply of 3m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum)	गोटा	११९३७.३०	११९०२.००	११९०२.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Railway

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	Bore Pile Machine for Railway bridge for =>1.5m diameter with piling ring and assories.	प्रति घण्टा	७९८०.००	८३७९.००	८३७९.००
२	Spherical bearing = > 2250 KN Fixed type	गोटा	१३०७५७.००	१३३३७२.००	१३३३७२.००
३	Spherical bearing =>2250 KN Free type	गोटा	१४५६१८.००	१४८५३०.००	१४८५३०.००
४	Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge.	र.मि	१५१०४.००	१५७०८.००	१५७०८.००
५	Crane =>100 tonne capacity for lifting of railway PSC / IPC girder.	प्रति घण्टा	१३९७९.००	१४५३८.००	१४५३८.००
६	Ultra sonic cross-hole test Machine hire	गोटा	२२३०.००	२३४१.००	२३४१.००
७	Sheath tube, D75mm (Mild steel)	र.मि	३५०.००	३७७.००	३७७.००
८	Carrying out Dynamic pile load test	गोटा	२८८६९२.००	२९४४६५.००	२९४४६५.००
९	Earthing cable(GV70)	र.मि	५७५.००	६१५.००	६१५.००
१०	Cad Mold(Medium) for earthing job in bridge	गोटा	४२२०.००	४४३१.००	४४३१.००
११	Unbonded Pre stressed concrete strand	के.जी.	१५१.००	१६२.००	१६२.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

Flooring Room Heating System

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.कर बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
१	Electric Hot Film (Thickness= 0.338 mm)	व.मी.		११५०.००	११५०.००
२	Thermostat UTH-200/Sensor (Capacity 4KW)	गोटा		५५००.००	५५००.००
३	Insulation Pad (Thickness = 5mm)	व.मी.		३५०.००	३५०.००
४	Eye Clip	गोटा		५०.००	५०.००
५	2.5 mm Multi Strand wire	र.मि		६०.००	६०.००
६	Installation Charge	व.मी.		३००.००	३००.००
७	Parqueting (Thickness = 8 mm)	व.फि.		१७०.००	१७०.००
८	Scoting readymade	र.फि.		१७०.००	१७०.००
९	Scoting Local mare	र.फि.		१३०.००	१३०.००
१०	Protected Mat	व.मी.		३००.००	३००.००
११	Special Tape	र.फि.		१००.००	१००.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	High Density Polythene Pipe NS-40	के. जी.	२७०.००	२८७.००	२८७.००
२	**G.I Pipe threaded - Light class**				
	15mm	र.मी	१४८.००	१७०.००	१७०.००
	20mm	र.मी	२०२.००	२३२.००	२३२.००
	25mm	र.मी	२८०.००	३२२.००	३२२.००
	32mm	र.मी	३५८.००	४११.००	४११.००
	40mm	र.मी	४४२.००	५०८.००	५०८.००
	50mm	र.मी	५५८.००	६४१.००	६४१.००
	65mm	र.मी	७७०.००	८८५.००	८८५.००
	80mm	र.मी	९०३.००	१०३८.००	१०३८.००
	100mm	र.मी	१२९२.००	१४८५.००	१४८५.००
	125mm	र.मी	२०६७.००	२३७७.००	२३७७.००
	150mm	र.मी	२४५५.००	२८२३.००	२८२३.००
	200mm	र.मी	३५२३.००	४०५१.००	४०५१.००
3	**MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106**				
	21.3 mm OD 1/2" SCH.40, 2.77 mm thickness	र.मी	४५२.००	५१९.००	५१९.००
	26.7mm OD 3/4" SCH.40, 2.87 mm thickness	र.मी	५४२.००	६२३.००	६२३.००
	33.4 mm OD 1" SCH.40, 3.38mm thickness	र.मी	६८०.००	७८२.००	७८२.००
	42.2mm OD 1.1/4" SCH.40, 3.56mm thickness	र.मी	८३९.००	९६४.००	९६४.००
	48.3 mm OD 1.5" SCH.40, 3.68 mm thickness	र.मी	९६०.००	११०४.००	११०४.००
	60.3mm OD 2" SCH.40, 3.91 mm thickness	र.मी	१२३३.००	१४१७.००	१४१७.००
	73mm OD 3" SCH.40,5.16 .mm thickness	र.मी	१८९५.००	२१७९.००	२१७९.००
	88.9mm OD 3.5" SCH.40, 5.49 mm thickness	र.मी	२०००.००	२३००.००	२३००.००
	101.6mm OD 4" SCH.40, 5.74 mm thickness	र.मी	२८८०.००	३३१२.००	३३१२.००
	114.3mm OD 5" SCH.40, 6.02 mm thickness	र.मी	३५३१.००	४०६०.००	४०६०.००
	141.3mm OD 6" SCH.40, 6.557 mm thickness	र.मी	४७८२.००	५४९९.००	५४९९.००
	168.3mm OD 4" SCH.40, 7.11 mm thickness	र.मी	६२०७.००	७१३८.००	७१३८.००
	65 mm ID SCH.40	र.मी	१९००.००	२१८५.००	२१८५.००
	80 mm ID SCH.40	र.मी	२३००.००	२६४५.००	२६४५.००
	125 mm ID SCH.40	र.मी	३८००.००	४३७०.००	४३७०.००
	150 mm ID SCH.40	र.मी	४४३०.००	५०९४.००	५०९४.००
	200 mm ID SCH.40	र.मी	५५२०.००	६३४८.००	६३४८.००
	250mm ID SCH.40	र.मी	७१३०.००	८१९९.००	८१९९.००
	300 mm ID SCH.40	र.मी	९७८०.००	११२४७.००	११२४७.००
	350 mm ID SCH.40	र.मी	१८४००.००	२११६०.००	२११६०.००
	400 mm ID SCH.40	र.मी	२४०००.००	२७६००.००	२७६००.००
	450 mm ID SCH.40	र.मी	३०३३०.००	३४८७९.००	३४८७९.००
	500 mm ID SCH.40	र.मी	३५७००.००	४१०५५.००	४१०५५.००
४	**G.I Pipe threaded -Medium class**				
	15mm	र.मी	१५७.७७	१८१.००	१८१.००
	20mm	र.मी	१९६.३५	२२५.००	२२५.००
	25mm	र.मी	२९९.१५	३४४.००	३४४.००
	32mm	र.मी	३८९.२४	४४७.००	४४७.००
	40mm	र.मी	४४६.९९	५१४.००	५१४.००

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामागीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	50mm	र.मी	६१४.४६	७०६.००	७०६.००
	65mm	र.मी	७८४.२५	९०१.००	९०१.००
	80mm	र.मी	९७५.९८	११२२.००	११२२.००
	100mm	र.मी	१४६१.०८	१६८०.००	१६८०.००
	125mm	र.मी	१९१०.३७	२१९६.००	२१९६.००
	150mm	र.मी	२३१०.००	२६५६.००	२६५६.००
	200mm	र.मी	३९९७.००	४५९६.००	४५९६.००
५	G.I Pipe threaded - Heavy duty				
	15mm	र.मी	१८४.८०	२१२.००	२१२.००
	20mm	र.मी	२३१.००	२६५.००	२६५.००
	25mm	र.मी	३४४.९७	३९६.००	३९६.००
	32mm	र.मी	४०७.४०	४६८.००	४६८.००
	40mm	र.मी	५१६.२९	५९३.००	५९३.००
	50mm	र.मी	७५८.८४	८७२.००	८७२.००
	65mm	र.मी	८६३.१०	९९२.००	९९२.००
	80mm	र.मी	१११८.०४	१२८५.००	१२८५.००
	100mm	र.मी	१९२०.८०	२२०८.००	२२०८.००
	125mm	र.मी	२१७७.१८	२५०३.००	२५०३.००
	150mm	र.मी	२४६३.६२	२८३३.००	२८३३.००
	200mm	र.मी	४४२०.००	५०८३.००	५०८३.००
६	G.M. Gate valve				
	15mm	र.मी	९६२.००	७५१.००	७५१.००
	20mm	र.मी	११९८.००	१०५०.००	१०५०.००
	25mm	र.मी	१९३०.००	१६००.००	१६००.००
	32mm	र.मी	२७५३.००	२३५०.००	२३५०.००
	40mm	र.मी	३४६७.००	३१३३.००	३१३३.००
	50mm	र.मी	५५१९.००	४८८३.००	४८८३.००
	65mm	र.मी	११४११.००	८७७२.००	८७७२.००
	80mm	र.मी	१४१८८.००	१२०५०.००	१२०५०.००
	100mm	र.मी	२३२३८.००	२०५९०.००	२०५९०.००
७	G.M Check valve				
	15mm	गोटा	८९३.००	८९३.००	८९३.००
	20mm	गोटा	१२००.००	१२००.००	१२००.००
	25mm	गोटा	१७७५.००	१७७५.००	१७७५.००
	32mm	गोटा	२६२३.००	२६२३.००	२६२३.००
	40mm	गोटा	३०३५.००	३०३५.००	३०३५.००
	50mm	गोटा	५०३३.००	५०३३.००	५०३३.००
	65mm	गोटा	१०२२५.००	१०२२५.००	१०२२५.००
	80mm	गोटा	१३६५७.००	१३६५७.००	१३६५७.००
	100mm	गोटा	१९३०१.००	१९३०१.००	१९३०१.००
८	G.I. Ebow				
	15mm	गोटा	४५.००	४२.००	४२.००
	20mm	गोटा	७१.००	६६.००	६६.००
	25mm	गोटा	११३.००	१०५.००	१०५.००
	32mm	गोटा	१७६.००	१६२.००	१६२.००
	40mm	गोटा	२४२.००	२२३.००	२२३.००

Khemaj

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.ब.०८०।८१
	50mm	गोटा	३६८.००	३४४.००	३४४.००
	65mm	गोटा	६८५.००	६५३.००	६५३.००
	80mm	गोटा	९७८.००	८८०.००	८८०.००
	100mm	गोटा	१७५३.००	१५७०.००	१५७०.००
	125mm	गोटा	२१०३.६०	२१०३.६०	२१०३.६०
	150mm	गोटा	२५२४.३२	२५२४.३२	२५२४.३२
९	G.I. Tee				
	15mm	गोटा	७०.००	६६.००	६६.००
	20mm	गोटा	११०.००	१०४.००	१०४.००
	25mm	गोटा	१५०.००	१४२.००	१४२.००
	32mm	गोटा	२४०.००	२१९.००	२१९.००
	40mm	गोटा	२९५.००	२८२.००	२८२.००
	50mm	गोटा	४६०.००	४९२.००	४९२.००
	65mm	गोटा	९०५.००	८२८.००	८२८.००
	80mm	गोटा	१२०५.००	११८७.००	११८७.००
	100mm	गोटा	२०५३.००	१९५३.००	१९५३.००
	125mm	गोटा	२४६५.००	२४६५.००	२४६५.००
	150mm	गोटा	२९६०.००	२९६०.००	२९६०.००
१०	G.I Union				
	15mm	गोटा	१२४.००	११३.००	११३.००
	20mm	गोटा	१७३.००	१५३.००	१५३.००
	25mm	गोटा	२३०.००	२१०.००	२१०.००
	32mm	गोटा	३४५.००	३२९.००	३२९.००
	40mm	गोटा	४५५.००	४०१.००	४०१.००
	50mm	गोटा	६३०.००	६११.००	६११.००
	65mm	गोटा	१२३०.००	११३८.००	११३८.००
	80mm	गोटा	१६८०.००	१५८६.००	१५८६.००
	100mm	गोटा	२३०८.००	२२०५.००	२२०५.००
	125mm	गोटा	२७७०.००	२७७०.००	२७७०.००
	150mm	गोटा	३३२४.००	३३२४.००	३३२४.००
११	G.I. Socket				
	15mm	गोटा	४१.००	३८.००	३८.००
	20mm	गोटा	६४.००	५७.००	५७.००
	25mm	गोटा	८२.००	७५.००	७५.००
	32mm	गोटा	१२९.००	११५.००	११५.००
	40mm	गोटा	१७३.००	१४४.००	१४४.००
	50mm	गोटा	२६८.००	२४१.००	२४१.००
	65mm	गोटा	३७५.००	क्र	क्र
	80mm	गोटा	६००.००	५८६.००	५८६.००
	100mm	गोटा	९५०.००	९५१.००	९५१.००
	125mm	गोटा	११४०.००	११४०.००	११४०.००
	150mm	गोटा	१३६८.००	१३६८.००	१३६८.००
१२	C.I. Plug				
	15mm	गोटा	३०.००	३०.००	३०.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	४९.००	४९.००	४९.००

दिपक कुमार रिसाल

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	32mm	गोटा	९८.००	९८.००	९८.००
	40mm	गोटा	१२४.००	१२४.००	१२४.००
	50mm	गोटा	१४९.००	१४९.००	१४९.००
	65mm	गोटा	२१४.००	२१४.००	२१४.००
	80mm	गोटा	४३७.००	४३७.००	४३७.००
	100mm	गोटा	८३८.००	८३८.००	८३८.००
१३	Hex Nipple				
	15mm	गोटा	५६.००	५६.००	५६.००
	20mm	गोटा	८६.००	८६.००	८६.००
	25mm	गोटा	१३९.००	१३९.००	१३९.००
	32mm	गोटा	२१७.००	२१७.००	२१७.००
	40mm	गोटा	२७५.००	२७५.००	२७५.००
	50mm	गोटा	४०९.००	४०९.००	४०९.००
	65mm	गोटा	७५०.००	७५०.००	७५०.००
	80mm	गोटा	९६८.००	९६८.००	९६८.००
	100mm	गोटा	१४८४.००	१४८४.००	१४८४.००
१४	Reducing Tee				
	20mm	गोटा	१२०.००	१२०.००	१२०.००
	25mm	गोटा	१६२.००	१४८.००	१४८.००
	32mm	गोटा	१४८.००	१६२.००	१६२.००
	40mm	गोटा	३२५.००	३२५.००	३२५.००
	50mm	गोटा	५१७.००	५१७.००	५१७.००
	65mm	गोटा	९१८.००	९१८.००	९१८.००
	80mm	गोटा	१४५०.००	१४५०.००	१४५०.००
	100mm	गोटा	२७५०.००	२७५०.००	२७५०.००
	125mm	गोटा	३३००.००	३३००.००	३३००.००
	150mm	गोटा	३९६०.००	३९६०.००	३९६०.००
१५	Reducing Elbow				
	20mm	गोटा	१०३.००	१०३.००	१०३.००
	25mm	गोटा	१६०.००	१६०.००	१६०.००
	32mm	गोटा	२४४.००	२४४.००	२४४.००
	40mm	गोटा	३४२.००	३४२.००	३४२.००
	50mm	गोटा	५११.००	५११.००	५११.००
	65mm	गोटा	८८३.००	८८३.००	८८३.००
	80mm	गोटा	१३६१.००	१३६१.००	१३६१.००
	100mm	गोटा	२४१०.००	२४१०.००	२४१०.००
	125mm	गोटा	५८७८.००	५८७८.००	५८७८.००
	150mm	गोटा	७०७३.००	७०७३.००	७०७३.००
१६	Reducing socket				
	15mm(1/2")	गोटा	५०.००	५०.००	५०.००
	20mm(3/4")	गोटा	८०.००	८०.००	८०.००
	25mm(1")	गोटा	१००.००	१००.००	१००.००
	32mm(1-1/4")	गोटा	१५०.००	१५०.००	१५०.००
	40mm(1-1/2")	गोटा	२१०.००	२१०.००	२१०.००
	50mm(2")	गोटा	३२०.००	३२०.००	३२०.००
	65mm(2-1/2")	गोटा	४५०.००	४५०.००	४५०.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	80mm(3")	गोटा	७२०.००	७२०.००	७२०.००
	100mm(4")	गोटा	११४०.००	११४०.००	११४०.००
	125mm(5")	गोटा	१३६८.००	१३६८.००	१३६८.००
	150mm(6")	गोटा	१४८२.००	१४८२.००	१४८२.००
१७	Short bend				
	15mm	गोटा	१३०.००	१३०.००	१३०.००
	20mm	गोटा	१५०.००	१५०.००	१५०.००
	25mm	गोटा	१९०.००	१९०.००	१९०.००
	32mm	गोटा	२९०.००	२९०.००	२९०.००
	40mm	गोटा	४००.००	४००.००	४००.००
	50mm	गोटा	५९०.००	५९०.००	५९०.००
	65mm	गोटा	३५७६.००	१५००.००	१५००.००
	80mm	गोटा	५५४४.००	१८००.००	१८००.००
	100mm	गोटा	७८५५.००	२५००.००	२५००.००
१८	Cross Tee				
	15mm	गोटा	१३१.००	१३१.००	१३१.००
	20mm	गोटा	१८६.००	१८६.००	१८६.००
	25mm	गोटा	२९३.००	२९३.००	२९३.००
	32mm	गोटा	५०९.००	५०९.००	५०९.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१६७०.००	१६७०.००	१६७०.००
	80mm	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm	गोटा	३२६८.००	३२६८.००	३२६८.००
१९	Tank Nipple				
	15mm	गोटा	१५४.००	१५४.००	१५४.००
	20mm	गोटा	२१४.००	२१४.००	२१४.००
	25mm	गोटा	३१९.००	३१९.००	३१९.००
	32mm	गोटा	४८०.००	४८०.००	४८०.००
	40mm	गोटा	६११.००	६११.००	६११.००
	50mm	गोटा	९९०.००	९९०.००	९९०.००
	65mm	गोटा	१९०६.००	१९०६.००	१९०६.००
	80mm	गोटा	२५३८.००	२५३८.००	२५३८.००
	100mm	गोटा	३३६७.००	३३६७.००	३३६७.००
२०	G.I. Nipple Medium Class - 2" Long				
	15mm	गोटा	२२.००	२२.००	२२.००
	20mm	गोटा	३४.००	३४.००	३४.००
	25mm	गोटा	४४.००	४४.००	४४.००
	32mm	गोटा	५७.००	५७.००	५७.००
	40mm	गोटा	७१.००	७१.००	७१.००
२१	G.I. Nipple Medium Class -3" Long				
	15mm	गोटा	३४.००	३४.००	३४.००
	20mm	गोटा	४७.००	४७.००	४७.००
	25mm	गोटा	६६.००	६६.००	६६.००
	32mm	गोटा	८५.००	८५.००	८५.००
	40mm	गोटा	१०६.००	१०६.००	१०६.००

दिपक कुमार रिसाल

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	50mm	गोटा	१३४.००	१३४.००	१३४.००
	65mm	गोटा	१८६.००	१८६.००	१८६.००
	80mm	गोटा	२२०.००	२२०.००	२२०.००
२२	**G.I. Nipple Medium Class -4" Long**				
	15mm	गोटा	४५.००	४५.००	४५.००
	20mm	गोटा	६३.००	६३.००	६३.००
	25mm	गोटा	८८.००	८८.००	८८.००
	32mm	गोटा	११३.००	११३.००	११३.००
	40mm	गोटा	१४२.००	१४२.००	१४२.००
	50mm	गोटा	१७९.००	१७९.००	१७९.००
	65mm	गोटा	२४८.००	२४८.००	२४८.००
	80mm	गोटा	२०४.००	२०४.००	२०४.००
	100mm	गोटा	४२२.००	४२२.००	४२२.००
	125mm	गोटा	६४३.००	६४३.००	६४३.००
	150mm	गोटा	७६३.००	७६३.००	७६३.००
२३	**G.I. Nipple Medium Class -6" Long**				
	15mm	गोटा	६८.००	६८.००	६८.००
	20mm	गोटा	९४.००	९४.००	९४.००
	25mm	गोटा	१३२.००	१२२.००	१२२.००
	32mm	गोटा	१७०.००	१३२.००	१३२.००
	40mm	गोटा	१२२.००	१७०.००	१७०.००
	50mm	गोटा	२६९.००	२६९.००	२६९.००
	65mm	गोटा	३७३.००	३७३.००	३७३.००
	80mm	गोटा	४३९.००	४३९.००	४३९.००
	100mm	गोटा	६३३.००	६३३.००	६३३.००
	125mm	गोटा	९६५.००	९६५.००	९६५.००
	150mm	गोटा	११४६.००	११४६.००	११४६.००
२४	**G.I. Nipple Medium Class -9" Long**				
	15mm	गोटा	१०२.००	१०२.००	१०२.००
	20mm	गोटा	१४२.००	१४२.००	१४२.००
	25mm	गोटा	१९९.००	१९९.००	१९९.००
	32mm	गोटा	२५५.००	२५५.००	२५५.००
	40mm	गोटा	३१९.००	३१९.००	३१९.००
	50mm	गोटा	४०३.००	४०३.००	४०३.००
	65mm	गोटा	५६०.००	५६०.००	५६०.००
	80mm	गोटा	६५८.००	६५८.००	६५८.००
	100mm	गोटा	९४९.००	९४९.००	९४९.००
	125mm	गोटा	१४४८.००	१४४८.००	१४४८.००
	150mm	गोटा	१७१९.००	१७१९.००	१७१९.००
२५	**G.I. Nipple Medium Class -12" Long**				
	15mm	गोटा	१३६.००	१३६.००	१३६.००
	20mm	गोटा	१८९.००	१८९.००	१८९.००
	25mm	गोटा	२६५.००	२६५.००	२६५.००
	32mm	गोटा	३४०.००	३४०.००	३४०.००
	40mm	गोटा	४२५.००	४२५.००	४२५.००
	50mm	गोटा	५३७.००	५३७.००	५३७.००

दिपक कुमार रिसाल
नगरप्रमुख

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.ब.०७९।८०	आ.ब.०८०।८१
	65mm	गोटा	७४६.००	७४६.००	७४६.००
	80mm	गोटा	८७७.००	८७७.००	८७७.००
	100mm	गोटा	१२६६.००	१२६६.००	१२६६.००
	125mm	गोटा	१९३१.००	१९३१.००	१९३१.००
	150mm	गोटा	२२९१.००	२२९१.००	२२९१.००
२६	G.I. Nipple Medium Class -18" Long				
	15mm	गोटा	२२७.००	२२७.००	२२७.००
	20mm	गोटा	२८०.००	२८०.००	२८०.००
	25mm	गोटा	३७८.००	३७८.००	३७८.००
	32mm	गोटा	६१४.००	६१४.००	६१४.००
	40mm	गोटा	७५५.००	७५५.००	७५५.००
	50mm	गोटा	११३६.००	११३६.००	११३६.००
	65mm	गोटा	१५३६.००	१५३६.००	१५३६.००
	80mm	गोटा	२२४९.००	२२४९.००	२२४९.००
	100mm	गोटा	२७४३.००	२७४३.००	२७४३.००
	GI End Cap				
	15mm	गोटा	२५.००	२५.००	२५.००
	20mm	गोटा	४०.००	४०.००	४०.००
	25mm	गोटा	६५.००	६५.००	६५.००
	32mm	गोटा	८०.००	८०.००	८०.००
	40mm	गोटा	१७५.००	१७५.००	१७५.००
	50mm	गोटा	२५०.००	२५०.००	२५०.००
२७	G.I./G.I. Flange				
	32mm	गोटा	९६४.००	९६४.००	९६४.००
	40mm	गोटा	११८६.००	११८६.००	११८६.००
	50mm	गोटा	१४५३.००	१४५३.००	१४५३.००
	65mm	गोटा	१६९९.००	१६९९.००	१६९९.००
	80mm	गोटा	१८९२.००	१८९२.००	१८९२.००
	100mm	गोटा	२३४८.००	२३४८.००	२३४८.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३४८८.००	३४८८.००	३४८८.००
	200mm	गोटा	६९४८.००	६९४८.००	६९४८.००
	G.I./ Flange Set				
	32mm(1-1/4")	गोटा	६६०.००	६६०.००	६६०.००
	40mm(1-1/2")	गोटा	८८०.००	८८०.००	८८०.००
	50mm(2")	गोटा	१३७५.००	१३७५.००	१३७५.००
	65mm(2-1/2")	गोटा	१७७५.००	१७७५.००	१७७५.००
	80mm(3")	गोटा	२३५०.००	२३५०.००	२३५०.००
	100mm(4")	गोटा	२७२०.००	२७२०.००	२७२०.००
	125mm(5")	गोटा	२९९२.००	२९९२.००	२९९२.००
	150mm(6")	गोटा	३२९१.००	३२९१.००	३२९१.००
	200mm(8")	गोटा	३६२०.००	३६२०.००	३६२०.००
२८	G.I./HDP Flange				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००

Khemaj

दिलिप कुमार रिसाल
नगरप्रमुख

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३३५८.००	३३५८.००	३३५८.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	GI/HDPE Flange set with adaptor				
	50mm(2")	गोटा	१२८०.००	१२८०.००	१२८०.००
	65mm(2-1/2")	गोटा	१९८०.००	१९८०.००	१९८०.००
	80mm(3")	गोटा	२४२०.००	२४२०.००	२४२०.००
	100mm(4")	गोटा	२७७५.००	२७७५.००	२७७५.००
	125mm(5")	गोटा	३०५३.००	३०५३.००	३०५३.००
	150mm(6")	गोटा	३३५८.००	३३५८.००	३३५८.००
	200mm(8")	गोटा	३६९४.००	३६९४.००	३६९४.००
२९	HDP/HDP Flange set with adaptor				
	32mm	गोटा	१०३८.००	१०३८.००	१०३८.००
	40mm	गोटा	१३२२.००	१३२२.००	१३२२.००
	50mm	गोटा	१५६२.००	१५६२.००	१५६२.००
	65mm	गोटा	१८२४.००	१८२४.००	१८२४.००
	80mm	गोटा	१९५०.००	१९५०.००	१९५०.००
	100mm	गोटा	२४०६.००	२४०६.००	२४०६.००
	125mm	गोटा	३८१४.००	३८१४.००	३८१४.००
	150mm	गोटा	३५०५.००	३५०५.००	३५०५.००
	200mm	गोटा	७६२७.००	७६२७.००	७६२७.००
	Brass Compression Fittings				
	15mm	गोटा	२१०.००	२१०.००	२१०.००
	20mm	गोटा	३२०.००	३२०.००	३२०.००
	25mm	गोटा	८१०.००	८१०.००	८१०.००
	32mm	गोटा	१३८०.००	१३८०.००	१३८०.००
	40mm	गोटा	१५८०.००	१५८०.००	१५८०.००
	1/2" dia Brass Ferrule (400gm)	गोटा	३८०.००	३८०.००	३८०.००
	1/2"/(25-50mm dia) HDPE Saddle	गोटा	१८०.००	१८०.००	१८०.००
३०	Brass tap - ½"				
	15mm 400 gm heavy	गोटा	९०६.००	७५०.००	७५०.००
	Ordinary	गोटा	२०५.००	२०५.००	२०५.००
३१	Globe Valve (GM)				
	15mm	गोटा	९२४.००	९२४.००	९२४.००
	20mm	गोटा	१५०५.००	१५०५.००	१५०५.००
	25mm	गोटा	१८५९.००	१८५९.००	१८५९.००
	32mm	गोटा	२९५३.००	२९५३.००	२९५३.००
	40mm	गोटा	३७१६.००	३७१६.००	३७१६.००
	50mm	गोटा	४६४०.००	४६४०.००	४६४०.००
	65mm	गोटा	९११४.००	९११४.००	९११४.००
	80mm	गोटा	१५०६०.००	१५०६०.००	१५०६०.००
	100mm	गोटा	२४३५०.००	२४३५०.००	२४३५०.००
३२	Float Valve				
	15mm	गोटा	११३४.००	११३४.००	११३४.००
	20mm	गोटा	१२८३.००	१२८३.००	१२८३.००

Khemaj

कुमार रिसाल

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	25mm	गोटा	१५५६.००	१५५६.००	१५५६.००
	32mm	गोटा	२६९०.००	२६९०.००	२६९०.००
	40mm	गोटा	४०४२.००	४०४२.००	४०४२.००
	50mm	गोटा	५३८१.००	५३८१.००	५३८१.००
३३	C.I. Air valve (Heavy)				
	15mm	गोटा	३७५६.००	२५००.००	२५००.००
	20mm	गोटा	५१८२.००	५१८२.००	५१८२.००
	25mm	गोटा	५७४६.००	५७४६.००	५७४६.००
३४	Brass Union with Adopter				
	15mm	गोटा	२४५.००	१५०.००	१५०.००
	20mm	गोटा	३७७.००	२७०.००	२७०.००
	25mm	गोटा	५७०.००	३४५.००	३४५.००
	32mm	गोटा	७४२.००	५३०.००	५३०.००
	40mm	गोटा	१३२२.००	६७५.००	६७५.००
	50mm	गोटा	१९६१.००	९४०.००	९४०.००
३५	Saddle Ferrule				
	40mm	गोटा	३५४.००	१८५.००	१८५.००
	50mm	गोटा	४६८.००	२४२.००	२४२.००
	65mm	गोटा	१३०६.००	२७२.००	२७२.००
	80mm	गोटा	१७२७.००	३०१.००	३०१.००
	100mm	गोटा	२४६२.००	४८०.००	४८०.००
३६	Flow Regulating Valve (G.M.)				
	15mm	गोटा	१३२२.००	१३२२.००	१३२२.००
३७	C.I Sluice Valve				
	40mm	गोटा	६८४६.००	६८४६.००	६८४६.००
	50mm	गोटा	९१३२.००	७०००.००	७०००.००
	65mm	गोटा	११४०६.००	८४५०.००	८४५०.००
	80mm	गोटा	१३६९१.००	१०५००.००	१०५००.००
	100mm	गोटा	१८२५०.००	१४०००.००	१४०००.००
	125mm	गोटा	२७७३७.००	१७५००.००	१७५००.००
	10mm	गोटा	३३२८८.००	२१०००.००	२१०००.००
	200mm	गोटा	४६६०३.००	३००००.००	३००००.००
३८	Brass Ferrule Cock				
	15mm	गोटा	१५०५.००	६००.००	६००.००
	20mm	गोटा	१९६१.००	१३७२.००	१३७२.००
	25mm	गोटा	२८७९.००	२०१५.००	२०१५.००
३९	Ball valve				
	15mm	गोटा	५१४.००	५१४.००	५१४.००
	20mm	गोटा	६५०.००	६५०.००	६५०.००
	25mm	गोटा	८७२.००	८७२.००	८७२.००
	32mm	गोटा	१०५१.००	१०५१.००	१०५१.००
	40mm	गोटा	२०३५.००	२०३५.००	२०३५.००
	50 mm	गोटा	३३४१.००	३३४१.००	३३४१.००
४०	ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN)				
	Single Socket (R/R)	गोटा	४५१.००	४५१.००	४५१.००
	Single Socket (R/R)	गोटा	८३८.००	८३८.००	८३८.००

दिपक कुमार रिसाल
नगरप्रमुख

पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Single Socket (R/R)	गोटा	९०३.००	९०३.००	९०३.००
	Single Socket Self Fit	गोटा	११६४.००	११६४.००	११६४.००
	Single Socket Self Fit	गोटा	१४२३.००	१४२३.००	१४२३.००
	Single Socket Self Fit	गोटा	१९५६.००	१९५६.००	१९५६.००
	Single Socket Self Fit	गोटा	२३०२.००	२३०२.००	२३०२.००
	Single Socket Self Fit	गोटा	३०७५.००	३०७५.००	३०७५.००
	Single Socket Self Fit	गोटा	३६६४.००	३६६४.००	३६६४.००
	Long Radius Bend - 45 Degree	गोटा	११९१.००	११९१.००	११९१.००
	Long Radius Bend - 45 Degree	गोटा	२१७५.००	२१७५.००	२१७५.००
	Long Radius Bend - 45 Degree	गोटा	३९२६.००	३९२६.००	३९२६.००
	Long Radius Bend - 45 Degree	गोटा	७६१३.००	७६१३.००	७६१३.००
	Long Radius Bend - 60 Degree	गोटा	१३१२.००	१३१२.००	१३१२.००
	Long Radius Bend - 60 Degree	गोटा	२४०५.००	२४०५.००	२४०५.००
	Long Radius Bend - 60 Degree	गोटा	४४११.००	४४११.००	४४११.००
	Long Radius Bend - 60 Degree	गोटा	८३५२.००	८३५२.००	८३५२.००
	Long Radius Bend - 90 Degree	गोटा	६४४.००	६४४.००	६४४.००
	Long Radius Bend - 90 Degree	गोटा	१५५४.००	१५५४.००	१५५४.००
	Long Radius Bend - 90 Degree	गोटा	२८६७.००	२८६७.००	२८६७.००
	Long Radius Bend - 90 Degree	गोटा	५३६१.००	५३६१.००	५३६१.००
	Long Radius Bend - 90 Degree	गोटा	९८७८.००	९८७८.००	९८७८.००
	Fab. Coupler	गोटा	१८५.००	१८५.००	१८५.००
	Fab. Coupler	गोटा	४४४.००	४४४.००	४४४.००
	Fab. Coupler	गोटा	९५६.००	९५६.००	९५६.००
	Fab. Coupler	गोटा	१८७०.००	१८७०.००	१८७०.००
	Fab. Coupler	गोटा	३४४०.००	३४४०.००	३४४०.००
	End Cap	गोटा	३९६.००	३९६.००	३९६.००
	End Cap	गोटा	६५१.००	६५१.००	६५१.००
	End Cap	गोटा	१०४०.००	१०४०.००	१०४०.००
	End Cap	गोटा	१५१८.००	१५१८.००	१५१८.००
	Equal Tee	गोटा	११३३३.००	११३३३.००	११३३३.००
	Equal Tee	गोटा	६५२२.००	६५२२.००	६५२२.००
	Equal Tee	गोटा	३६२०.००	३६२०.००	३६२०.००
	Gully Trap with grating	गोटा	१०५८.००	१०५८.००	१०५८.००
	Rodding Point	गोटा	६२७.००	६२७.००	६२७.००
	Adjustable Bend 7 Degree to 37.5 Degree	गोटा	६६९.००	६६९.००	६६९.००
	Adjustable Bend 7 Degree to 87.5 Degree	गोटा	९१७.००	९१७.००	९१७.००
	Inspection Chamber Body	गोटा	३३००.००	३३००.००	३३००.००
	Inspection Chamber Riser	गोटा	१६३९.००	१६३९.००	१६३९.००
	Inspection Chamber Lid with Cover	गोटा	३११२.००	३११२.००	३११२.००
	Inspection Chamber Body	गोटा	९११२.००	९११२.००	९११२.००
	Inspection Chamber Riser	गोटा	२८९७.००	२८९७.००	२८९७.००
	Inspection Chamber Lid with Cover	गोटा	४८३५.००	४८३५.००	४८३५.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification				
	The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI pipes with spigot and socket joints				
	DN100 C40	र.मी	२१९०.००	२२९९.००	२२९९.००
	DN150 C40	र.मी	३०१०.००	३१६०.००	३१६०.००
	DN200 C40	र.मी	४१४०.००	४३४७.००	४३४७.००
	DN250 C40	र.मी	५७६०.००	६०४८.००	६०४८.००
	DN300 C40	र.मी	७१८०.००	७५३९.००	७५३९.००
	DN350 C40	र.मी	८३९०.००	८८०९.००	८८०९.००
	DN400 C30	र.मी	९९९०.००	१०४८९.००	१०४८९.००
	DN450 C30	र.मी	११७७०.००	१२२४०.००	१२२४०.००
	DN500 C30	र.मी	१३९१०.००	१४४६६.००	१४४६६.००
	DN600 C30	र.मी	१८८५०.००	१९६०४.००	१९६०४.००
	DN700 C25	र.मी	२४०५०.००	२५०१२.००	२५०१२.००
	DN800 C25	र.मी	३०८८०.००	३२११५.००	३२११५.००
	DN900 C25	र.मी	४०७००.००	४२३२८.००	४२३२८.००
	DN1000 C25	र.मी	४९०१०.००	५०९७०.००	५०९७०.००
२	DI pipes with flanged end				
	Dia 1000mm C25	र.मी	६६६१०.००	६८६०८.००	६८६०८.००
	Dia 900mm C25	र.मी	६४६३०.००	६६५६८.००	६६५६८.००
	Dia 800mm C25	र.मी	५३४१०.००	५५०१२.००	५५०१२.००
	Dia 700mm C25	र.मी	४२५५०.००	४४२५२.००	४४२५२.००
	Dia 600mm C30	र.मी	३४८४०.००	३६२३३.००	३६२३३.००
	Dia 500mm C30	र.मी	२५७४०.००	२६७६९.००	२६७६९.००
	Dia 450mm C30	र.मी	२१६००.००	२२४६४.००	२२४६४.००
	Dia400mm C30	र.मी	१८०१०.००	१८७३०.००	१८७३०.००
	Dia 350mm C30	र.मी	१४९२०.००	१५५१६.००	१५५१६.००
	Dia 300mm C30	र.मी	११७७०.००	१२२४०.००	१२२४०.००
	Dia250mm C40	र.मी	९३५०.००	९८१७.००	९८१७.००
	Dia200mm C40	र.मी	६९९०.००	७३३९.००	७३३९.००
	Dia150mm C40	र.मी	५१८०.००	५४३९.००	५४३९.००
	Dia100mm C40	र.मी	३८२०.००	४०११.००	४०११.००
	Dia80mm C40	र.मी	३३१०.००	३४७५.००	३४७५.००
३	Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification				

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

दिपक कुमार रिसाल
नगर प्रमुख
गोकर्णेश्वर नगरपालिका

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
४	The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation				
	DI double socket bends				
	90 deg bend				
	Dia 700mm	गोटा	१०५६००.००	१०७७१२.००	१०७७१२.००
	Dia 600mm	गोटा	७३०१०.००	७५२००.००	७५२००.००
	Dia 500mm	गोटा	४६९३०.००	४८८०७.००	४८८०७.००
	Dia 450mm	गोटा	४१७६०.००	४३४३०.००	४३४३०.००
	Dia 300mm	गोटा	१६९३०.००	१७६०७.००	१७६०७.००
	Dia250mm	गोटा	१२४१०.००	१२९०६.००	१२९०६.००
	Dia200mm	गोटा	८५३०.००	८९५६.००	८९५६.००
	Dia150mm	गोटा	५२८०.००	५५४४.००	५५४४.००
	Dia100mm	गोटा	२९७०.००	३११८.००	३११८.००
	45 deg bend				
	Dia 1000mm	गोटा	१८३१८०.००	१८६८४३.००	१८६८४३.००
	Dia 700mm	गोटा	८२२१०.००	८४६७६.००	८४६७६.००
	Dia 600mm	गोटा	६०२९०.००	६२०९८.००	६२०९८.००
	Dia 500mm	गोटा	३८९७०.००	४०५२८.००	४०५२८.००
	Dia 450mm	गोटा	३१६७०.००	३२९३६.००	३२९३६.००
	Dia400mm	गोटा	२४६६०.००	२५६४६.००	२५६४६.००
	Dia 350mm	गोटा	१८५७०.००	१९३१२.००	१९३१२.००
	Dia 300mm	गोटा	१४३१०.००	१४८८२.००	१४८८२.००
	Dia250mm	गोटा	१०४३०.००	१०८४७.००	१०८४७.००
	Dia200mm	गोटा	७३९०.००	७७५९.००	७७५९.००
	Dia150mm	गोटा	४७४०.००	४९७७.००	४९७७.००
	22.5 deg bend				
	Dia 1000mm	गोटा	१३८०५०.००	१४०८११.००	१४०८११.००
	Dia 900mm	गोटा	१०७८००.००	१०९९५६.००	१०९९५६.००
	Dia 700mm	गोटा	५९५४०.००	६१३२६.००	६१३२६.००
	Dia 600mm	गोटा	४०३७०.००	४१९८४.००	४१९८४.००
	Dia 500mm	गोटा	२९६३०.००	३०८१५.००	३०८१५.००
	Dia 450mm	गोटा	२३२४०.००	२४१६९.००	२४१६९.००
	Dia400mm	गोटा	१८०१०.००	१८७३०.००	१८७३०.००
	Dia 350mm	गोटा	१४५२०.००	१५१००.००	१५१००.००
	Dia 300mm	गोटा	११६२०.००	१२०८४.००	१२०८४.००
	Dia250mm	गोटा	८७३०.००	९१६६.००	९१६६.००
	Dia200mm	गोटा	६३३०.००	६६४६.००	६६४६.००
	Dia150mm	गोटा	४१६०.००	४३६८.००	४३६८.००
	11.25 deg bend				
	Dia 1000mm	गोटा	११७४७०.००	११९८१९.००	११९८१९.००
	Dia 900mm	गोटा	९२१६०.००	९४९२४.००	९४९२४.००
	Dia 800mm	गोटा	६९९१०.००	७२००७.००	७२००७.००

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Dia 700mm	गोटा	५३०६०.००	५४६५१.००	५४६५१.००
	Dia 600mm	गोटा	३४७५०.००	३६१४०.००	३६१४०.००
	Dia 300mm	गोटा	१०६४०.००	११०६५.००	११०६५.००
	Dia250mm	गोटा	८०१०.००	८४१०.००	८४१०.००
	Dia200mm	गोटा	५८४०.००	६१३२.००	६१३२.००
	Dia150mm	गोटा	४३६०.००	४५७८.००	४५७८.००
	DI double flanged bends				
	90 deg bend				
	Dia 900mm	गोटा	२१०२००.००	२१४४०४.००	२१४४०४.००
	Dia 600mm	गोटा	८९०१०.००	९१६८०.००	९१६८०.००
	Dia 300mm	गोटा	१८९२०.००	१९६७६.००	१९६७६.००
	Dia250mm	गोटा	९५००.००	९९७५.००	९९७५.००
	Dia200mm	गोटा	८४३०.००	८८५१.००	८८५१.००
	Dia150mm	गोटा	५५२०.००	५७९६.००	५७९६.००
	Dia100mm	गोटा	३२७०.००	३४३३.००	३४३३.००
	45 deg bend				
	Dia 900mm	गोटा	१६१५२०.००	१६४७५०.००	१६४७५०.००
	Dia 800mm	गोटा	१२५३४०.००	१२७८४६.००	१२७८४६.००
	Dia 600mm	गोटा	७४७००.००	७६९४१.००	७६९४१.००
	Dia 300mm	गोटा	२०६३०.००	२१४५५.००	२१४५५.००
	Dia250mm	गोटा	१५४७०.००	१६०८८.००	१६०८८.००
	Dia200mm	गोटा	१०३१०.००	१०७२२.००	१०७२२.००
	Dia150mm	गोटा	५१५०.००	५४०७.००	५४०७.००
	Dia100mm	गोटा	३१३०.००	३२८६.००	३२८६.००
	22.5 deg bend				
	Dia 900mm	गोटा	१६५६४०.००	१६८९५२.००	१६८९५२.००
	Dia 700mm	गोटा	९३०१०.००	९५८००.००	९५८००.००
	Dia 300mm	गोटा	२१०७०.००	२१९१२.००	२१९१२.००
	Dia200mm	गोटा	७७२०.००	८१०६.००	८१०६.००
	Dia150mm	गोटा	५२८०.००	५५४४.००	५५४४.००
	11.25 deg bend				
	Dia 900mm	गोटा	१६३८००.००	१६७०७६.००	१६७०७६.००
	Dia 600mm	गोटा	७४३७०.००	७६६०१.००	७६६०१.००
	Dia 500mm	गोटा	४९७१०.००	५१६९८.००	५१६९८.००
	Dia 300mm	गोटा	२११४०.००	२१९८५.००	२१९८५.००
	Dia200mm	गोटा	७९००.००	८२९५.००	८२९५.००
	Dia150mm	गोटा	५३६०.००	५६२८.००	५६२८.००
	DI mechanical joint bends				
	90 deg bend				
	Dia 600mm	गोटा	७९६४०.००	८२०२९.००	८२०२९.००
	Dia400mm	गोटा	४००१०.००	४१६१०.००	४१६१०.००
	Dia 350mm	गोटा	३२०८०.००	३३३६३.००	३३३६३.००
	Dia 300mm	गोटा	२५१८०.००	२६१८७.००	२६१८७.००
	Dia250mm	गोटा	१८०७०.००	१८७९२.००	१८७९२.००
	Dia200mm	गोटा	१३५००.००	१४०४०.००	१४०४०.००

Khemraj Saru

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Dia150mm	गोटा	९८६०.००	१०३५३.००	१०३५३.००
	Dia100mm	गोटा	६१५०.००	६४५७.००	६४५७.००
	Dia80mm	गोटा	५२५०.००	५५१२.००	५५१२.००
	DI Duck Foot 90 deg Bend				
	Dia 80mm	गोटा	३८००.००	३९९०.००	३९९०.००
	Dia100mm	गोटा	४७५०.००	४९८७.००	४९८७.००
	Dia150mm	गोटा	७०००.००	७३५०.००	७३५०.००
	Dia200mm	गोटा	९९१०.००	१०४०५.००	१०४०५.००
	Dia250mm	गोटा	१५१५५.००	१५७६१.००	१५७६१.००
	Dia300mm	गोटा	२०४००.००	२१२१६.००	२१२१६.००
	DI long radius bend				
	Dia 100mm	गोटा	४७५०.००	४९८७.००	४९८७.००
	Dia 150mm	गोटा	८०२०.००	८४२१.००	८४२१.००
	Dia 200m	गोटा	१२०६०.००	१२५४२.००	१२५४२.००
	Dia 250mm	गोटा	१७७९०.००	१८५०१.००	१८५०१.००
	DI double socket reducer				
	Dia 1000mmX900mm	गोटा	९७६५०.००	१००५७९.००	१००५७९.००
	Dia 900mmx800mm	गोटा	७८८३०.००	८११९४.००	८११९४.००
	Dia 800mmx700mm	गोटा	६१४९०.००	६३३३४.००	६३३३४.००
	Dia 300mmx200mm	गोटा	१०२८०.००	१०६९१.००	१०६९१.००
	Dia 200mmx150mm	गोटा	५५१०.००	५७८५.००	५७८५.००
	DI double flanged reducer				
	Dia 900mmx700mm	गोटा	१०३८३०.००	१०५९०६.००	१०५९०६.००
	Dia 700mmx600mm	गोटा	६९०८०.००	७११५२.००	७११५२.००
	Dia 700mmx400mm	गोटा	५९९९०.००	६१७८९.००	६१७८९.००
	Dia 600mmx500mm	गोटा	५५९४०.००	५७६१८.००	५७६१८.००
	Dia 600mmx400mm	गोटा	५११२०.००	५२६५३.००	५२६५३.००
	Dia 500mmx400mm	गोटा	३६५७०.००	३८०३२.००	३८०३२.००
	Dia 400x350mm	गोटा	१८६१०.००	१९३५४.००	१९३५४.००
	Dia 400mmx300mm	गोटा	२३८४०.००	२४७९३.००	२४७९३.००
	Dia 400mmx250mm	गोटा	२२६८०.००	२३५८७.००	२३५८७.००
	Dia 300mmx250mm	गोटा	११४८०.००	११९३९.००	११९३९.००
	Dia 300mmx200mm	गोटा	१४४१०.००	१४९८६.००	१४९८६.००
	Dia300mmx150mm	गोटा	१३६१०.००	१४१५४.००	१४१५४.००
	Dia250mmx200mm	गोटा	८५९०.००	९०१९.००	९०१९.००
	Dia250mmx150mm	गोटा	११०२०.००	८५६८.००	८५६८.००
	Dia 200mmx150mm	गोटा	६०४०.००	६३४२.००	६३४२.००
	Dia 200mmx100mm	गोटा	७४००.००	७७७०.००	७७७०.००
	Dia 150mmx100mm	गोटा	४२४०.००	४४५२.००	४४५२.००
	Dia150mmx80mm	गोटा	४३९०.००	४६०९.००	४६०९.००
	Dia150mmx65mm	गोटा	४४००.००	४६२०.००	४६२०.००
	DI Blank flange				
	Dia 1000mm	गोटा	११२४१०.००	११४६५८.००	११४६५८.००
	Dia 900mm	गोटा	८३८१०.००	८६३२४.००	८६३२४.००
	Dia 800mm	गोटा	६३२८०.००	६५१७८.००	६५१७८.००

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Dia 700mm	गोटा	४५८६०.००	४७६९४.००	४७६९४.००
	Dia 600mm	गोटा	३५३८०.००	३६७९५.००	३६७९५.००
	Dia 500mm	गोटा	२२५१०.००	२३४१०.००	२३४१०.००
	Dia 450mm	गोटा	१७६९०.००	१८३९७.००	१८३९७.००
	Dia400mm	गोटा	१३०७०.००	१३५९२.००	१३५९२.००
	Dia 350mm	गोटा	९६८०.००	१०१६४.००	१०१६४.००
	Dia 300mm	गोटा	६६४०.००	६९७२.००	६९७२.००
	Dia250mm	गोटा	४९८०.००	५२२९.००	५२२९.००
	Dia200mm	गोटा	३१६०.००	३३१८.००	३३१८.००
	Dia150mm	गोटा	२१४०.००	२२४७.००	२२४७.००
	Dia100mm	गोटा	१२७०.००	१३३३.००	१३३३.००
	Dia80mm	गोटा	११३०.००	११८६.००	११८६.००
	Double Socket Tee with Flanged Branch				
	Dia 900mmx150mm	गोटा	१०२७००.००	१०४७५४.००	१०४७५४.००
	Dia 800mmx600mm	गोटा	१६१०६०.००	१६४२८१.००	१६४२८१.००
	Dia 800mmx400mm	गोटा	१०७९२०.००	११००७८.००	११००७८.००
	Dia 700mmx150mm	गोटा	६५३३०.००	६७२८९.००	६७२८९.००
	Dia 600mmx150mm	गोटा	४५३७०.००	४७१८४.००	४७१८४.००
	Dia 600mmx100mm	गोटा	४०२७०.००	४१८८०.००	४१८८०.००
	Dia 500mmx100mm	गोटा	३००३०.००	३१२३१.००	३१२३१.००
	Dia 400mmx150mm	गोटा	२७६९०.००	२८७९७.००	२८७९७.००
	Dia 300mmx100mm	गोटा	१४२९०.००	१४८६१.००	१४८६१.००
	Dia 300mmx80mm	गोटा	१४०५०.००	१४६१२.००	१४६१२.००
	Dia300mmx65mm	गोटा	१३९८०.००	१४५३९.००	१४५३९.००
	Dia250mmx250mm	गोटा	१७६४०.००	१८३४५.००	१८३४५.००
	Dia250mmx150mm	गोटा	१४७३०.००	१५३१९.००	१५३१९.००
	Dia 250mmx100mm	गोटा	११५९०.००	१२०५३.००	१२०५३.००
	Dia 250mmx80mm	गोटा	११३९०.००	११८४५.००	११८४५.००
	Dia 250mmx65mm	गोटा	११४४०.००	११७२६.००	११७२६.००
	Dia 200mmx150mm	गोटा	१०३६०.००	१०७७४.००	१०७७४.००
	Dia 200mmx100mm	गोटा	८८७०.००	९३१३.००	९३१३.००
	Dia 200mmx80mm	गोटा	८०००.००	८४००.००	८४००.००
	Dia 200mmx65mm	गोटा	८३४०.००	८३१६.००	८३१६.००
	Dia 150mmx150mm	गोटा	७८३०.००	८२२१.००	८२२१.००
	Dia150mmx100mm	गोटा	६४६०.००	६७८३.००	६७८३.००
	Dia150mmx80mm	गोटा	६०२०.००	६३२१.००	६३२१.००
	Dia150mmx65mm	गोटा	६०६०.००	६२५७.००	६२५७.००
५	**Mechanical joint Tee with flanged branch**				
	Dia 600mmx6000mm	गोटा	१०३२००.००	१०७३२८.००	१०७३२८.००
	Dia 500mmx500mm	गोटा	७३७००.००	७६६४८.००	७६६४८.००
	Dia 400mmx400mm	गोटा	४९५७०.००	५१५५२.००	५१५५२.००
	Dia 350mmx350mm	गोटा	३९६००.००	४११८४.००	४११८४.००
	Dia 300mmx300mm	गोटा	३०८८०.००	३२११५.००	३२११५.००

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Dia250mmx250mm	गोटा	२२६७०.००	२३५७६.००	२३५७६.००
	Dia200mmx200mm	गोटा	१६५२०.००	१७१८०.००	१७१८०.००
	Dia 150mmx150mm	गोटा	१२०२०.००	१२५००.००	१२५००.००
	Dia100mmx100mm	गोटा	७५६०.००	७९३८.००	७९३८.००
	Dia 80mmx80mm	गोटा	६५१०.००	६८३५.००	६८३५.००
	All Socket Tee				
	Dia 300mmx200mm	गोटा	१८४५०.००	१९१८८.००	१९१८८.००
	Dia 300mmx150mm	गोटा	१७५७०.००	१८२७२.००	१८२७२.००
	Dia 250mmx200mm	गोटा	१५३९०.००	१६००५.००	१६००५.००
	Dia 250mmx150mm	गोटा	१४१००.००	१४६६४.००	१४६६४.००
	Dia 200mmx200mm	गोटा	११९३०.००	१२४०७.००	१२४०७.००
	Dia 200mmx150mm	गोटा	९६९०.००	१०१७४.००	१०१७४.००
	Dia 150mmx150mm	गोटा	७२८०.००	७६४४.००	७६४४.००
	All Flanged Tee				
	Dia 900mmx900mm	गोटा	२६१५३०.००	२६६७६०.००	२६६७६०.००
	Dia 700mmx300mm	गोटा	९९४७०.००	१०२४५४.००	१०२४५४.००
	Dia 600mmx500mm	गोटा	११६३२०.००	११८६४६.००	११८६४६.००
	Dia 600mmx400mm	गोटा	१०७३८०.००	१०९५२७.००	१०९५२७.००
	Dia 600mmx300mm	गोटा	१०३४९०.००	१०५५५९.००	१०५५५९.००
	Dia 500mmx300mm	गोटा	७२३२०.००	७४४८९.००	७४४८९.००
	Dia500mmx200mm	गोटा	६५४८०.००	६७४४४.००	६७४४४.००
	Dia450mmx150mm	गोटा	५११७०.००	५२७०५.००	५२७०५.००
	Dia400mmx400mm	गोटा	५२६५०.००	५४२२९.००	५४२२९.००
	Dia400mmx300mm	गोटा	४७५८०.००	४९४८३.००	४९४८३.००
	Dia 400mmx150mm	गोटा	४५३८०.००	४७१९५.००	४७१९५.००
	Dia 350mmx350mm	गोटा	४२६४०.००	४४३४५.००	४४३४५.००
	Dia 350mmx300mm	गोटा	४१७३०.००	४३३९९.००	४३३९९.००
	Dia 300mmx300mm	गोटा	३३५००.००	३४८४०.००	३४८४०.००
	Dia 300mmx250mm	गोटा	२९२००.००	३०३६८.००	३०३६८.००
	Dia 300mmx200mm	गोटा	२७०००.००	२८०८०.००	२८०८०.००
	Dia 300mmx150mm	गोटा	२६०००.००	२७०४०.००	२७०४०.००
	Dia 300mmx100mm	गोटा	२४५६०.००	२५५४२.००	२५५४२.००
	Dia 300mmx80mm	गोटा	२३९८०.००	२४९३९.००	२४९३९.००
	Dia250mmx250mm	गोटा	२२५४०.००	२३४४१.००	२३४४१.००
	Dia250mmx200mm	गोटा	२०६३०.००	२१४५५.००	२१४५५.००
	Dia250mmx150mm	गोटा	२००४०.००	२०८४१.००	२०८४१.००
	Dia250mmx100mm	गोटा	१८३७०.००	१९१०४.००	१९१०४.००
	Dia250mmx80mm	गोटा	१८०९०.००	१८८१३.००	१८८१३.००
	Dia250mmx65mm	गोटा	१५३३०.००	१५९४३.००	१५९४३.००
	Dia200mmx200mm	गोटा	१३४००.००	१३९३६.००	१३९३६.००
	Dia200mmx150mm	गोटा	१२३९०.००	१२८८५.००	१२८८५.००
	Dia200mmx100mm	गोटा	११४००.००	११८५६.००	११८५६.००
	Dia200mmx80mm	गोटा	११२३०.००	११६७९.००	११६७९.००
	Dia150mmx150mm	गोटा	८९००.००	९३४५.००	९३४५.००
	Dia150mmx100mm	गोटा	८०६०.००	८४६३.००	८४६३.००

दिपक कुमार रिसाल
नगरप्रमुख

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Dia150mmx80mm	गोटा	७८८०.००	८२७४.००	८२७४.००
	Dia150mmx65mm	गोटा	७७६०.००	८१४८.००	८१४८.००
	Dia125mmx125mm	गोटा	८५५०.००	८९७७.००	८९७७.००
	Dia125mmx100mm	गोटा	८०१०.००	८४१०.००	८४१०.००
	Dia125mmx80mm	गोटा	७६८०.००	८०६४.००	८०६४.००
	Dia125mmx65mm	गोटा	७३५०.००	७७१७.००	७७१७.००
	Dia100mmx100mm	गोटा	६६००.००	६९३०.००	६९३०.००
	Dia100mmx80mm	गोटा	६४५०.००	६७७२.००	६७७२.००
	Dia100mmx65mm	गोटा	६२००.००	६५१०.००	६५१०.००
	Level invert/ Tangential socket Tee with flanged branch				
	Dia 1000mmx200mm	गोटा	१४४१८०.००	१४७०६३.००	१४७०६३.००
	Dia 900mmx150mm	गोटा	११८१२०.००	१२०४८२.००	१२०४८२.००
	Dia 700mmx150mm	गोटा	७३०२०.००	७५२१०.००	७५२१०.००
	Dia 600mmx100mm	गोटा	४२९७०.००	४४६८८.००	४४६८८.००
	Dia 500mmx100mm	गोटा	३३१७०.००	३४४९६.००	३४४९६.००
	Dia 400mmx80mm	गोटा	२४२५०.००	२५२२०.००	२५२२०.००
	Dia 300mmx80mm	गोटा	१५४५०.००	१६०६८.००	१६०६८.००
	Dia 250mm x 80mm	गोटा	१२२९०.००	१२७८१.००	१२७८१.००
	Dia 200mmx80mm	गोटा	९५७०.००	१००४८.००	१००४८.००
	Dia 150mmx80mm	गोटा	९५३०.००	१०००६.००	१०००६.००
	DI Flanged Socket (FS)				
	Dia 1400mm	गोटा	३४८३७०.००	३५५३३७.००	३५५३३७.००
	Dia 1200mm	गोटा	२५१०४०.००	२५६०६०.००	२५६०६०.००
	Dia 1100mm	गोटा	३२५३७०.००	३३१८७७.००	३३१८७७.००
	Dia 1000mm	गोटा	१६६१५०.००	१६९४७३.००	१६९४७३.००
	Dia 900mm	गोटा	१२९८६०.००	१३२४५७.००	१३२४५७.००
	Dia 800mm	गोटा	१०६०००.००	१०८१२०.००	१०८१२०.००
	Dia 700mm	गोटा	७९९९०.००	८२३८९.००	८२३८९.००
	Dia 600mm	गोटा	७१७९०.००	७३९४३.००	७३९४३.००
	Dia 500mm	गोटा	४७२२०.००	४९१०८.००	४९१०८.००
	Dia400mm	गोटा	३३२५०.००	३४५८०.००	३४५८०.००
	Dia 350mm	गोटा	३०१८०.००	३१३८७.००	३१३८७.००
	Dia 300mm	गोटा	२१४८०.००	२२३३९.००	२२३३९.००
	Dia250mm	गोटा	१६०१०.००	१६६५०.००	१६६५०.००
	Dia200mm	गोटा	१०४३०.००	१०८४७.००	१०८४७.००
	Dia150mm	गोटा	८७५०.००	९१८७.००	९१८७.००
	Dia100mm	गोटा	६५४०.००	६८६७.००	६८६७.००
	DI Single Flanged Tail Piece (SFTP)				
	1400mmdia	गोटा	३५२७१०.००	३५९७६४.००	३५९७६४.००
	1200mmdia	गोटा	३६२८२०.००	३७००७६.००	३७००७६.००
	1100mmdia	गोटा	३२९२८०.००	३३५८६५.००	३३५८६५.००
	1000mmdia	गोटा	१७८६६०.००	१८२२३३.००	१८२२३३.००
	900mmdia	गोटा	१४३८००.००	१४६६७६.००	१४६६७६.००
	800mmdia	गोटा	११८९१०.००	१२१२८८.००	१२१२८८.००

दिपक कुमार पैसाल

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	700mmdia	गोटा	९०४८०.००	९३१९४.००	९३१९४.००
	600mmdia	गोटा	६८४५०.००	७०५०३.००	७०५०३.००
	500mmdia	गोटा	४७९९०.००	४९९०९.००	४९९०९.००
	450mmdia	गोटा	३९६८०.००	४१२६७.००	४१२६७.००
	400mmdia	गोटा	३००६०.००	३१२६२.००	३१२६२.००
	350mmdia	गोटा	२२४८०.००	२३३७९.००	२३३७९.००
	300mmdia	गोटा	१७९५०.००	१८६६८.००	१८६६८.००
	250mmdia	गोटा	१३०५०.००	१३५७२.००	१३५७२.००
	200mmdia	गोटा	९३५०.००	९८१७.००	९८१७.००
	150mmdia	गोटा	६६००.००	६९३०.००	६९३०.००
	100mmdia	गोटा	३९२०.००	४११६.००	४११६.००
	80mmdia	गोटा	३१७०.००	३३२८.००	३३२८.००
	DI Double Flanged Tail Piece (DFTP-1m)				
	1400mmdia	गोटा	४०६७१०.००	४१४८४४.००	४१४८४४.००
	1200mmdia	गोटा	२०७६९०.००	२११८४३.००	२११८४३.००
	1000mmdia	गोटा	१६२३३०.००	१६५५७६.००	१६५५७६.००
	900mmdia	गोटा	१३२५००.००	१३५१५०.००	१३५१५०.००
	800mmdia	गोटा	९९९९०.००	१०२९८९.००	१०२९८९.००
	700mmdia	गोटा	८९७४०.००	९२४३२.००	९२४३२.००
	600mmdia	गोटा	५९०३०.००	६०८००.००	६०८००.००
	500mmdia	गोटा	४१५६०.००	४३२२२.००	४३२२२.००
	400mmdia	गोटा	३७७३०.००	३९२३९.००	३९२३९.००
	300mmdia	गोटा	२६८५०.००	२७९२४.००	२७९२४.००
	250mmdia	गोटा	२००१०.००	२०८१०.००	२०८१०.००
	200mmdia	गोटा	१३०४०.००	१३५६१.००	१३५६१.००
	150mmdia	गोटा	१०९४०.००	११३७७.००	११३७७.००
	100mmdia	गोटा	८१८०.००	८५८९.००	८५८९.००
	80mmdia	गोटा	६८७०.००	७२१३.००	७२१३.००
	DI all Flanged cross				
	Dia 900mm	गोटा	२९४८५०.००	३००७४७.००	३००७४७.००
	Dia 800mm	गोटा	२३२७९०.००	२३७४४५.००	२३७४४५.००
	Dia 700mm	गोटा	१८४१४०.००	१८७८२२.००	१८७८२२.००
	Dia 600mm	गोटा	१५३३१०.००	१५६३७६.००	१५६३७६.००
	Dia 500mm	गोटा	१००५९०.००	१०२६०१.००	१०२६०१.००
	Dia400mm	गोटा	६७४७०.००	६९४९४.००	६९४९४.००
	Dia 300mm	गोटा	४०३४०.००	४१९५३.००	४१९५३.००
	Dia250mm	गोटा	२९५१०.००	३०६९०.००	३०६९०.००
	Dia200mm	गोटा	१७५३०.००	१८२३१.००	१८२३१.००
	Dia150mm	गोटा	११७३०.००	१२१९९.००	१२१९९.००
	DI all socket cross				
	Dia 900mm	गोटा	३१८७८०.००	३२५१५५.००	३२५१५५.००
	Dia 800mm	गोटा	२३८७१०.००	२४३४८४.००	२४३४८४.००
	Dia 700mm	गोटा	१७७७२०.००	१८१२७४.००	१८१२७४.००
	Dia 600mm	गोटा	१०७१६०.००	१०९३०३.००	१०९३०३.००
	Dia 500mm	गोटा	७२३७०.००	७४५४१.००	७४५४१.००

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Dia400mm	गोटा	४७०५०.००	४८९३२.००	४८९३२.००
	Dia 300mm	गोटा	२६९७०.००	२८०४८.००	२८०४८.००
	Dia250mm	गोटा	१९४२०.००	२०१९६.००	२०१९६.००
	Dia200mm	गोटा	१३८९०.००	१४४४५.००	१४४४५.००
	Dia150mm	गोटा	९१००.००	९४५५.००	९४५५.००
६	Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete				
	Dia 1000mm	गोटा	१०१५८०.००	१०३६११.००	१०३६११.००
	Dia 900mm	गोटा	८१५५०.००	८३९९६.००	८३९९६.००
	Dia 800mm	गोटा	६६४३०.००	६८४२२.००	६८४२२.००
	Dia 700mm	गोटा	५३९१०.००	५५५२७.००	५५५२७.००
	Dia 600mm	गोटा	४११८०.००	४२८२७.००	४२८२७.००
	Dia 500mm	गोटा	३१६३०.००	३२८९५.००	३२८९५.००
	Dia 450mm	गोटा	२५७००.००	२६७२८.००	२६७२८.००
	Dia 400mm	गोटा	२१४२०.००	२२२७६.००	२२२७६.००
	Dia350mm	गोटा	१६९१०.००	१७५८६.००	१७५८६.००
	Dia 300mm	गोटा	१२५९०.००	१३०९३.००	१३०९३.००
	Dia 250mm	गोटा	१००४०.००	१०४४१.००	१०४४१.००
	Dia 200mm	गोटा	७३१०.००	७६७५.००	७६७५.००
	Dia 150mm	गोटा	५३६०.००	५६२८.००	५६२८.००
	Dia 100mm	गोटा	३३००.००	३४६५.००	३४६५.००
	Dia 80mm	गोटा	३०३०.००	३१८१.००	३१८१.००
	Dia 65mm	गोटा	२१००.००	२२०५.००	२२०५.००
७	Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete				
	Dia 1000mm	गोटा	२६१३५०.००	२६६५७७.००	२६६५७७.००
	Dia 900mm	गोटा	२०४३६०.००	२०८४४७.००	२०८४४७.००
	Dia 800mm	गोटा	१५९६१०.००	१६२८०२.००	१६२८०२.००
	Dia 700mm	गोटा	१३४४५०.००	१३७१३९.००	१३७१३९.००
	Dia 600mm	गोटा	१०६८९०.००	१०९०२७.००	१०९०२७.००
	Dia 500mm	गोटा	८३३७०.००	८५८७१.००	८५८७१.००
	Dia 450mm	गोटा	६४५००.००	६६४३५.००	६६४३५.००
	Dia 400mm	गोटा	५२४७०.००	५४०४४.००	५४०४४.००
	Dia350mm	गोटा	४०१९०.००	४१७९७.००	४१७९७.००
	Dia 300mm	गोटा	३११८०.००	३२४२७.००	३२४२७.००
	Dia 250mm	गोटा	२३२००.००	२४१२८.००	२४१२८.००
	Dia 200mm	गोटा	१६७४०.००	१७४०९.००	१७४०९.००
	Dia 150mm	गोटा	१३१००.००	१३६२४.००	१३६२४.००
	Dia 100mm	गोटा	७७२०.००	८१०६.००	८१०६.००
	Dia 80mm	गोटा	६७००.००	७०३५.००	७०३५.००

Khemaj

दिपक कुमार रिसाल

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
८	Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.				
	Dia 900mm	गोटा	४८६८०.००	५०६२७.००	५०६२७.००
	Dia 700mm	गोटा	३११८०.००	३२४२७.००	३२४२७.००
	Dia 600mm	गोटा	.२०३३०.००	२११४३.००	२११४३.००
	Dia 500mm	गोटा	१६३३०.००	१६९८३.००	१६९८३.००
	Dia 450mm	गोटा	१४१४०.००	१४७०५.००	१४७०५.००
	Dia 400mm	गोटा	१३८२०.००	१४३७२.००	१४३७२.००
	Dia350mm	गोटा	१०७९०.००	११२२१.००	११२२१.००
	Dia 300mm	गोटा	७६००.००	७९८०.००	७९८०.००
	Dia 250mm	गोटा	६१४०.००	६४४७.००	६४४७.००
	Dia 200mm	गोटा	४३६०.००	४५७८.००	४५७८.००
	Dia 150mm	गोटा	३४९०.००	३६६४.००	३६६४.००
	Dia 100mm	गोटा	२१६०.००	२२६८.००	२२६८.००
	Dia 80mm	गोटा	१९६०.००	२०५८.००	२०५८.००
	Dia65mm	गोटा	१९६०.००	२०५८.००	२०५८.००
९	DI basket type strainer (FE xFE) with all compelte nut,bolt,rubber gasket as per drawing and specification.				
	Dia 400mm	गोटा	१६३७१०.००	१६९९८४.००	१६९९८४.००
	Dia350mm	गोटा	१२३६७०.००	१२९१४३.००	१२९१४३.००
	Dia 300mm	गोटा	६७३३०.००	६९३४९.००	६९३४९.००
	Dia 250mm	गोटा	४५१२०.००	४६९२४.००	४६९२४.००
	Dia 200mm	गोटा	२८१२०.००	२९२४४.००	२९२४४.००
	Dia 150mm	गोटा	१६२३०.००	१६८७९.००	१६८७९.००
	Dia 100mm	गोटा	७९६०.००	८३५८.००	८३५८.००
१०	Double Flanged Tail Piece with puddle Flange (1 mtr long)				
	1000 mm dia	गोटा	७३२७०.००	७५४६८.००	७५४६८.००
	900 mm dia	गोटा	७१०९०.००	७३२२२.००	७३२२२.००
	800 mm dia	गोटा	५८७५०.००	६०५१२.००	६०५१२.००
	700 mm dia	गोटा	४६८१०.००	४८६८२.००	४८६८२.००
	600 mm dia	गोटा	३८३२०.००	३९८५२.००	३९८५२.००
	500 mm dia	गोटा	२८३१०.००	२९४४२.००	२९४४२.००
	450 mm dia	गोटा	२३७६०.००	२४७१०.००	२४७१०.००
	400 mm dia	गोटा	१९८१०.००	२०६०२.००	२०६०२.००
	350 mm dia	गोटा	१६४१०.००	१७०६६.००	१७०६६.००
	300 mm dia	गोटा	१२९५०.००	१३४६८.००	१३४६८.००
	250 mm dia	गोटा	१०२९०.००	१०७०१.००	१०७०१.००
	200 mm dia	गोटा	७६९०.००	८०७४.००	८०७४.००
	150 mm dia	गोटा	५७००.००	५९८५.००	५९८५.००
	100 mm dia	गोटा	४२००.००	४४१०.००	४४१०.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	80 mm dia	गोटा	३६४०.००	३८२२.००	३८२२.००
	DI Flange Bell Mouth				
	Dia 700mm	गोटा	७३६२०.००	७५८२८.००	७५८२८.००
	Dia 600mm	गोटा	५३२८०.००	५४८७८.००	५४८७८.००
	Dia 500mm	गोटा	३७०७०.००	३८५५२.००	३८५५२.००
	Dia 450mm	गोटा	१६९७०.००	१७६४८.००	१७६४८.००
	Dia 400mm	गोटा	१६५८०.००	१७२४३.००	१७२४३.००
	Dia350mm	गोटा	१२९५०.००	१३४६८.००	१३४६८.००
	Dia 300mm	गोटा	९१२०.००	९५७६.००	९५७६.००
	Dia 250mm	गोटा	७३७०.००	७७३८.००	७७३८.००
	Dia 200mm	गोटा	५२३०.००	५४९१.००	५४९१.००
	Dia 150mm	गोटा	४१९०.००	४३९९.००	४३९९.००
	Dia 100mm	गोटा	२५९०.००	२७१९.००	२७१९.००
	Dia 80mm	गोटा	२३५०.००	२४६७.००	२४६७.००
	Dia65mm	गोटा	२३५०.००	२४६७.००	२४६७.००
	DI Strainer				
	1200 mm dia	गोटा	३६३४६०.००	३७०७२९.००	३७०७२९.००
	1100 mm dia	गोटा	२८६२८०.००	२९२००५.००	२९२००५.००
	1000 mm dia	गोटा	२०९०९०.००	२१३२७१.००	२१३२७१.००
	900 mm dia	गोटा	१५७०३०.००	१६०१७०.००	१६०१७०.००
११	Supply of double flanged butterfly vaive PN16 as per specification all complete				
	Dia 1000mm	गोटा	७२७६००.००	७४२१५२.००	७४२१५२.००
	Dia 900mm	गोटा	५८०९५०.००	५९२५६९.००	५९२५६९.००
	Dia 800mm	गोटा	४१६३२०.००	४२४६४६.००	४२४६४६.००
	Dia 700mm	गोटा	३३७०४०.००	३४३७८०.००	३४३७८०.००
	Dia 600mm	गोटा	२२५६९०.००	२३०२०३.००	२३०२०३.००
	Dia 500mm	गोटा	१७०४२०.००	१७३८२८.००	१७३८२८.००
	Dia 450mm	गोटा	१२७५९०.००	१३०१४१.००	१३०१४१.००
	Dia 400mm	गोटा	१०१६८०.००	१०३७१३.००	१०३७१३.००
	Dia350mm	गोटा	७३९२०.००	७६८७६.००	७६८७६.००
	Dia 300mm	गोटा	६०६७०.००	६३०९६.००	६३०९६.००
	Dia 250mm	गोटा	४७७६०.००	४९६७०.००	४९६७०.००
	Dia 200mm	गोटा	३९२६०.००	४०८३०.००	४०८३०.००
	Dia 150mm	गोटा	१५४१०.००	१६०२६.००	१६०२६.००
१२	Supply of double flanged Gate valve PN16 as per specification all complete				
	Dia 600mm	गोटा	५१६७५०.००	५२७०८५.००	५२७०८५.००
	Dia 500mm	गोटा	२८५६७०.००	२९१३८३.००	२९१३८३.००
	Dia 450mm	गोटा	१९७८१०.००	२०१७६६.००	२०१७६६.००
	Dia 400mm	गोटा	१३९४४०.००	१४२२२८.००	१४२२२८.००
	Dia350mm	गोटा	१०२१८०.००	१०४२२३.००	१०४२२३.००
	Dia 300mm	गोटा	६२२२०.००	६४०८६.००	६४०८६.००
	Dia 250mm	गोटा	४६३४०.००	४८१९३.००	४८१९३.००
	Dia 350mm	गोटा	९२२७०.००	९५९६०.००	९५९६०.००
	Dia 300mm	गोटा	५६५६०.००	५८८२२.००	५८८२२.००

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

Khemaj

दिपक कुमार रिसाल नगर प्रमुख गोकर्णेश्वर नगरपालिका

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Dia 250mm	गोटा	४३२७०.००	४५०००.००	४५०००.००
	Dia 200mm	गोटा	२५८२०.००	२६८५२.००	२६८५२.००
	Dia 150mm	गोटा	१९८५०.००	२०६४४.००	२०६४४.००
	Dia 125mm	गोटा	१६५००.००	१७१६०.००	१७१६०.००
	Dia 100mm	गोटा	१७८५०.००	१८५६४.००	१८५६४.००
	Dia 80mm	गोटा	१२८६६.००	१३३८०.००	१३३८०.००
	Dia 65mm	गोटा	९६७०.००	१०१५३.००	१०१५३.००
	Dia 50mm	गोटा	८६५२.००	९०८४.००	९०८४.००
१३	**Fire Hydrant**				
	Dia 80mm	गोटा	११४७०.००	११९२८.००	११९२८.००
	Dia 100mm	गोटा	२३०४०.००	२३९६१.००	२३९६१.००
१४	**160mm dia CI ROAD SURFACE BOX**	गोटा	३१५०.००	३३०७.००	३३०७.००
१५	**Ball Valve**				
	15mm	गोटा	१८०.००	१९१.००	१९१.००
	25mm	गोटा	३२०.००	३४१.००	३४१.००
	32mm	गोटा	८५०.००	९०६.००	९०६.००
	40mm	गोटा	१३४०.००	१४०७.००	१४०७.००
	50mm	गोटा	२२००.००	२३१०.००	२३१०.००
१६	**Check valve (Horizontal Flow)**				
	15mm	गोटा	५२०.००	५५४.००	५५४.००
	20mm	गोटा	८२०.००	८७४.००	८७४.००
	25mm	गोटा	१४१०.००	१४८०.००	१४८०.००
१७	**Cheack valve (vertical Flow)**				
	15mm	गोटा	३२०.००	३४१.००	३४१.००
	20mm	गोटा	४१०.००	४३७.००	४३७.००
	25mm	गोटा	४५०.००	४७९.००	४७९.००
१८	**Check valve**				
	150mm	गोटा	१७९७०.००	१८६८८.००	१८६८८.००
	200mm	गोटा	२६९५०.००	२८०२८.००	२८०२८.००
	250mm	गोटा	४०४३०.००	४२०४७.००	४२०४७.००
	300mm	गोटा	६०६५०.००	६२४६९.००	६२४६९.००
१९	**Pressure Gauge (Pressure up to) including Fitting & accessories**				
	PN10	गोटा	२४५०.००	२५७२.००	२५७२.००
	PN15	गोटा	३२००.००	३३६०.००	३३६०.००
	PN30	गोटा	४६००.००	४८३०.००	४८३०.००
	PN45	गोटा	५५००.००	५७७५.००	५७७५.००
२०	**Bulk Water Meter**				
	300mm	गोटा	१५३६४०.००	१५६७१२.००	१५६७१२.००
	200mm	गोटा	१०२४३०.००	१०४४७८.००	१०४४७८.००
	150mm	गोटा	७५७४०.००	७८०१२.००	७८०१२.००
	100mm	गोटा	४३७००.००	४५४४८.००	४५४४८.००
	80mm	गोटा	२९१३०.००	३०२९५.००	३०२९५.००
	65mm	गोटा	१९४२०.००	२०१९६.००	२०१९६.००
	15mm	गोटा	१५००.००	१५७५.००	१५७५.००

दिपक कुमार रिसाल
नगरप्रमुख

DI पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
२१	**Supply of water meter volumetric type including fittings and accessories**				
	15mm	गोटा	१६१०.००	१६९०.००	१६९०.००
	20mm	गोटा	२२९०.००	२४०४.००	२४०४.००
	25mm	गोटा	५९४०.००	६२३७.००	६२३७.००
२२	**Float Valve**				
	15mm	गोटा	७३०.००	७७८.००	७७८.००
	20mm	गोटा	१४१०.००	१४८०.००	१४८०.००
	25mm	गोटा	२३२०.००	२४३६.००	२४३६.००
२३	**GM Gate/ Globe Valve**				
	15mm	गोटा	७७०.००	८२०.००	८२०.००
	20mm	गोटा	१०९०.००	११४४.००	११४४.००
	25mm	गोटा	१६८०.००	१७६४.००	१७६४.००
	32mm	गोटा	२२३०.००	२३४१.००	२३४१.००
	40mm	गोटा	२५८०.००	२७०९.००	२७०९.००
	50mm	गोटा	४२७५.००	४४८८.००	४४८८.००
	65mm	गोटा	८६९०.००	९१२४.००	९१२४.००
	80mm	गोटा	११६००.००	१२०६४.००	१२०६४.००
	100mm	गोटा	१६४००.००	१७०५६.००	१७०५६.००
२४	**DI Sluice Valve**				
	65mm(2-1/2")	गोटा	१२७३०.००	१२७३०.००	१२७३०.००
	80mm(3")	गोटा	१७७३०.००	१७७३०.००	१७७३०.००
	100mm(4")	गोटा	२५०००.००	२५०००.००	२५०००.००
	125mm(5")	गोटा	३०४५०.००	३०४५०.००	३०४५०.००
	150mm(6")	गोटा	३७५००.००	३७५००.००	३७५००.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.ब.०७९।८०	आ.व.०८०।८१
१	Electrofusion (PE100) HDPE Fittings				
	Electrofusion Coupler				
	20mm	गोटा	९९.००	१०२.००	१०२.००
	25mm	गोटा	१२३.००	१२७.००	१२७.००
	32mm	गोटा	१३२.००	१३७.००	१३७.००
	40mm	गोटा	२५७.००	२६७.००	२६७.००
	50mm	गोटा	२४५.००	२५४.००	२५४.००
	63mm	गोटा	२५३.००	२६३.००	२६३.००
	75mm	गोटा	३९०.००	४०५.००	४०५.००
	90mm	गोटा	४५५.००	४७३.००	४७३.००
	110mm	गोटा	६१२.००	६३६.००	६३६.००
	125mm	गोटा	८२३.००	८५५.००	८५५.००
	140mm	गोटा	१२७३.००	१३२३.००	१३२३.००
	160mm	गोटा	१४३३.००	१४९०.००	१४९०.००
	180mm	गोटा	२१५०.००	२२३६.००	२२३६.००
	200mm	गोटा	२५४७.००	२६४८.००	२६४८.००
	225mm	गोटा	३५०३.००	३६४३.००	३६४३.००
	250mm	गोटा	५५७२.००	५७९४.००	५७९४.००
	280mm	गोटा	६६८६.००	६९५३.००	६९५३.००
	Electorfusion Reducer				
	50mm ×40mm	गोटा	२०९.००	२१७.००	२१७.००
	63mm ×50mm	गोटा	२४४.००	२५३.००	२५३.००
	75mm ×63mm	गोटा	४८५.००	५०४.००	५०४.००
	90mm ×75mm	गोटा	६०३.००	६२७.००	६२७.००
	90mm ×63mm	गोटा	६६१.००	६८७.००	६८७.००
	90mm ×50mm	गोटा	९०५.००	९४१.००	९४१.००
	110mm ×63mm	गोटा	७९६.००	८२७.००	८२७.००
	110mm ×75mm	गोटा	१४६३.००	१५२१.००	१५२१.००
	110mm ×90mm	गोटा	८६१.००	८९५.००	८९५.००
	125mm ×63mm	गोटा	१०२८.००	१०६९.००	१०६९.००
	125mm ×75mm	गोटा	१७१०.००	१७७८.००	१७७८.००
	125mm ×90mm	गोटा	११०७.००	११५१.००	११५१.००
	125mm ×110mm	गोटा	८६६.००	९००.००	९००.००
	140mm ×90mm	गोटा	३४२७.००	३५६४.००	३५६४.००
	140mm ×110mm	गोटा	४०१३.००	४१७३.००	४१७३.००
	140mm ×125mm	गोटा	४४६३.००	४६४१.००	४६४१.००
	160mm ×90mm	गोटा	४३६१.००	४५३५.००	४५३५.००
	160mm ×110mm	गोटा	४६२९.००	४८१४.००	४८१४.००
	160mm ×125mm	गोटा	५१५९.००	५३६५.००	५३६५.००
	160mm ×140mm	गोटा	५८४५.००	६०७८.००	६०७८.००
	180mm ×90mm	गोटा	६१८६.००	६४३३.००	६४३३.००
	180mm ×125mm	गोटा	६४५३.००	६७११.००	६७११.००
	180mm ×140mm	गोटा	७३२१.००	७६१३.००	७६१३.००
	180mm ×160mm	गोटा	८१२७.००	८४५२.००	८४५२.००

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	200mm ×110mm	गोटा	६७३३.००	७००२.००	७००२.००
	200mm ×140mm	गोटा	८६६८.००	९०१४.००	९०१४.००
	200mm ×160mm	गोटा	९१०९.००	९४७३.००	९४७३.००
	200mm ×180mm	गोटा	१०६४०.००	११०६५.००	११०६५.००
	225mm ×90mm	गोटा	९७९६.००	१०१८७.००	१०१८७.००
	225mm ×110mm	गोटा	९५४७.००	९९२८.००	९९२८.००
	225mm ×225mm	गोटा	१५०१४.००	१५६१४.००	१५६१४.००
	225mm ×160mm	गोटा	११२८८.००	११७३९.००	११७३९.००
	225mm ×180mm	गोटा	१३०८२.००	१३६०५.००	१३६०५.००
	225mm ×200mm	गोटा	१४३८४.००	१४९५९.००	१४९५९.००
	250mm ×160mm	गोटा	१४४१५.००	१४९९१.००	१४९९१.००
	225mm ×180mm	गोटा	१६६६५.००	१७३३१.००	१७३३१.००
	225mm ×200mm	गोटा	१७५६६.००	१८२६८.००	१८२६८.००
	225mm ×225mm	गोटा	२०२७५.००	२१०८६.००	२१०८६.००
	280mm ×180mm	गोटा	१९८७१.००	२०६६५.००	२०६६५.००
	280mm ×200mm	गोटा	२१२२५.००	२२०७४.००	२२०७४.००
	280mm ×225mm	गोटा	२३२०३.००	२४१३१.००	२४१३१.००
	280mm ×250mm	गोटा	२८१०१.००	२९२२५.००	२९२२५.००
	Electrofusion Elbow 45^{0}				
	50mm	गोटा	३०४.००	३१६.००	३१६.००
	63mm	गोटा	४४७.००	४६४.००	४६४.००
	75mm	गोटा	११७०.००	१२१६.००	१२१६.००
	90mm	गोटा	१००७.००	१०४७.००	१०४७.००
	110mm	गोटा	३०१३.००	३१३३.००	३१३३.००
	125mm	गोटा	४१६०.००	४३२६.००	४३२६.००
	140mm	गोटा	५६२३.००	५८४७.००	५८४७.००
	160mm	गोटा	७२४६.००	७५३५.००	७५३५.००
	180mm	गोटा	१०३९६.००	१०८११.००	१०८११.००
	200mm	गोटा	१३०८९.००	१३६१२.००	१३६१२.००
	225mm	गोटा	१७८७८.००	१८५९३.००	१८५९३.००
	250mm	गोटा	२५७४६.००	२६७७५.००	२६७७५.००
	280mm	गोटा	३३९९१.००	३५३५०.००	३५३५०.००
	90				
	50mm	गोटा	२५३.००	२६३.००	२६३.००
	63mm	गोटा	४०३.००	४१९.००	४१९.००
	75mm	गोटा	५३१.००	५५२.००	५५२.००
	90mm	गोटा	१०२५.००	१०६६.००	१०६६.००
	110mm	गोटा	१३७२.००	१४२६.००	१४२६.००
	125mm	गोटा	१७३१.००	१८००.००	१८००.००
	140mm	गोटा	६४५२.००	६७१०.००	६७१०.००
	160mm	गोटा	८१९५.००	८५२२.००	८५२२.००
	180mm	गोटा	११९४७.००	१२४२४.००	१२४२४.००
	200mm	गोटा	१५९११.००	१६५४७.००	१६५४७.००
	225mm	गोटा	२०४२२.००	२१२३८.००	२१२३८.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	250mm	गोटा	३००१०.००	३१२१०.००	३१२१०.००
	280mm	गोटा	४२८३३.००	४४५४६.००	४४५४६.००
	Electrofusion End Cap				
	50mm	गोटा	३३६.००	३४९.००	३४९.००
	63mm	गोटा	४१७.००	४३३.००	४३३.००
	75mm	गोटा	५९४.००	६१७.००	६१७.००
	90mm	गोटा	७६२.००	७९२.००	७९२.००
	110mm	गोटा	१३६५.००	१४१९.००	१४१९.००
	125mm	गोटा	११७५.००	१२२२.००	१२२२.००
	140mm	गोटा	२३९५.००	२४९०.००	२४९०.००
	160mm	गोटा	३४७०.००	३६०८.००	३६०८.००
	180mm	गोटा	४९७२.००	५१७०.००	५१७०.००
	200mm	गोटा	६५०८.००	६७६८.००	६७६८.००
	225mm	गोटा	८४३२.००	८७६९.००	८७६९.००
	250mm	गोटा	११९७.००	१२४४.००	१२४४.००
	280mm	गोटा	१५४७७.००	१६०९६.००	१६०९६.००
	Electrofusion Equal Tee				
	50mm	गोटा	३३५.००	३४८.००	३४८.००
	63mm	गोटा	४८१.००	५००.००	५००.००
	75mm	गोटा	७५९.००	७८९.००	७८९.००
	90mm	गोटा	११९८.००	१२४५.००	१२४५.००
	110mm	गोटा	१५४३.००	१६०४.००	१६०४.००
	125mm	गोटा	१९०९.००	१९८५.००	१९८५.००
	140mm	गोटा	७६२०.००	७९२४.००	७९२४.००
	160mm	गोटा	१०४७७.००	१०८९६.००	१०८९६.००
	180mm	गोटा	१४८२४.००	१५४१६.००	१५४१६.००
	200mm	गोटा	१८७४८.००	१९४९७.००	१९४९७.००
	225mm	गोटा	२५५१५.००	२६५३५.००	२६५३५.००
	250mm	गोटा	३६९६५.००	३८४४३.००	३८४४३.००
	280mm	गोटा	५२५५५.००	५४६५७.००	५४६५७.००
	Electrofusion Saddle Clamp				
	50mm×40mm	गोटा	७२८.००	७५७.००	७५७.००
	75-225mm×50mm	गोटा	९५२.००	९९०.००	९९०.००
	HDPE Adopter PN 16				
	50mm	गोटा	२७०.००	२८०.००	२८०.००
	63mm	गोटा	३४०.००	३५३.००	३५३.००
	75mm	गोटा	४८०.००	४९९.००	४९९.००
	90mm	गोटा	६२०.००	६४४.००	६४४.००
	110mm	गोटा	८६०.००	८९४.००	८९४.००
	125mm	गोटा	९५०.००	९८८.००	९८८.००
	140mm	गोटा	१३००.००	१३५२.००	१३५२.००
	160mm	गोटा	१८७०.००	१९४४.००	१९४४.००
	180mm	गोटा	२६८०.००	२७८७.००	२७८७.००
	200mm	गोटा	२९३०.००	३०४७.००	३०४७.००
	225mm	गोटा	३८००.००	३९५२.००	३९५२.००
	250mm	गोटा	५०४०.००	५२४१.००	५२४१.००

Khemraj

दिपक कुमार रिसाल

PE Electro Fusion Fittings and Combination Accessories

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	280mm	गोटा	६९७०.००	७२४८.००	७२४८.००

दिपक कुमार रिसाल
नगरप्रमुख
...र नगरपालिका

High Pressure Valves & Fittings

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	High Pressure Valve & Fittings				
	Cast Steel Sluice Valve, Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket. Set				
	DN 40	गोटा	21280.00	21918.00	21918.00
	DN 50	गोटा	28750.00	29612.00	29612.00
	DN 65	गोटा	34500.00	35535.00	35535.00
	DN 80	गोटा	40250.00	41457.00	41457.00
	DN 100	गोटा	46000.00	47380.00	47380.00
	DN 125	गोटा	57500.00	59225.00	59225.00
	DN 150	गोटा	74750.00	76992.00	76992.00
	DN 200	गोटा	103500.00	105570.00	105570.00
	DN 250	गोटा	149500.00	152490.00	152490.00
	DN 300	गोटा	201250.00	205275.00	205275.00
	DN 350	गोटा	316250.00	322575.00	322575.00
	Cast Steel Non Return Valve (NRV), Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket.				
	DN 40	गोटा	23000.00	23690.00	23690.00
	DN 50	गोटा	30480.00	31394.00	31394.00
	DN 65	गोटा	36230.00	37316.00	37316.00
	DN 80	गोटा	41980.00	43239.00	43239.00
	DN 100	गोटा	47730.00	49161.00	49161.00
	DN 125	गोटा	59230.00	61006.00	61006.00
	DN 150	गोटा	76480.00	78774.00	78774.00
	DN 200	गोटा	105230.00	107334.00	107334.00
	DN 250	गोटा	151230.00	154254.00	154254.00
	DN 300	गोटा	202980.00	207039.00	207039.00
	DN 350	गोटा	317980.00	324339.00	324339.00
	MS Flange, ISOD 12mm thick				
	DN 40	गोटा	400.00	412.00	412.00
	DN 50	गोटा	430.00	442.00	442.00
	DN 65	गोटा	580.00	597.00	597.00
	DN 80	गोटा	630.00	648.00	648.00
	DN 100	गोटा	650.00	669.00	669.00
	DN 150	गोटा	750.00	772.00	772.00
	DN 125	गोटा	880.00	906.00	906.00
	DN 200	गोटा	1440.00	1483.00	1483.00
	DN 250	गोटा	2160.00	2224.00	2224.00
	DN 300	गोटा	2590.00	2667.00	2667.00
	DN 350	गोटा	3570.00	3677.00	3677.00
	MS Blind Flange, ISOD 16mm thick				
	DN 40	गोटा	520.00	535.00	535.00

Khemraj

High Pressure Valves & Fittings

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	DN 50	गोटा	560.00	576.00	576.00
	DN 65	गोटा	750.00	772.00	772.00
	DN 80	गोटा	820.00	844.00	844.00
	DN 100	गोटा	850.00	875.00	875.00
	DN 125	गोटा	970.00	999.00	999.00
	DN 150	गोटा	1150.00	1184.00	1184.00
	DN 200	गोटा	1870.00	1926.00	1926.00
	DN 250	गोटा	2810.00	2894.00	2894.00
	DN 300	गोटा	3360.00	3460.00	3460.00
	DN 350	गोटा	4630.00	4768.00	4768.00
	MS Flange, ISOD 22mm thick				
	DN 40	गोटा	920.00	947.00	947.00
	DN 50	गोटा	990.00	1019.00	1019.00
	DN 65	गोटा	1270.00	1308.00	1308.00
	DN 80	गोटा	1440.00	1483.00	1483.00
	DN 100	गोटा	1730.00	1781.00	1781.00
	DN 125	गोटा	2070.00	2132.00	2132.00
	DN 150	गोटा	2650.00	2729.00	2729.00
	DN 200	गोटा	4330.00	4459.00	4459.00
	DN 250	गोटा	5650.00	5819.00	5819.00
	DN 300	गोटा	8320.00	8569.00	8569.00
	DN 350	गोटा	9320.00	9599.00	9599.00
	MS Blind Flange, ISOD 32mm thick			0.00	0.00
	DN 40	गोटा	1200.00	1236.00	1236.00
	DN 50	गोटा	1290.00	1328.00	1328.00
	DN 65	गोटा	1640.00	1689.00	1689.00
	DN 80	गोटा	1870.00	1926.00	1926.00
	DN 100	गोटा	2240.00	2307.00	2307.00
	DN 125	गोटा	2690.00	2770.00	2770.00
	DN 150	गोटा	3440.00	3543.00	3543.00
	DN 200	गोटा	5640.00	5809.00	5809.00
	DN 250	गोटा	7360.00	7580.00	7580.00
	DN 300	गोटा	10810.00	11134.00	11134.00
	DN 350	गोटा	12110.00	12473.00	12473.00
	Seamless (90^0-22^0) **CARBON STEEL BEND, size** dia				
	2"	गोटा	330.00	339.00	339.00
	21/2"	गोटा	580.00	597.00	597.00
	3"	गोटा	830.00	854.00	854.00
	4"	गोटा	1380.00	1421.00	1421.00
	5"	गोटा	2530.00	2605.00	2605.00
	6"	गोटा	3510.00	3615.00	3615.00
	8"	गोटा	6560.00	6756.00	6756.00

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

High Pressure Valves & Fittings

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	10"	गोटा	12880.00	13266.00	13266.00
	12"	गोटा	17830.00	18364.00	18364.00
	14"	गोटा	20130.00	20733.00	20733.00
	Seamless REDUCER ASTM-40, (size dia larger dia.)				
	2"	गोटा	260.00	267.00	267.00
	21/2"	गोटा	460.00	473.00	473.00
	3"	गोटा	670.00	690.00	690.00
	4"	गोटा	1100.00	1133.00	1133.00
	5"	गोटा	2020.00	2080.00	2080.00
	6"	गोटा	2810.00	2894.00	2894.00
	8"	गोटा	5240.00	5397.00	5397.00
	10"	गोटा	10300.00	10609.00	10609.00
	12"	गोटा	14260.00	14687.00	14687.00
	14"	गोटा	16100.00	16583.00	16583.00
	Nut & Bolt (FORZED, Size, set/kg)	गोटा	300.00	309.00	309.00
	3 mm thick Gasket liner	गोटा	2560.00	2636.00	2636.00

दिपक कुमार रिसाल
नगरप्रमुख

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	**PP-R Pipe (PN-10)**				
	20mm outer,1.9 mm thick, 0.107 kg/m	र.मि	५१.३३	५६.००	५६.००
	25mm " 2.3 mm thick 0.164kg/m	र.मि	७८.७६	८६.००	८६.००
	32mm 2.9 mm thick 0.26kg/m	र.मि	१२४.७८	१३७.००	१३७.००
	40mm 3.7 mm thick 0.412kg/m	र.मि	१९७.३५	२१७.००	२१७.००
	50mm 4.6 mm thick 0.638kg/m	र.मि	३०६.१९	३३६.००	३३६.००
	63 mm 8.6 mm thick 0.638kg/m	र.मि	४८४.९६	५३३.००	५३३.००
	75 mm OD	र.मि	६७६.११	७४३.००	७४३.००
	90 mm OD	र.मि	९७३.४५	१०७०.००	१०७०.००
	110 mm OD	र.मि	१४४४.२५	१५८८.००	१५८८.००
२	**PP-R Pipe (PN-16)**				
	20mm OD 2.80 mm thick 0.148kg/m	र.मि	६९.०३	७५.००	७५.००
	25mm OD 3.50 mm thick 0.26kg/m	र.मि	१०७.९६	११८.००	११८.००
	32mm OD 3.7 mm thick 0.230kg/m	र.मि	१७१.६८	१८८.००	१८८.००
	40mm OD 5.50 mm thick 0.575kg/m	र.मि	२७६.११	३०३.००	३०३.००
	50mm OD 6.90 mm thick 0.896kg/m	र.मि	४३०.०९	४७३.००	४७३.००
	63 mm OD 4.6 mm thick 0.638kg/m	र.मि	६७६.११	७४३.००	७४३.००
	75 mm OD	र.मि	९६४.६०	१०६१.००	१०६१.००
	90 mm OD	र.मि	१३७६.९९	१५१४.००	१५१४.००
	110 mm OD	र.मि	२०६२.८३	२२६९.००	२२६९.००
३	**PP-R Pipe (PN-20)**				
	20mm 3.4 mm thick 0.172 kg/m	र.मि	८२.३०	९०.००	९०.००
	25mm 4.20 mm thick 0.266kg/m	र.मि	१२७.४३	१४०.००	१४०.००
	32mm 5.40 mm thick 0.434kg/m	र.मि	२०७.९६	२२८.००	२२८.००
	40mm 6.70 mm thick 0.671kg/m	र.मि	३२२.१२	३५४.००	३५४.००
	50mm 8.30 mm thick 1.04kg/m	र.मि	४९९.१२	५४९.००	५४९.००
	63mm 8.6mm thick 1.04kg/m	र.मि	७९१.१५	८७०.००	८७०.००
	75 mm OD	र.मि	११२२.१२	१२३४.००	१२३४.००
	90 mm OD	र.मि	१६११.५०	१७७२.००	१७७२.००
	110 mm OD	र.मि	२४०३.५४	२६४३.००	२६४३.००
४	**PP-R Pipe Accessories**				
	Elbow (87.5 ^{0})				
	20mm	गोटा		२३.००	२३.००
	25mm	गोटा		४३.००	४३.००
	32mm	गोटा		७०.००	७०.००
	40mm	गोटा		१४८.००	१४८.००
	50mm	गोटा		२४९.००	२४९.००
	63 mm	गोटा		४३९.००	४३९.००
	75 mm	गोटा		८४३.००	८४३.००
	90 mm	गोटा		१३७६.००	१३७६.००
	110 mm	गोटा		२५५८.००	२५५८.००
	Elbow (90 ^{0})				
	20mm	गोटा	१०.६२	११.००	११.००
	25mm	गोटा	२०.३५	२२.००	२२.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	32mm	गोटा	३५.४०	३८.००	३८.००
	40mm	गोटा	७३.४५	८०.००	८०.००
	50mm	गोटा	१२३.०१	१३५.००	१३५.००
	63 mm	गोटा	२१६.८१	२३८.००	२३८.००
	75 mm	गोटा	४०६.१९	४४६.००	४४६.००
	90 mm	गोटा	६८५.८४	७५४.००	७५४.००
	110 mm	गोटा	१२७७.८८	१४०५.००	१४०५.००
५	Equal Tee				
	20mm	गोटा	१४.१६	१५.००	१५.००
	25mm	गोटा	२४.७८	२७.००	२७.००
	32mm	गोटा	४३.३६	४७.००	४७.००
	40mm	गोटा	८४.०७	९२.००	९२.००
	50mm	गोटा	१४३.३६	१५७.००	१५७.००
	63mm	गोटा	२६०.१८	२८६.००	२८६.००
	75 mm	गोटा	४५१.३३	४९६.००	४९६.००
	90 mm	गोटा	८२६.५५	९०९.००	९०९.००
	110 mm	गोटा	१४३५.४०	१५७८.००	१५७८.००
६	Coupler				
	20mm	गोटा	८.८५	९.००	९.००
	25mm	गोटा	१०.६२	११.००	११.००
	32mm	गोटा	२०.३५	२२.००	२२.००
	40mm	गोटा	३९.८२	४३.००	४३.००
	50mm	गोटा	६६.३७	७३.००	७३.००
	63 mm	गोटा	११६.८१	१२८.००	१२८.००
	75 mm	गोटा	२२५.६६	२४८.००	२४८.००
	90 mm	गोटा	३३३.६३	३६६.००	३६६.००
	110 mm	गोटा	६०९.७३	६७०.००	६७०.००
७	45 Degree Elbow				
	20 mm	गोटा	१४.१६	१५.००	१५.००
	25 mm	गोटा	२३.०१	२५.००	२५.००
	32 mm	गोटा	३५.४०	३८.००	३८.००
	40 mm	गोटा	६६.३७	७३.००	७३.००
	50 mm	गोटा	१११.५०	१२२.००	१२२.००
	63 mm	गोटा	१८४.०७	२०२.००	२०२.००
	75 mm	गोटा	३६१.०६	३९७.००	३९७.००
	90 mm	गोटा	६०९.७३	६७०.००	६७०.००
	110 mm	गोटा	१०६४.६०	११७१.००	११७१.००
८	Union (Plastic)				
	20mm	गोटा	५३.९८	५९.००	५९.००
	25mm	गोटा	९२.०४	१०१.००	१०१.००
	32mm	गोटा	१४८.६७	१६३.००	१६३.००
	40mm	गोटा	२२४.७८	२४७.००	२४७.००
	50mm	गोटा	३५२.२१	३८७.००	३८७.००
	63mm	गोटा	४२०.३५	४६२.००	४६२.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
९	**Reducing Coupler**				
	25mm*20mm	गोटा	१५.०४	१६.००	१६.००
	32mm*20mm	गोटा	१८.५८	२०.००	२०.००
	32mm*25mm	गोटा	२१.२४	२३.००	२३.००
	40mm*20mm	गोटा	३०.९७	३४.००	३४.००
	40mm*25mm	गोटा	३१.८६	३५.००	३५.००
	40mm*32mm	गोटा	४३.३६	४७.००	४७.००
	50mm*20mm	गोटा	५८.४१	६४.००	६४.००
	50mm*25mm	गोटा	५५.७५	६१.००	६१.००
	50mm*32mm	गोटा	६३.७२	७०.००	७०.००
	50mm*40mm	गोटा	६६.३७	७३.००	७३.००
	63mm*20mm	गोटा	९१.१५	१००.००	१००.००
	63mm*25mm	गोटा	११२.३९	१२३.००	१२३.००
	63mm*32mm	गोटा	११३.२७	१२४.००	१२४.००
	63mm*40mm	गोटा	११३.२७	१२४.००	१२४.००
	63mm*50mm	गोटा	११३.२७	१२४.००	१२४.००
	75mm*40mm	गोटा	२२५.६६	२४८.००	२४८.००
	75mm*50mm	गोटा	२३०.०९	२५३.००	२५३.००
	75mm*63mm	गोटा	२३२.७४	२५६.००	२५६.००
	90mm*50mm	गोटा	४२९.२०	४७२.००	४७२.००
	90mm*63mm	गोटा	४६०.१८	५०६.००	५०६.००
	90mm*75mm	गोटा	५४१.५९	५९५.००	५९५.००
	110mm*75mm	गोटा	७५८.४१	८३४.००	८३४.००
	110mm*90mm	गोटा	८४४.२५	९२८.००	९२८.००
	75mm	गोटा		४७६.००	४७६.००
	90mm	गोटा		७३८.००	७३८.००
	110mm	गोटा		१२५१.००	१२५१.००
१०	**Reducing Tee**				
	25*20*25 mm	गोटा	२६.५५	२९.००	२९.००
	32*20*32 mm	गोटा	४०.७१	४४.००	४४.००
	32*25*32 mm	गोटा	४३.३६	४७.००	४७.००
	40*20*40 mm	गोटा	५८.४१	६४.००	६४.००
	40*25*40 mm	गोटा	६५.४९	७२.००	७२.००
	40*32*40 mm	गोटा	६९.९१	७६.००	७६.००
	50*20*50 mm	गोटा	११८.५८	१३०.००	१३०.००
	50*25*50 mm	गोटा	१२२.१२	१३४.००	१३४.००
	50*32*50 mm	गोटा	१३०.९७	१४४.००	१४४.००
	50*40*50 mm	गोटा	१३५.४०	१४८.००	१४८.००
	63*20*63 mm	गोटा	१७६.९९	१८८.००	१८८.००
	63*25*63 mm	गोटा	१९६.४६	२०९.००	२०९.००
	63*32*63 mm	गोटा	२०३.५४	२२३.००	२२३.००
	63*40*63 mm	गोटा	२०७.०८	२२७.००	२२७.००
	63*50*63 mm	गोटा	२१४.१६	२३५.००	२३५.००
	75*50*75 mm	गोटा	५१९.४७	५५३.००	५५३.००
	75*63*75 mm	गोटा	५२१.२४	५५५.००	५५५.००
	90*63*90 mm	गोटा	८५७.५२	९१४.००	९१४.००
	90*75*90 mm	गोटा	९४७.७९	१०१०.००	१०१०.००
	110*75*110 mm	गोटा	१५३४.५१	१६३६.००	१६३६.००
	110*90*110 mm	गोटा	१५७९.६५	१६८४.००	१६८४.००

दीपक कुमार रिसाल
नगरप्रमुख

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	75mm	गोटा		१०३९.००	१०३९.००
	90mm	गोटा		१७४५.००	१७४५.००
	110mm	गोटा		२९६८.००	२९६८.००
११	Reducing Elbow				
	25mm*20mm	गोटा	२०.३५	२२.००	२२.००
	32mm*20mm	गोटा	३७.१७	४०.००	४०.००
	32mm*25mm	गोटा	४६.०२	५०.००	५०.००
	40*20mm	गोटा		१४०.००	१४०.००
	40*25mm	गोटा		१५२.००	१५२.००
	40*32mm	गोटा		१८८.००	१८८.००
	75mm	गोटा		१००७.००	१००७.००
	90mm	गोटा		१३७५.००	१३७५.००
	110mm	गोटा		२६१३.००	२६१३.००
	U CLAMP LONG				
	20mm	गोटा		३०.००	३०.००
	25mm	गोटा		३४.००	३४.००
	32mm	गोटा		४६.००	४६.००
	40mm	गोटा		५२.००	५२.००
	50mm	गोटा		७०.००	७०.००
	63mm	गोटा		७८.००	७८.००
	U CLAMP				
	20mm	गोटा		१३.००	१३.००
	25mm	गोटा		१६.००	१६.००
	32mm	गोटा		३०.००	३०.००
	40mm	गोटा		३७.००	३७.००
	50mm	गोटा		५९.००	५९.००
	63mm	गोटा		७६.००	७६.००
	PLUG				
	20mm	गोटा		१३.००	१३.००
	25mm	गोटा		२१.००	२१.००
	32mm	गोटा		२६.००	२६.००
	CAPS				
	20mm	गोटा		३१.००	३१.००
	25mm	गोटा		४६.००	४६.००
	32mm	गोटा		७०.००	७०.००
	40mm	गोटा		१११.००	१११.००
	50mm	गोटा		१८७.००	१८७.००
	63mm	गोटा		३३८.००	३३८.००
	75mm	गोटा		५१५.००	५१५.००
	90mm	गोटा		५७६.००	५७६.००

दिपक कुमार रिसाल

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	110mm	गोटा		११८२.००	११८२.००
	CROSS OVER				
	20mm	गोटा		१४२.००	१४२.००
	25mm	गोटा		२०३.००	२०३.००
	32mm	गोटा		२९४.००	२९४.००
१२	High Footed Pipe Clip				
	20mm	गोटा	११.५०	१२.००	१२.००
	25mm	गोटा	१३.२७	१४.००	१४.००
	32mm	गोटा	२०.३५	२२.००	२२.००
	40mm	गोटा	२३.०१	२५.००	२५.००
	50mm	गोटा	२४.७८	२७.००	२७.००
	63 mm	गोटा	३३.६३	३६.००	३६.००
१३	Low Footed Pipe Clip				
	20mm	गोटा	६.१९	६.००	६.००
	25mm	गोटा	७.०८	७.००	७.००
	32mm	गोटा	१३.२७	१४.००	१४.००
	40mm	गोटा	१८.५८	२०.००	२०.००
	50mm	गोटा	२८.३२	३१.००	३१.००
	63 mm	गोटा	३६.२८	३९.००	३९.००
१४	"Y" type Pipe Clip				
	20mm	गोटा	१८.५८	२०.००	२०.००
	25mm	गोटा	२१.२४	२३.००	२३.००
	32mm	गोटा	२५.६६	२८.००	२८.००
	40 mm	गोटा	५०.००	५५.००	५५.००
१५	End Plug (short)				
	20mm	गोटा	६.१९	६.००	६.००
	25mm	गोटा	९.७३	१०.००	१०.००
	32mm	गोटा	१२.३९	१३.००	१३.००
१६	End Plug with Ring				
	20mm	गोटा	२०.३५	२२.००	२२.००
१७	End Plug (long)	गोटा			
	20mm	गोटा	९.७३	१०.००	१०.००
१८	End Cap				
	20mm	गोटा	११.५०	१२.००	१२.००
	25mm	गोटा	१८.५८	२०.००	२०.००
	32mm	गोटा	२७.४३	३०.००	३०.००
	40mm	गोटा	४०.७१	४४.००	४४.००
	50mm	गोटा	७१.६८	७८.००	७८.००
	63 mm	गोटा	१३८.०५	१५१.००	१५१.००
	75 mm	गोटा	२२१.२४	२४३.००	२४३.००
१९	Cross Tee				
	20mm	गोटा	२३.८९	२६.००	२६.००
	25mm	गोटा	३५.४०	३८.००	३८.००
	32mm	गोटा	६१.९५	६८.००	६८.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
२०	Short Passover				
	20mm	गोटा	६९.०३	७५.००	७५.००
	25mm	गोटा	९९.१२	१०९.००	१०९.००
	32mm	गोटा	१५३.९८	१६९.००	१६९.००
२१	Long Bypass				
	20mm	गोटा	७८.७६	८६.००	८६.००
	25mm	गोटा	१३०.९७	१४४.००	१४४.००
	32mm	गोटा	१९२.०४	२११.००	२११.००
२२	Male Tee				
	20mmx1/2"	गोटा	१३०.९७	१४४.००	१४४.००
	20mmx3/4"	गोटा		१४६.००	१४६.००
	25mmx1/2"	गोटा	१३८.०५	१५१.००	१५१.००
	25mmx3/4"	गोटा	१६४.६०	१८१.००	१८१.००
	32mmx1/2"	गोटा	१४०.७१	१५४.००	१५४.००
	32mmx3/4"	गोटा	२०७.०८	२२७.००	२२७.००
	32mmx1"	गोटा	३६०.१८	३९६.००	३९६.००
	40mm*1/2"	गोटा		६७३.००	६७३.००
	40mm*5/4"	गोटा		६५५.००	६५५.००
	50mm*6/4"	गोटा		१०३८.००	१०३८.००
	63mm*1"	गोटा		१२३५.००	१२३५.००
	63mm*2"	गोटा		१३४१.००	१३४१.००
२३	Female Tee				
	20mmx1/2"	गोटा	१०६.१९	११६.००	११६.००
	20mmx3/4"	गोटा		१३१.००	१३१.००
	25mmx1/2"	गोटा	१३८.०५	१५१.००	१५१.००
	25mmx3/4"	गोटा	१६०.१८	१७६.००	१७६.००
	32mmx1/2"	गोटा	१५७.५२	१७३.००	१७३.००
	32mmx3/4"	गोटा	१८४.९६	२०३.००	२०३.००
	32mmx1"	गोटा	३११.५०	३४२.००	३४२.००
	40mm*1/2"	गोटा		५३०.००	५३०.००
	40mm*5/4"	गोटा		५२१.००	५२१.००
	50mm*6/4"	गोटा		७९०.००	७९०.००
	63mm*1"	गोटा		९९२.००	९९२.००
	63mm*2"	गोटा		१०४८.००	१०४८.००
२४	Male elbow				
	20mmx1/2"	गोटा	१२५.६६	१३८.००	१३८.००
	25mmx1/2"	गोटा	१३८.०५	१५१.००	१५१.००
	25mmx3/4"	गोटा	१६९.०३	१८५.००	१८५.००
	32mmx1/2"	गोटा	२८४.०७	३१२.००	३१२.००
	32mmx3/4"	गोटा	२२५.६६	२४८.००	२४८.००
	32mmx1"	गोटा	३७४.३४	४११.००	४११.००
	40mm*5/4"	गोटा		५९२.५०	५९२.५०
२५	Female elbow				
	20mmx1/2"	गोटा	१०३.५४	११३.००	११३.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	25mmx1/2"	गोटा	१६८.१४	१८४.००	१८४.००
	25mmx3/4"	गोटा	१३८.०५	१५१.००	१५१.००
	32mmx1/2"	गोटा	१८४.०७	२०२.००	२०२.००
	32mmx3/4"	गोटा	२१६.८१	२३८.००	२३८.००
	32mmx1"	गोटा	३०३.५४	३३३.००	३३३.००
	40mm*5/4"	गोटा		६७५.००	६७५.००
	50mm*6/4"	गोटा		७७५.००	७७५.००
	63mm*2"	गोटा		८९२.००	८९२.००
	MALE SOCKET				
	20mm*1/2"	गोटा		१४५.००	१४५.००
	20mm*3/4"	गोटा		१७५.००	१७५.००
	25mm*1/2"	गोटा		१५५.००	१५५.००
	25mm*3/4"	गोटा		१७६.००	१७६.००
	32mm*1/2"	गोटा		१९६.००	१९६.००
	32mm*3/4"	गोटा		२०६.००	२०६.००
	32mm*1"	गोटा		३९२.००	३९२.००
	40mm*5/4"	गोटा		६४९.००	६४९.००
	50mm*6/4"	गोटा		१०४८.००	१०४८.००
	63mm*2"	गोटा		१३९५.००	१३९५.००
	75mm	गोटा		३४८०.००	३४८०.००
	90mm	गोटा		४७६९.००	४७६९.००
	110mm	गोटा		८९६८.००	८९६८.००
	FEMALE SOCKET				
	20mm*1/2"	गोटा		११०.००	११०.००
	20mm*3/4"	गोटा		१२५.००	१२५.००
	25mm*1/2"	गोटा		१३५.००	१३५.००
	25mm*3/4"	गोटा		१३७.००	१३७.००
	32mm*1/2"	गोटा		१३१.००	१३१.००
	32mm*3/4"	गोटा		१४१.००	१४१.००
	32mm*1"	गोटा		३०६.००	३०६.००
	40mm*5/4"	गोटा		५७०.००	५७०.००
	50mm*6/4"	गोटा		७९१.००	७९१.००
	63mm*2"	गोटा		१०७०.००	१०७०.००
	75mm	गोटा		३०४२.००	३०४२.००
	90mm	गोटा		४१८४.००	४१८४.००
	110mm	गोटा		७९००.००	७९००.००
२६	**Male Coupling**				
	20mmx1/2"	गोटा	१२२.१२	१३४.००	१३४.००
	20mmx3/4"	गोटा	१२९.२०	१४२.००	१४२.००
	25mmx1/2"	गोटा	१४८.६७	१६३.००	१६३.००
	25mmx3/4"	गोटा	१७०.८०	१८७.००	१८७.००
	32mmx1/2"	गोटा	१५३.९८	१६९.००	१६९.००
	32mmx3/4"	गोटा	१६४.६०	१८१.००	१८१.००
	32mmx1"	गोटा	३३०.०९	३६३.००	३६३.००
	40mmx1-1/4"	गोटा	५५८.४१	६१४.००	६१४.००

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल

Khemraj

दिपक कुमार रिसाल नगरप्रमुख गोकर्णेश्वर नगरपालिका

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	50mmx1-1/2"	गोटा	८४१.५९	९२५.००	९२५.००
	63mmx2"	गोटा	१११०.६२	१२२१.००	१२२१.००
	75mmx2-1/2"	गोटा	२७६१.०६	३०३७.००	३०३७.००
२७	**Female Coupling**				
	20mmx1/2"	गोटा	९९.१२	१०९.००	१०९.००
	20mmx3/4"	गोटा	११६.८१	१२८.००	१२८.००
	25mmx1/2"	गोटा	१३०.९७	१४४.००	१४४.००
	25mmx3/4"	गोटा	१३२.७४	१४६.००	१४६.००
	32mmx1/2"	गोटा	११२.३९	१२३.००	१२३.००
	32mmx3/4"	गोटा	१२०.३५	१३२.००	१३२.००
	32mmx1"	गोटा	२८३.१९	३११.००	३११.००
	40mmx1-1/4"	गोटा	४९०.२७	५३९.००	५३९.००
	50mmx1-1/2"	गोटा	६३५.४०	६९८.००	६९८.००
	63mmx2"	गोटा	८५१.३३	९३६.००	९३६.००
	75mmx2-1/2"	गोटा	२५२६.५५	२७७९.००	२७७९.००
२८	**Male Union**				
	20mmx1/2"	गोटा	२७५.२२	३०२.००	३०२.००
	25mmx3/4"	गोटा	३९५.५८	४३५.००	४३५.००
	32mmx1"	गोटा	५८१.४२	६३९.००	६३९.००
	40mmx1 1/4"	गोटा	१०४६.९०	११५१.००	११५१.००
	50mmx1/2"	गोटा	१३९९.१२	१५३९.००	१५३९.००
	63mmx2"	गोटा	३६०९.७३	३९७०.००	३९७०.००
२९	**Female Union**				
	20mmx1/2"	गोटा	२६५.४९	२९२.००	२९२.००
	25mmx3/4"	गोटा	३४४.२५	३७८.००	३७८.००
	32mmx1"	गोटा	५५५.७५	६११.००	६११.००
	40mmx1 1/4"	गोटा	७६७.२६	८४३.००	८४३.००
	50mmx1/2"	गोटा	१३१०.६२	१४४१.००	१४४१.००
	63mmx2"	गोटा	२३९१.१५	२६३०.००	२६३०.००
३०	**Stop Valve**				
	20 mm	गोटा	३१७.७०	३४९.००	३४९.००
	25 mm	गोटा	४१८.५८	४६०.००	४६०.००
	32 mm	गोटा	५०५.३१	५५५.००	५५५.००
	40mm	गोटा	५४१.५९	५९५.००	५९५.००
	50 mm	गोटा	९०२.६५	९९२.००	९९२.००
	63 mm	गोटा	१३५५.७५	१४९१.००	१४९१.००
	75 mm	गोटा		२८४०.००	२८४०.००
	90 mm	गोटा		३१०९.००	३१०९.००
	110 mm	गोटा		४२४९.००	४२४९.००
	MALE SEATED ELBOW				
	20mm*1/2"	गोटा		१५५.००	१५५.००
	25mm*1/2"	गोटा		१७८.००	१७८.००
	25mm*3/4"	गोटा		१९८.००	१९८.००
	FEMALE SEATED ELBOW				

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	20mm*1/2"	गोटा		१६८.००	१६८.००
	25mm*1/2"	गोटा		२१०.००	२१०.००
	25mm*3/4"	गोटा		२२०.००	२२०.००
३१	Male base elbow				
	20mm x 1/2"	गोटा	१४२.४८	१५६.००	१५६.००
	25mm x 1/2"	गोटा	१७६.११	१९३.००	१९३.००
	25mm x 3/4"	गोटा	१७६.११	१९३.००	१९३.००
३२	Female base elbow	गोटा			
	20mm x 1/2"	गोटा	१३९.८२	१५३.००	१५३.००
	25mm x 1/2"	गोटा	१७१.६८	१८८.००	१८८.००
	25mm x 3/4"	गोटा	१६९.०३	१८५.००	१८५.००
३३	Metal Ball valve (double)				
	20mmx1/2"	गोटा	५८६.७३	६४५.००	६४५.००
	25mmx3/4"	गोटा	८५९.२९	९४५.००	९४५.००
	32mmx1"	गोटा	१०६१.०६	११६७.००	११६७.००
	40mmx1-1/4"	गोटा	३०२१.२४	३३२३.००	३३२३.००
	50mmx1-1/2"	गोटा	४१५१.३३	४५६६.००	४५६६.००
३४	Metal Ball valve (Single)				
	20mmx1/2"	गोटा	५४१.५९	५९५.००	५९५.००
	25mmx3/4"	गोटा	७०५.३१	७७५.००	७७५.००
	32mmx1"	गोटा	११९५.५८	१३१५.००	१३१५.००
३५	Conceal Valve (Lux)				
	20mm	गोटा	१०१२.३९	१११३.००	१११३.००
३६	Conceal Valve (Nor)				
	20mm	गोटा	८५२.२१	९३७.००	९३७.००
३७	Ball Valve (Plastic)				
	20mm	गोटा	८५.८४	९४.००	९४.००
	25mm	गोटा	११६.८१	१२८.००	१२८.००
	32mm	गोटा	१९९.१२	२१९.००	२१९.००
	40mm	गोटा	४३२.७४	४७६.००	४७६.००
	50mm	गोटा	६२७.४३	६९०.००	६९०.००
	63 mm	गोटा	१०६१.०६	११६७.००	११६७.००
	75 mm	गोटा		१६३३.००	१६३३.००
	90 mm	गोटा		३२३७.००	३२३७.००
	110 mm	गोटा		४४२७.००	४४२७.००
३८	Ball Valve (Brass)				
	20mm	गोटा	३११.५०	३४२.००	३४२.००
	25mm	गोटा	३८४.०७	४२२.००	४२२.००
	32mm	गोटा	५२१.२४	५७३.००	५७३.००
	40mm	गोटा	८६१.९५	९४८.००	९४८.००
	TANK NIPPLE				
	32mm	गोटा		२६५.००	२६५.००
	40mm	गोटा		३२७.००	३२७.००

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

Khemaj

कुमार रिसाल नगरप्रमुख गोकर्णेश्वर नगरपालिका

पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	PIPE TANK NIPPLE				
	32mm	गोटा		१४८.००	१४८.००
	BALL VALVE METAL BODY				
	20mm	गोटा		५९२.००	५९२.००
	25mm	गोटा		८०४.००	८०४.००
	32mm	गोटा		११६६.००	११६६.००
	40mm	गोटा		१५५२.००	१५५२.००
	50mm	गोटा		१९४१.००	१९४१.००
	63mm	गोटा		२४८५.००	२४८५.००
	75mm	गोटा		६७२४.००	६७२४.००
	90mm	गोटा		१०८८५.००	१०८८५.००
	110mm	गोटा		१३०६२.००	१३०६२.००
	BALL VALVE FEMALE				
	20mm	गोटा		५९२.००	५९२.००
	25mm	गोटा		८०४.००	८०४.००
	32mm	गोटा		११६६.००	११६६.००
	40mm	गोटा		१५५२.००	१५५२.००
	50mm	गोटा		१९४१.००	१९४१.००
	63mm	गोटा		२४८५.००	२४८५.००
	75mm	गोटा		६७२४.००	६७२४.००
	90mm	गोटा		१०८८५.००	१०८८५.००
	110mm	गोटा		१३०६२.००	१३०६२.००
	PLUG NIPPLE				
	20mm	गोटा		११.००	११.००
	DOUBLE FEMALE ELBOW				
	20mm*1/2"	गोटा		२५६.००	२५६.००
	25mm*1/2"	गोटा		२९४.००	२९४.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2" dia. (42.19 Kg/cm2)	र.मि	११४.00	१२१.00	१२१.00
	3/4"dia. (33.75 Kg/cm2)	र.मि	१४७.00	१५६.00	१५६.00
	1" dia. (31.64 Kg/cm2)	र.मि	२२६.00	२४०.00	२४०.00
	1-1/4" dia. (26.01 Kg/cm2)	र.मि	२७९.00	२९७.00	२९७.00
	1-1/2" dia. (23.20 Kg/cm2)	र.मि	३४२.00	३६४.00	३६४.00
	2" dia. (19.69 Kg/cm2)	र.मि	४८५.00	५१७.00	५१७.00
	2-1/2" dia. (21.09 Kg/cm2)	र.मि	६७८.00	७२२.00	७२२.00
	3" dia. (18.28 Kg/cm2)	र.मि	८५६.00	९१२.00	९१२.00
	4" dia. (15.47 Kg/cm2)	र.मि	१२५६.00	१३१८.00	१३१८.00
	6" dia. (12.66 Kg/cm2)	र.मि	२६१६.00	२७४६.00	२७४६.00
	PVC FITTINGS as per ASTM D 2466				
	PVC Tee - Soc				
	1/2"	गोटा	३२.00	३४.00	३४.00
	3/4"	गोटा	४४.00	४६.00	४६.00
	1"	गोटा	६९.00	७३.00	७३.00
	1-1/4"	गोटा	१०९.00	११६.00	११६.00
	1-1/2"	गोटा	१४३.00	१५२.00	१५२.00
	2"	गोटा	२२१.00	२३५.00	२३५.00
	2-1/2"	गोटा	६३३.00	६७४.00	६७४.00
	3"	गोटा	८३१.00	८८६.00	८८६.00
	4"	गोटा	१५०३.00	१५७८.00	१५७८.00
	6"	गोटा	८३३६.00	८७५२.00	८७५२.00
	PVC Reducer Tee - Soc				
	3/4 x 1/2	गोटा	६३.00	६७.00	६७.00
	1 x 1/2	गोटा	९७.00	१०३.00	१०३.00
	1 x 3/4	गोटा	९७.00	१०३.00	१०३.00
	1-1/2 X 1/2	गोटा	३२९.00	३५०.00	३५०.00
	1-1/2 X 3/4	गोटा	३२९.00	३५०.00	३५०.00
	1-1/2 X 1	गोटा	३२९.00	३५०.00	३५०.00
	1-1/2 X 1-1/4	गोटा	३२९.00	३५०.00	३५०.00
	2 X 1/2	गोटा	४०६.00	४३२.00	४३२.00
	2 X 3/4	गोटा	४०६.00	४३२.00	४३२.00
	2 X 1	गोटा	४०६.00	४३२.00	४३२.00
	2 X 1-1/4	गोटा	४०६.00	४३२.00	४३२.00
	2 X 1-1/2	गोटा	४०६.00	४३२.00	४३२.00
	2-1/2 X 1/2	गोटा	१०४३.00	१०९५.00	१०९५.00
	2-1/2 X 3/4	गोटा	१०४३.00	१०९५.00	१०९५.00
	2-1/2 X 1	गोटा	१०४३.00	१०९५.00	१०९५.00
	2-1/2 X 1-1/4	गोटा	१०४३.00	१०९५.00	१०९५.00
	2-1/2 X 1-1/2	गोटा	१०४३.00	१०९५.00	१०९५.00
	2-1/2 X 2	गोटा	१०४३.00	१०९५.00	१०९५.00
	3 X 1/2	गोटा	१५२३.00	१५९९.00	१५९९.00
	3 X 3/4	गोटा	१५२३.00	१५९९.00	१५९९.00

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	3 X 1	गोटा	१५२३.००	१५९९.००	१५९९.००
	3 X 1-1/4	गोटा	१५२३.००	१५९९.००	१५९९.००
	3 X 1-1/2	गोटा	१५२३.००	१५९९.००	१५९९.००
	3 X 2	गोटा	१५२३.००	१५९९.००	१५९९.००
	3 X 2-1/2	गोटा	१५२३.००	१५९९.००	१५९९.००
	6 X 1-1/4	गोटा	८००७.००	८४०७.००	८४०७.००
	6 X 1-1/2	गोटा	८००७.००	८४०७.००	८४०७.००
	6 X 2	गोटा	८००७.००	८४०७.००	८४०७.००
	6 X 2-1/2	गोटा	८००७.००	८४०७.००	८४०७.००
	6 X 3	गोटा	८००७.००	८४०७.००	८४०७.००
	6 X 4	गोटा	८००७.००	८४०७.००	८४०७.००
	PVC Brass Tee - Soc x Fipt SCH 80				
	1/2"	गोटा	१६१.००	१७१.००	१७१.००
	3/4"	गोटा	२९२.००	३११.००	३११.००
	3/4" X 1/2"	गोटा	२३७.००	२५२.००	२५२.००
	1" X 1/2"	गोटा	४२०.००	४४७.००	४४७.००
	PVC 90° Elbow - Soc				
	1/2"	गोटा	२६.००	२७.००	२७.००
	3/4"	गोटा	३०.००	३१.००	३१.००
	1"	गोटा	५३.००	५६.००	५६.००
	1-1/4"	गोटा	९३.००	९९.००	९९.००
	1-1/2"	गोटा	१०९.००	११६.००	११६.००
	2"	गोटा	१६७.००	१७८.००	१७८.००
	2-1/2"	गोटा	४९६.००	५२८.००	५२८.००
	3"	गोटा	५९४.००	६३३.००	६३३.००
	4"	गोटा	१२१६.००	१२७६.००	१२७६.००
	6"	गोटा	५१२१.००	५३७७.००	५३७७.००
	PVC Brass 90° Elbow Soc x Fipt SCH 80				
	1/2"	गोटा	१७३.००	१८४.००	१८४.००
	3/4"	गोटा	२४२.००	२५८.००	२५८.००
	3/4" X 1/2"	गोटा	२५०.००	२६६.००	२६६.००
	PVC 45° Elbow - Soc				
	1/2"	गोटा	५५.००	५८.००	५८.००
	3/4"	गोटा	८६.००	९१.००	९१.००
	1"	गोटा	१०२.००	१०८.००	१०८.००
	1-1/4"	गोटा	१४३.००	१५२.००	१५२.००
	1-1/2"	गोटा	१८०.००	१९१.००	१९१.००
	2"	गोटा	२३४.००	२४९.००	२४९.००
	2-1/2"	गोटा	६६९.००	७१३.००	७१३.००
	3"	गोटा	१०४०.००	१०९२.००	१०९२.००
	4"	गोटा	१८६६.००	१९५९.००	१९५९.००
	6"	गोटा	५१३५.००	५३९१.००	५३९१.००
	PVC Coupling - Soc				

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1/2"	गोटा	१७.००	१८.००	१८.००
	3/4"	गोटा	२६.००	२७.००	२७.००
	1"	गोटा	४१.००	४३.००	४३.००
	1-1/4"	गोटा	५६.००	५९.००	५९.००
	1-1/2"	गोटा	७६.००	८१.००	८१.००
	2"	गोटा	११७.००	१२४.००	१२४.००
	2-1/2"	गोटा	२४७.००	२६३.००	२६३.००
	3"	गोटा	३८६.००	४११.००	४११.००
	4"	गोटा	६०४.००	६४३.००	६४३.००
	6"	गोटा	२४२०.००	२५४१.००	२५४१.००
	PVC Reducer Coupling - Soc				
	3/4 X 1/2	गोटा	४२.००	४४.००	४४.००
	1 X 3/4	गोटा	७३.००	७७.००	७७.००
	1-1/2 X 1-1/4	गोटा	१३१.००	१३९.००	१३९.००
	2 X 1-1/2	गोटा	२०८.००	२२१.००	२२१.००
	4 x 2	गोटा	१३९२.००	१४६१.००	१४६१.००
	4 X 3	गोटा	१३९२.००	१४६१.००	१४६१.००
	6 X 4	गोटा	२८९५.००	३०३९.००	३०३९.००
	PVC Reducer Bushing - (Flush Style)				
	3/4 X 1/2	गोटा	३५.००	३७.००	३७.००
	1 X 1/2	गोटा	५०.००	५३.००	५३.००
	1 X 3/4	गोटा	५०.००	५३.००	५३.००
	1-1/4 X 1/2	गोटा	८६.००	९१.००	९१.००
	1-1/4 X 3/4	गोटा	८६.००	९१.००	९१.००
	1-1/4 X 1	गोटा	८६.००	९१.००	९१.००
	1-1/2 X 1/2	गोटा	९०.००	९५.००	९५.००
	1-1/2 X 3/4	गोटा	९०.००	९५.००	९५.००
	1-1/2 X 1	गोटा	९०.००	९५.००	९५.००
	1-1/2 X 1-1/4	गोटा	९०.००	९५.००	९५.००
	2 X 1/2	गोटा	१६५.००	१७५.००	१७५.००
	2 X 3/4	गोटा	१६५.००	१७५.००	१७५.००
	2 X 1	गोटा	१६५.००	१७५.००	१७५.००
	2 X 1-1/4	गोटा	१६५.००	१७५.००	१७५.००
	2 X 1-1/2	गोटा	१६५.००	१७५.००	१७५.००
	2-1/2 X 1-1/4	गोटा	२३२.००	२४७.००	२४७.००
	2-1/2 X 1-1/2	गोटा	२३२.००	२४७.००	२४७.००
	2-1/2 X 2	गोटा	२३२.००	२४७.००	२४७.००
	3 X1-1/2	गोटा	३४४.००	३६६.००	३६६.००
	3 X2	गोटा	३४४.००	३६६.००	३६६.००
	3 X2-1/2	गोटा	३४४.००	३६६.००	३६६.००
	4 X 2	गोटा	६७६.००	७२०.००	७२०.००
	4 X 3	गोटा	६७६.००	७२०.००	७२०.००
	6 X 2	गोटा	२२७१.००	२३८४.००	२३८४.००

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	6 X 3	गोटा	२२७१.००	२३८४.००	२३८४.००
	6 X 4	गोटा	२२७१.००	२३८४.००	२३८४.००
	PVC Cap - Soc				
	1/2"	गोटा	२४.००	२५.००	२५.००
	3/4"	गोटा	३०.००	३१.००	३१.००
	1"	गोटा	४२.००	४४.००	४४.००
	1-1/4"	गोटा	६०.००	६३.००	६३.००
	1-1/2"	गोटा	६६.००	७०.००	७०.००
	2"	गोटा	७९.००	८४.००	८४.००
	2-1/2"	गोटा	२५४.००	२७०.००	२७०.००
	3"	गोटा	२७८.००	२९६.००	२९६.००
	4"	गोटा	६३३.००	६७४.००	६७४.००
	6"	गोटा	२४९८.००	२६२२.००	२६२२.००
	PVC Union - Soc With EPDM O-Ring Seal				
	1/2"	गोटा	२५४.००	२७०.००	२७०.००
	3/4"	गोटा	२९१.००	३१०.००	३१०.००
	1"	गोटा	२९८.००	३१७.००	३१७.००
	1-1/4"	गोटा	९६०.००	१०२३.००	१०२३.००
	1-1/2"	गोटा	१००१.००	१०५१.००	१०५१.००
	2"	गोटा	१३५०.००	१४१७.००	१४१७.००
	2-1/2"	गोटा	१८८९.००	१९८३.००	१९८३.००
	3"	गोटा	३०१८.००	३१६८.००	३१६८.००
	4"	गोटा	४१७८.००	४३८६.००	४३८६.००
	PVC Male Adaptor - Soc x MBSP				
	1/2"	गोटा	४६.००	४९.००	४९.००
	3/4"	गोटा	५४.००	५७.००	५७.००
	1"	गोटा	७१.००	७५.००	७५.००
	1-1/4"	गोटा	८७.००	९२.००	९२.००
	1-1/2"	गोटा	१२१.००	१२९.००	१२९.००
	2"	गोटा	१५६.००	१६६.००	१६६.००
	2-1/2"	गोटा	५४५.००	५८१.००	५८१.००
	3"	गोटा	६४८.००	६९०.००	६९०.००
	4"	गोटा	१०२५.००	१०७६.००	१०७६.००
	6"	गोटा	२३५९.००	२४७६.००	२४७६.००
	PVC Brass Male Adapter - Soc x Mipt SCH 80				
	1/2"	गोटा	२६२.००	२७९.००	२७९.००
	3/4"	गोटा	३५०.००	३७३.००	३७३.००
	1"	गोटा	५२७.००	५६१.००	५६१.००
	PVC Female Adaptor - Soc x FBSP				
	1/2"	गोटा	५९.००	६२.००	६२.००
	3/4"	गोटा	६१.००	६५.००	६५.००
	1"	गोटा	६४.००	६८.००	६८.००
	1-1/4"	गोटा	१६७.००	१७८.००	१७८.००

दिपक कुमार रिसाल
नगरप्रमुख
...रीश्वर नगरपालिका

पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	"LEAD FREE" PVC PIPES as per ASTM D 1785				
	1-1/2"	गोटा	२४५.००	२६१.००	२६१.००
	2"	गोटा	२३८.००	२५३.००	२५३.००
	PVC Brass Female Adapter - Soc x Fipt SCH 80				
	1/2"	गोटा	२२०.००	२३४.००	२३४.००
	3/4"	गोटा	३११.००	३३१.००	३३१.००
	1"	गोटा	३९९.००	४२५.००	४२५.००
	PVC Ball Valve - Soc				
	1/2"	गोटा	८८१.००	९२५.००	९२५.००
	3/4"	गोटा	१०४८.००	११००.००	११००.००
	1"	गोटा	१४६६.००	१५३९.००	१५३९.००
	1-1/4"	गोटा	१९८५.००	२०८४.००	२०८४.००
	1-1/2"	गोटा	३०२७.००	३१७८.००	३१७८.००
	2"	गोटा	३८२८.००	४०१९.००	४०१९.००
	2-1/2"	गोटा	६३२३.००	६६३९.००	६६३९.००
	3"	गोटा	१००१८.००	१०४१८.००	१०४१८.००
	4"	गोटा	१६५५६.००	१७२१८.००	१७२१८.००
	6"	गोटा	३५९६१.००	३७३९९.००	३७३९९.००
	PVC Adhesive Solution (Med. Bonded 705)				
	118ML	गोटा	३०६.००	३२१.००	३२१.००
	237ML	गोटा	४३९.००	४६०.००	४६०.००
	473ML	गोटा	७९५.००	८३४.००	८३४.००
	946ML	गोटा	१३०८.००	१३७३.००	१३७३.००
	PVC Adhesive Solution (Heavy Bonded 717)				
	118ML	गोटा	४९२.००	५१६.००	५१६.००
	237ML	गोटा	६४९.००	६८१.००	६८१.००
	473ML	गोटा	११३८.००	११९४.००	११९४.००
	946ML	गोटा	१९६९.००	२०६७.००	२०६७.००

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९/८०	आ.व.०८०।८१
1	**Class 500 PVC-O pipes-PN 12.5**				
	90 mm	र.मि	७०२.०३	७३०.००	७३०.००
	110 mm	र.मि	९९०.७५	१०५०.००	१०५०.००
	125 mm	र.मि	१४०२.६८	१४५०.००	१४५०.००
	140 mm	र.मि	१७६०.४५	१७५०.००	१७५०.००
	160 mm	र.मि	२२९६.६२	२२००.००	२२००.००
	200 mm	र.मि	३५८२.२३	३५००.००	३५००.००
	225 mm	र.मि	४३२७.५१	४४००.००	४४००.००
	250 mm	र.मि	५३२५.२१	५२००.००	५२००.००
	315 mm	र.मि	८८५६.०३	८५००.००	८५००.००
	355 mm	र.मि	१०७३३.४५	१०८००.००	१०८००.००
	400 mm	र.मि	१३२४८.८०	१३७७८.००	१३७७८.००
	450 mm	र.मि	१८४३४.८९	१९०००.००	१९०००.००
	500 mm	र.मि	२२७२६.४२	२२७००.००	२२७००.००
	630 mm	र.मि	३५९१२.९२	३६०००.००	३६०००.००
	800 mm	र.मि	५७८९४.४८	५८०००.००	५८०००.००
	1000 mm	र.मि		११००००.००	११००००.००
	1200 mm	र.मि		१५००००.००	१५००००.००
2	Class 500 PVC-O pipes-PN 16				
	90 mm	र.मि	८४८.४२	८५४.४०	८५४.४०
	110 mm	र.मि	१२५४.१४	१२६०.००	१२६०.००
	125 mm	र.मि	१६२४.०६	१५५०.००	१५५०.००
	140 mm	र.मि	२०३२.३८	१९५०.००	१९५०.००
	160 mm	र.मि	२६६३.४१	२६००.००	२६००.००
	200 mm	र.मि	४१४७.०५	४०००.००	४०००.००
	225 mm	र.मि	५२४३.६४	४९५०.००	४९५०.००
	250 mm	र.मि	६४६९.६१	६३००.००	६३००.००
	315 mm	र.मि	१०२५०.४९	९६००.००	९६००.००
	355 mm	र.मि	१३००५.३६	१२७००.००	१२७००.००
	400 mm	र.मि	१४५६५.२६	१५१४७.००	१५१४७.००
	450 mm	र.मि	१९३५६.८६	२०१३१.००	२०१३१.००
	500 mm	र.मि	२३६४५.२८	२४५९१.००	२४५९१.००
	630 mm	र.मि	३६९३४.६४	३८४१२.००	३८४१२.००
	800 mm	र.मि	५७६५२.७०	५९३८२.००	५९३८२.००
	1000 mm	र.मि		९६०००.००	९६०००.००
	1200 mm	र.मि		१४००००.००	१४००००.००
3	Class 500 PVC-O pipes-PN 25				
	90 mm	र.मि	१७८२.००	१७००.००	१७००.००
	110 mm	र.मि	२६४६.००	२५००.००	२५००.००
	125 mm	र.मि	२७५४.००	२७००.००	२७००.००
	140 mm	र.मि	३१३२.००	३१००.००	३१००.००
	160 mm	र.मि	३८३४.००	३८००.००	३८००.००
	200 mm	र.मि	५१४०.८०	५३९७.००	५३९७.००
	225 mm	र.मि		६५६६.००	६५६६.००
	250 mm	र.मि	७३२२.४०	७६८८.००	७६८८.००
	315 mm	र.मि	१०४७६.००	१०८९५.०४	१०८९५.[illegible]

पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९/८०	आ.व.०८०।८१
	355 mm	र.मि	१३५००.००	१४०४०.००	१४०४०.००
	400 mm	र.मि	१८६७३.२०	१९४२०.१३	१९४२०.१३
	450 mm	र.मि	२४७१६.८३	२५७०५.५०	२५७०५.५०
	500 mm	र.मि	३००५३.५४	३१२५५.६८	३१२५५.६८
	630 mm	र.मि	४६३२६.०९	४८१७९.१४	४८१७९.१४
	PVC-O Fittings				
	Elbow 11.25º (PN 16)				
	110	गोटा	६६३८.०५	६९६९.००	६९६९.००
	160	गोटा	१४४२०.०४	१४९९६.८४	१४९९६.८४
	200	गोटा	२६४८५.८४	२७५४५.२८	२७५४५.२८
	250	गोटा	४०३२९.९६	४१९४३.१६	४१९४३.१६
	315	गोटा	७७३०५.६७	७९६२४.००	७९६२४.००
	400	गोटा	१४४२९९.७६	१४७१८५.००	१४७१८५.००
	Elbow 22.5º (PN 16)				
	110	गोटा	६९०३.५७	७२४८.००	७२४८.००
	160	गोटा	१५२२१.४९	१५८३०.३५	१५८३०.३५
	200	गोटा	२७५४५.२८	२८६४७.०९	२८६४७.०९
	250	गोटा	४१९४३.१६	४३६२०.८९	४३६२०.८९
	315	गोटा	८०३९७.८९	८२८०९.००	८२८०९.००
	400	गोटा	१५००७१.७६	१५३०७३.००	१५३०७३.००
	Elbow 45º (PN 16)				
	110	गोटा	७६३६.६२	८०१८.००	८०१८.००
	160	गोटा	१६७१३.४४	१७३८१.९८	१७३८१.९८
	200	गोटा	३०२९२.०५	३१५०३.७३	३१५०३.७३
	250	गोटा	४९६८३.२७	५१६७०.६०	५१६७०.६०
	315	गोटा	८८१५५.२५	९०७९९.००	९०७९९.००
	400	गोटा	१७००६९.५२	१७४१८४.००	१७४१८४.००
	Elbow 90º (PN 16)				
	110	गोटा	१०८४४.७७	११२७८.५६	११२७८.५६
	160	गोटा	२१७२८.३५	२२५९७.४८	२२५९७.४८
	200	गोटा	३९०७५.६६	४०६३८.६९	४०६३८.६९
	250	गोटा	६५०८५.८५	६७०३८.००	६७०३८.००
	315	गोटा	१०१३७५.९४	१०३४०३.००	१०३४०३.००
	400	गोटा	२०३२१७.५८	२०७२८१.००	२०७२८१.००
	COUPLER (PN 16)				
	110	गोटा	६६२३.२८	६९५४.००	६९५४.००
	160	गोटा	११८१०.६६	१२२८३.०९	१२२८३.०९
	200	गोटा	१७०७१.३४	१७७५४.२०	१७७५४.२०
	250	गोटा	३१९५२.१८	३३२३०.२७	३३२३०.२७
	315	गोटा	६०५६६.८४	६२३८३.००	६२३८३.००
	400	गोटा	१३४२४२.२०	१३६९२७.००	१३६९२७.००
	SLIDING COUPLER (PN 16)				
	110	गोटा	६६२३.२८	६९५४.००	६९५४.००
	160	गोटा	११८१०.६६	१२२८३.०९	१२२८३.०९
	200	गोटा	१७०७१.३४	१७७५४.२०	१७७५४.२०
	250	गोटा	३१९५२.१८	३३२३०.२७	३३२३०.२७

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९/८०	आ.व.०८०।८१
	315	गोटा	६०५६६.८४	६२३८३.००	६२३८३.००
	400	गोटा	१३४२४२.२०	१३६९२७.००	१३६९२७.००
	REDUCING COUPLER (PN 16)				
	110 to 90	गोटा	८२७४.८१	८६८८.००	८६८८.००
	160 to 110	गोटा	१३५८२.९१	१४१२६.२३	१४१२६.२३
	200 to 160	गोटा	१३६२१.७२	१४१६६.५८	१४१६६.५८
	250 to 200	गोटा	२३४९६.२७	२४४३६.१३	२४४३६.१३
	315 to 250	गोटा	५२४८१.७८	५४०५६.००	५४०५६.००
	400 to 315	गोटा	१०८९३९.२५	१११११८.००	१११११८.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

CP Accessories

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८/७९	आ.व.०७९/८०	आ.व.०८०/८१
	Chrome plated Accessories - (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
१	C.P. Toilet Paper Holder	गोटा	९२९.००	९२९.००	९२९.००
२	C.P. Soap Dish(Polyurethane)	गोटा	१०४२.००	१०४२.००	१०४२.००
३	3) Towel rod ½"×18" size	गोटा	५१०.००	५१०.००	५१०.००
४	C.P. Towel Rod 18"	गोटा	१५७८.००	१५७८.००	१५७८.००
५	C.P. Towel Rod 24"	गोटा	१६६३.००	१६६३.००	१६६३.००
६	C.P. Glass Shelf 22"	गोटा	२२६०.००	२२६०.००	२२६०.००
७	Glass shelf	गोटा	६८०.००	६८०.००	६८०.००
८	C.P. bottle trap	गोटा	१२४६.००	१२४६.००	१२४६.००
९	32 mm×60cm long C.P flush pipe	गोटा	५१०.००	५१०.००	५१०.००
१०	15 mm flush cock push type	गोटा	११३३.००	११३३.००	११३३.००
११	15 mm dia. C.P. shower arm	गोटा	९७६.००	९७६.००	९७६.००
१२	15 mm dia. C.P. spreader	गोटा	९४०.००	९४०.००	९४०.००
१३	15 mm dia. C.P. wall mixture	गोटा	५४३५.००	५४३५.००	५४३५.००
१४	3" dia. Shower rose , revolving type	गोटा	९०६.००	९०६.००	९०६.००
१५	4" dia. Shower rose , revolving type	गोटा	१०२०.००	१०२०.००	१०२०.००
१६	Shower rose ordinary	गोटा	५६७.००	५६७.००	५६७.००
१७	Shower rod 12" long	गोटा	२८३.००	२८३.००	२८३.००
१८	C.P. 15 mm dia. Angle Valve	गोटा	१२४४.००	१२४४.००	१२४४.००
१९	C.P. 15 mm dia Concealed Stop Cock	गोटा	१८०७.००	१८०७.००	१८०७.००
२०	C.P 15mm Bib Cock	गोटा	१३६१.००	१३६१.००	१३६१.००
२१	C.P. 15 mm dia swan neck Pillar Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२२	C.P. 15 mm dia Stop Cock	गोटा	१३३१.००	१३३१.००	१३३१.००
२३	C.P. 15 mm dia Sink Cock	गोटा	१३०९.००	१३०९.००	१३०९.००
२४	C.P. 15 mm dia Sink Mixture	गोटा	४४७२.००	४४७२.००	४४७२.००
२५	C.P. 32 mm dia Flush Valve	गोटा	५४०४.००	५४०४.००	५४०४.००
२६	C.P. 32 mm dia Waste Coupling for basin	गोटा	४२४.००	४२४.००	४२४.००
२७	C.P. 32 mm dia Waste Coupling for Urinal	गोटा	६८९.००	६८९.००	६८९.००
२८	C.P. Basin Mixture	सेट	४६४०.००	४६४०.००	४६४०.००
२९	15 mm dia Bath Tub Spout with Wall Hinge	सेट	१७३१.००	१७३१.००	१७३१.००
३०	C.P. Exclusive Shower Arm with Hinge	सेट	२०१४.००	२०१४.००	२०१४.००
३१	15 mm bath tub with bottom attachment of telephonic shower	सेट	४१६९.००	४१६९.००	४१६९.००
३२	15 mm wall mixture lever type telephonic shower of flexible type heavy.	सेट	६८४९.००	६८४९.००	६८४९.००
३३	C.P. flexible pipe	गोटा	१८१.००	१८१.००	१८१.००
३४	C.P. Grating - 4" dia.	गोटा	५०.००	५०.००	५०.००
३५	C.P. Grating -5" dia.	गोटा	६२.००	६२.००	६२.००
३६	Self Cleaning Rainfall Showers 9"	गोटा			३९९०.००
३७	**C.P. Angle Cock**				
	15mm C.P. Angle Cock	गोटा	९२७.००	९२७.००	९२७.००
	15 mm C.P. Angle Cock Long Thread	गोटा	९८६.००	९८६.००	९८६.००

Khemaj

नगरप्रमुख
नगरपालिका

CP Accessories

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
३८	**C.P. Conceal Stop Cock**				
	15 mm Reduced body	गोटा	११३६.००	११३६.००	११३६.००
	15 mm Extra Heavy Body	गोटा	१३९०.००	१३९०.००	१३९०.००
	15mm C.P. Auto Closing Bib Cock With Aerator	गोटा	२६१२.००	२६१२.००	२६१२.००
	15mm C.P. Bib Cock	गोटा	९५२.००	९५२.००	९५२.००
	15mm C.P. Bib Cock with nozzle	गोटा	१०५४.००	१०५४.००	१०५४.००
	15 mm C.P. Pillar Cock With Aerator	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Auto Closing Pillar Cock With Aerator	गोटा	२५२७.००	२५२७.००	२५२७.००
	15mm C.P. Sink Cock	गोटा	१६००.००	१६००.००	१६००.००
	C.P. Sink Mixer	गोटा	३९६६.००	३९६६.००	३९६६.००
	15 mm C.P. Sink Mixer With Revolving Spout	गोटा	३४५६.००	३४५६.००	३४५६.००
	C.P. Bottle Trap 32mm	गोटा	१८५२.००	१८५२.००	१८५२.००
	32 mm C.P. Conceal Flush Valve Dual Flow	गोटा	३८७४.००	३८७४.००	३८७४.००
	32 mm C.P. Waste Coupling H/T	गोटा	४४६.००	४४६.००	४४६.००
	32 mm C.P. Waste Coupling F/T	गोटा	४४६.००	४४६.००	४४६.००
	15 mm Urinal Auto-Closing Valve with Built-in Control Cock	गोटा	२६९४.००	२६९४.००	२६९४.००
	15 mm C.P. Wall Mixer With Lower Bend Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
	15 mm C.P. Wall Mixer With Upper Bead Pipe	गोटा	४४६३.००	४४६३.००	४४६३.००
३९	**C.P. Basin Mixer**				
	15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses	गोटा	३७०६.००	३७०६.००	३७०६.००
	15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses	गोटा	३८९१.००	३८९१.००	३८९१.००
	15mm Bath Tub Spout with wall Flange	गोटा	१२६३.००	१२६३.००	१२६३.००
	15mm Bath Tub Spout with button attachment	गोटा	२०२१.००	२०२१.००	२०२१.००
	15 mm CP Casted Shower Arm Light	गोटा	६७३.००	६७३.००	६७३.००
	15 mm CP Casted Shower Arm Heavy	गोटा	१०९४.००	१०९४.००	१०९४.००
	15 mm Telephonic Hand ShowerWith 1.50 m. PVC Tube	गोटा	१७९१.००	१७९१.००	१७९१.००
	15 mm Telephonic Hand ShowerWith 1.5 Flexible Tube	गोटा	२७७९.००	२७७९.००	२७७९.००
	18"x24" drain and 24"x18"x12" sink without frame and legs	गोटा	३२२४.००	३२२४.००	३२२४.००
	18"x24" drain and 24"x18"x12" sink with s.s. frame and legs				
४०	**Deep Scrub Sink**	गोटा	४८३४.००	४८३४.००	४८३४.००
	28"x28"x24" deep+ 6" splash with	गोटा	२९८.००	२९८.००	२९८.००
	15 mm Health Faucet (Commode Spray)	गोटा	११४६.००	११४६.००	११४६.००
	15 mm pillar cock with 200 mm extended lever handle	गोटा	१५१५.००	१५१५.००	१५१५.००
	15 mm Bib cock with 200 mm extended lever handle	गोटा	१५९८.००	१५९८.००	१५९८.००
	Single lever surgical purpose elbow action basin mixer with extended operating lever	गोटा	५९५६.००	५९५६.००	५९५६.००
	Single lever surgical purpose elbow action Sink mixer with extended operating lever	गोटा	५७७६.००	५७७६.००	५७७६.००
	Sensor mixer for wash basin (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Wall mounted Sensor mixer for operatation theater (Battery operated)	गोटा	२०४८१.००	२०४८१.००	२०४८१.००
	Sensor conceal type flushing valve for Western commode (battery operated)	गोटा	१६२२१.००	१६२२१.००	१६२२१.००

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

CP Accessories

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Sensor valve for Urinal	गोटा	१०६५१.००	१०६५१.००	१०६५१.००
	Basin cock Sensor	गोटा	१४४१८.००	१४४१८.००	१४४१८.००
	15mm U shaped sink cock	गोटा	१७१२.००	१७१२.००	१७१२.००
	Sink Mixture with U shape swinging spout	गोटा	३३५८.००	३३५८.००	३३५८.००
	15mm metallic Health Faucet (Commode Spray)	गोटा	२१७१.००	२१७१.००	२१७१.००
४१	**European Pattern C.P. Grab Bar for disable**				
	a) 30cm long bend type	गोटा	५३६०.००	५३६०.००	५३६०.००
	b) 45 cm long bend type	गोटा	५६१३.००	५६१३.००	५६१३.००
	c) 60 cm long bend type	गोटा	७१८८.००	७१८८.००	७१८८.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८/७९	आ.व.०७९/८०	आ.व.०८०/८१
	CPVC Pipe SDR 13.5 (22.5 Kg/cm2)-ASTM F-493 2846				
	1/2" dia	र.मि	११५.००	१२२.००	१२२.००
	3/4" dia	र.मि	१६०.००	१७०.००	१७०.००
	1" dia	र.मि	२१०.००	२२३.००	२२३.००
	1-1/4" dia	र.मि	२६१.००	२७८.००	२७८.००
	1-1/2" dia	र.मि	३६६.००	३९०.००	३९०.००
	2" dia	र.मि	५५९.००	५९६.००	५९६.००
	CPVC Pipe SDR 11 (28.1 Kg/cm2)-ASTM F-493 2846				
	1/2" dia	र.मि	१३१.००	१३९.००	१३९.००
	3/4" dia	र.मि	१७८.००	१८९.००	१८९.००
	1" dia	र.मि	२४८.००	२६४.००	२६४.००
	1-1/4" dia	र.मि	३००.००	३१९.००	३१९.००
	1-1/2" dia	र.मि	४१८.००	४४५.००	४४५.००
	2" dia	र.मि	६७७.००	७२१.००	७२१.००
	CPVC Ball Valve (CTS Sockets)				
	1/2"	र.मि	२२१.००	२३५.००	२३५.००
	3/4"	र.मि	३४१.००	३६३.००	३६३.००
	1"	र.मि	५६०.००	५९७.००	५९७.००
	1-1/4"	र.मि	९९४.००	१०५९.००	१०५९.००
	1-1/2"	र.मि	१६४३.००	१७२५.००	१७२५.००
	2"	र.मि	२११७.००	२२२२.००	२२२२.००
	CPVC Reducer Brass Coupling				
	3/4" X 1/2"	गोटा	१३८.००	१४७.००	१४७.००
	1" X 1/2"	गोटा	१८१.००	१९२.००	१९२.००
	CPVC Tee				
	1/2"	गोटा	३६.००	३८.००	३८.००
	3/4"	गोटा	७७.००	८२.००	८२.००
	1"	गोटा	११७.००	१२४.००	१२४.००
	1-1/4"	गोटा	२२०.००	२३४.००	२३४.००
	1-1/2"	गोटा	३२०.००	३४१.००	३४१.००
	2"	गोटा	६८७.००	७३२.००	७३२.००
	CPVC Reducer Tee				
	1/2" x 1/2" x 3/4"	गोटा	७०.००	७४.००	७४.००
	3/4" x 3/4" x1/2"	गोटा	१०७.००	११४.००	११४.००
	3/4" x 1/2" x 3/4"	गोटा	१३४.००	१४२.००	१४२.००
	3/4" x 1/2" x 1/2"	गोटा	१५३.००	१६३.००	१६३.००
	1" x 1" x 3/4"	गोटा	१६१.००	१७१.००	१७१.००
	1-1/2" x 1-1/2" x 1"	गोटा	२५१.००	२६७.००	२६७.००
	2" x 2" x 1"	गोटा	४३६.००	४६४.००	४६४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	१४२.००	१५१.००	१५१.००
	1-1/4" x 1-1/4" x 1"	गोटा	१५३.००	१६३.००	१६३.००
	2" x 2" x 1/2"	गोटा	४२८.००	४५६.००	४५६.००

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	1" x 1" x 1/2"	गोटा	१००.००	१०६.००	१०६.००
	CPVC Brass FPT Tee				
	1/2" x 1/2" x 1/2"	गोटा	१२०.००	१२७.००	१२७.००
	3/4" x 3/4" x 1/2"	गोटा	१२५.००	१३३.००	१३३.००
	1" x 1" x 1/2"	गोटा	१३९.००	१४८.००	१४८.००
	1-1/4" x 1-1/4" x 1-1/4"	गोटा	५०१.००	५३४.००	५३४.००
	1-1/4" x 1-1/4" x 1/2"	गोटा	२७२.००	२९०.००	२९०.००
	CPVC Elbow 90°				
	1/2"	गोटा	१७.००	१८.००	१८.००
	3/4"	गोटा	३१.००	३३.००	३३.००
	1"	गोटा	५८.००	६१.००	६१.००
	1-1/4"	गोटा	११७.००	१२४.००	१२४.००
	1-1/2"	गोटा	१६९.००	१८०.००	१८०.००
	2"	गोटा	३७२.००	३९६.००	३९६.००
	CPVC Reducer Elbow 90°				
	3/4" X 1/2"	गोटा	५३.००	५६.००	५६.००
	CPVC Brass FPT Elbow 90°				
	1/2" x 1/2"	गोटा	२२५.००	२३९.००	२३९.००
	3/4" x 1/2"	गोटा			
	3/4" x 3/4"	गोटा	२७०.००	२८७.००	२८७.००
	1" X 1/2"	गोटा	३९८.००	४२४.००	४२४.००
	1" X 1"	गोटा	४७१.००	५०२.००	५०२.००
	1-1/4" x 1-1/4"	गोटा	८६२.००	९१९.००	९१९.००
	CPVC Elbow 45°				
	1/2"	गोटा	३०.००	३१.००	३१.००
	3/4"	गोटा	५४.००	५७.००	५७.००
	1"	गोटा	७७.००	८२.००	८२.००
	1-1/4"	गोटा	१३६.००	१४५.००	१४५.००
	1-1/2"	गोटा	१९७.००	२१०.००	२१०.००
	2"	गोटा	४२७.००	४५५.००	४५५.००
	CPVC Male Adapter (CPVC Threads)				
	1/2"	गोटा	२२.००	२३.००	२३.००
	3/4"	गोटा	३९.००	४१.००	४१.००
	1"	गोटा	५९.००	६२.००	६२.००
	1-1/4"	गोटा	१०६.००	११३.००	११३.००
	1-1/2"	गोटा	१४९.००	१५८.००	१५८.००
	2"	गोटा	२९०.००	३०९.००	३०९.००
	CPVC Reducing Male Adapter (CPVC Threads)				
	3/4" x 1/2"	गोटा	४१.००	४३.००	४३.००
	CPVC Male Adapters (Brass Threads)	गोटा			
	1/2"	गोटा	२०६.००	२१९.००	२१९.००
	3/4"	गोटा	२६७.००	२८४.००	२८४.००
	1"	गोटा	४२१.००	४४८.००	४४८.००

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	1-1/4"	गोटा	९२६.००	९८७.००	९८७.००
	1-1/2"	गोटा	१०८०.००	११५१.००	११५१.००
	2"	गोटा	२२२४.००	२३७१.००	२३७१.००
	CPVC Reducing Male Adapter (Brass Threads)				
	3/4" x 1/2"	गोटा	२२९.००	२४४.००	२४४.००
	CPVC Female Adapter (CPVC Threads)				
	1/2"	गोटा	३१.००	३३.००	३३.००
	3/4"	गोटा	५१.००	५४.००	५४.००
	1"	गोटा	७७.००	८२.००	८२.००
	CPVC Female Adapters Brass Threads				
	1/2"	गोटा	१९८.००	२११.००	२११.००
	3/4"	गोटा	२६९.००	२८६.००	२८६.००
	1"	गोटा	३४९.००	३७२.००	३७२.००
	1-1/4"	गोटा	९१७.००	९७७.००	९७७.००
	1-1/2"	गोटा	१०२०.००	१०७१.००	१०७१.००
	2"	गोटा	१९९४.००	२०९३.००	२०९३.००
	CPVC Caps				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	२५.००	२६.००	२६.००
	1"	गोटा	३७.००	३९.००	३९.००
	1-1/4"	गोटा	७२.००	७६.००	७६.००
	1-1/2"	गोटा	१०६.००	११३.००	११३.००
	2"	गोटा	२२५.००	२३९.००	२३९.००
	CPVC Union				
	1/2"	गोटा	२७०.००	२८७.००	२८७.००
	3/4"	गोटा	३९८.००	४२४.००	४२४.००
	1"	गोटा	४७१.००	५०२.००	५०२.००
	1-1/4"	गोटा	८६२.००	९१९.००	९१९.००
	1-1/2"	गोटा	९४२.००	१००४.००	१००४.००
	2"	गोटा	१३५२.००	१४१९.००	१४१९.००
	CPVC Cross Tee				
	1/2"	गोटा	४९.००	५२.००	५२.००
	3/4"	गोटा	१०६.००	११३.००	११३.००
	CPVC Step Over Bend	गोटा			
	1/2"	गोटा	६३.००	६७.००	६७.००
	3/4"	गोटा	१०४.००	११०.००	११०.००
	CPVC Ball Valve (CTS Sockets)				
	1/2"	गोटा	६६१.००	७०४.००	७०४.००
	3/4"	गोटा	८०५.००	८५८.००	८५८.००
	1"	गोटा	९२१.००	९८१.००	९८१.००
	1-1/4"	गोटा	१८७९.००	१९७२.००	१९७२.००
	1-1/2"	गोटा	२३९१.००	२५१०.००	२५१०.००

Khemaj

सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	2"	गोटा	३०७५.००	३२२८.००	३२२८.००
	CPVC Solvent Cement				
	50ML	गोटा	१९९.००	२१२.००	२१२.००
	118ML	गोटा	३२९.००	३५०.००	३५०.००
	237ML	गोटा	५३३.००	५६८.००	५६८.००
	473ML	गोटा	८३८.००	८९३.००	८९३.००
	946ML	गोटा	१४७१.००	१५४४.००	१५४४.००
	Plastic Strap				
	1/2"	गोटा	५.००	५.००	५.००
	3/4"	गोटा	५.००	५.००	५.००
	1"	गोटा	८.००	८.००	८.००
	1-1/4"	गोटा	११.००	११.००	११.००
	1-1/2"	गोटा	१५.००	१५.००	१५.००
	2"	गोटा	१८.००	१९.००	१९.००
	Metal Strap				
	1/2"	गोटा	१३.००	१३.००	१३.००
	3/4"	गोटा	१६.००	१७.००	१७.००
	1"	गोटा	२१.००	२२.००	२२.००
	1-1/4"	गोटा	२५.००	२६.००	२६.००
	1-1/2"	गोटा	२७.००	२८.००	२८.००
	2"	गोटा	२९.००	३०.००	३०.००
	Tee Holder				
	1/2" X 1/2" X 1/2"	गोटा	५.००	५.००	५.००
	3/4" X 3/4" X 1/2"	गोटा	८.००	८.००	८.००
	Elbow Holder				
	1/2" X 1/2"	गोटा	५.००	५.००	५.००
	1/2" X 3/4"	गोटा	७.००	७.००	७.००
	Snap Fix Repair Coupling				
	1/2"	गोटा	२२९.००	२४४.००	२४४.००
	3/4"	गोटा	२४८.००	२६४.००	२६४.००
	End plug threaded 1/2"	गोटा	११.००	११.००	११.००

दिपक कुमार रिसाल
नगरप्रमुख
मोदगाउँ नगरपालिका

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1. GRP PIPES AS PER IS:12709:1994					
A)	PN-3, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	5064.00	5317.00	5317.00
	350 mm dia	मिटर	5833.00	6124.00	6124.00
	400 mm dia	मिटर	7868.00	8261.00	8261.00
	450 mm dia	मिटर	9327.00	9793.00	9793.00
	500 mm dia	मिटर	11453.00	11911.00	11911.00
	600 mm dia	मिटर	13536.00	14077.00	14077.00
	700 mm dia	मिटर	19695.00	20482.00	20482.00
	800 mm dia	मिटर	25678.00	26705.00	26705.00
	900 mm dia	मिटर	27371.00	28465.00	28465.00
	1000 mm dia	मिटर	33023.00	34343.00	34343.00
	1100 mm dia	मिटर	44654.00	46440.00	46440.00
	1200 mm dia	मिटर	52446.00	54019.00	54019.00
	1300 mm dia	मिटर	64376.00	66307.00	66307.00
	1400 mm dia	मिटर	69247.00	71324.00	71324.00
	1500 mm dia	मिटर	78702.00	81063.00	81063.00
	1600 mm dia	मिटर	85403.00	87965.00	87965.00
	1700 mm dia	मिटर	96284.00	99172.00	99172.00
	1800 mm dia	मिटर	107051.00	109192.00	109192.00
	1900 mm dia	मिटर	117931.00	120289.00	120289.00
	2000 mm dia	मिटर	128812.00	131388.00	131388.00
	2100 mm dia	मिटर	143669.00	146542.00	146542.00
	2200 mm dia	मिटर	158525.00	161695.00	161695.00
	2300 mm dia	मिटर	173448.00	176916.00	176916.00
	2400 mm dia	मिटर	188370.00	192137.00	192137.00
B)	PN-6, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	5445.00	5717.00	5717.00
	350 mm dia	मिटर	6272.00	6585.00	6585.00
	400 mm dia	मिटर	8461.00	8884.00	8884.00
	450 mm dia	मिटर	10029.00	10430.00	10430.00
	500 mm dia	मिटर	12315.00	12807.00	12807.00
	600 mm dia	मिटर	14555.00	15137.00	15137.00
	700 mm dia	मिटर	21178.00	22025.00	22025.00
	800 mm dia	मिटर	27611.00	28715.00	28715.00
	900 mm dia	मिटर	29432.00	30609.00	30609.00
	1000 mm dia	मिटर	35509.00	36929.00	36929.00
	1100 mm dia	मिटर	48015.00	49935.00	49935.00
	1200 mm dia	मिटर	56394.00	58085.00	58085.00
	1300 mm dia	मिटर	69221.00	71297.00	71297.00
	1400 mm dia	मिटर	74459.00	76692.00	76692.00
	1500 mm dia	मिटर	84626.00	87164.00	87164.00
	1600 mm dia	मिटर	91832.00	94586.00	94586.00
	1700 mm dia	मिटर	103531.00	105601.00	105601.00
	1800 mm dia	मिटर	115108.00	117410.00	117410.00
	1900 mm dia	मिटर	126808.00	129344.00	129344.00

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1. GRP PIPES AS PER IS:12709:1994					
	2000 mm dia	मिटर	138507.00	141277.00	141277.00
	2100 mm dia	मिटर	154482.00	157571.00	157571.00
	2200 mm dia	मिटर	170457.00	173866.00	173866.00
	2300 mm dia	मिटर	186503.00	190233.00	190233.00
	2400 mm dia	मिटर	202549.00	206599.00	206599.00
	PN-9, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	5881.00	6175.00	6175.00
	350 mm dia	मिटर	6774.00	7112.00	7112.00
	400 mm dia	मिटर	9138.00	9594.00	9594.00
	450 mm dia	मिटर	10831.00	11264.00	11264.00
	500 mm dia	मिटर	13300.00	13832.00	13832.00
	600 mm dia	मिटर	15719.00	16347.00	16347.00
	700 mm dia	मिटर	22872.00	23786.00	23786.00
	800 mm dia	मिटर	29820.00	31012.00	31012.00
	900 mm dia	मिटर	31786.00	33057.00	33057.00
	1000 mm dia	मिटर	38349.00	39882.00	39882.00
	1100 mm dia	मिटर	51856.00	53411.00	53411.00
	1200 mm dia	मिटर	60905.00	62732.00	62732.00
	1300 mm dia	मिटर	74759.00	77001.00	77001.00
	1400 mm dia	मिटर	80416.00	82828.00	82828.00
	1500 mm dia	मिटर	91396.00	94137.00	94137.00
	1600 mm dia	मिटर	99178.00	102153.00	102153.00
	1700 mm dia	मिटर	111813.00	114049.00	114049.00
	1800 mm dia	मिटर	124317.00	126803.00	126803.00
	1900 mm dia	मिटर	136952.00	139691.00	139691.00
	2000 mm dia	मिटर	149588.00	152579.00	152579.00
	2100 mm dia	मिटर	166841.00	170177.00	170177.00
	2200 mm dia	मिटर	184094.00	187775.00	187775.00
	2300 mm dia	मिटर	201423.00	205451.00	205451.00
	2400 mm dia	मिटर	218753.00	223128.00	223128.00
D)	PN-12, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	6410.00	6730.00	6730.00
	350 mm dia	मिटर	7384.00	7753.00	7753.00
	400 mm dia	मिटर	9960.00	10458.00	10458.00
	450 mm dia	मिटर	11806.00	12278.00	12278.00
	500 mm dia	मिटर	14497.00	15076.00	15076.00
	600 mm dia	मिटर	17134.00	17819.00	17819.00
	700 mm dia	मिटर	24930.00	25927.00	25927.00
	800 mm dia	मिटर	32503.00	33803.00	33803.00
	900 mm dia	मिटर	34647.00	36032.00	36032.00
	1000 mm dia	मिटर	41801.00	43473.00	43473.00
	1100 mm dia	मिटर	56524.00	58219.00	58219.00
	1200 mm dia	मिटर	66387.00	68378.00	68378.00
	1300 mm dia	मिटर	81488.00	83932.00	83932.00

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1. GRP PIPES AS PER IS:12709:1994					
	1400 mm dia	मिटर	87653.00	90282.00	90282.00
	1500 mm dia	मिटर	99622.00	102610.00	102610.00
	1600 mm dia	मिटर	108104.00	110266.00	110266.00
	1700 mm dia	मिटर	121877.00	124314.00	124314.00
	1800 mm dia	मिटर	135506.00	138216.00	138216.00
	1900 mm dia	मिटर	149278.00	152263.00	152263.00
	2000 mm dia	मिटर	163051.00	166312.00	166312.00
	2100 mm dia	मिटर	181857.00	185494.00	185494.00
	2200 mm dia	मिटर	200662.00	204675.00	204675.00
	2300 mm dia	मिटर	219551.00	223942.00	223942.00
	2400 mm dia	मिटर	238440.00	243208.00	243208.00
E)	PN-15, SN-2500 (124 Kpa)				
	300 mm dia	मिटर	7051.00	7403.00	7403.00
	350 mm dia	मिटर	8122.00	8528.00	8528.00
	400 mm dia	मिटर	10956.00	11394.00	11394.00
	450 mm dia	मिटर	12987.00	13506.00	13506.00
	500 mm dia	मिटर	15947.00	16584.00	16584.00
	600 mm dia	मिटर	18848.00	19601.00	19601.00
	700 mm dia	मिटर	27423.00	28519.00	28519.00
	800 mm dia	मिटर	35754.00	37184.00	37184.00
	900 mm dia	मिटर	38112.00	39636.00	39636.00
	1000 mm dia	मिटर	45981.00	47820.00	47820.00
	1100 mm dia	मिटर	62176.00	64041.00	64041.00
	1200 mm dia	मिटर	73026.00	75216.00	75216.00
	1300 mm dia	मिटर	89636.00	92325.00	92325.00
	1400 mm dia	मिटर	96418.00	99310.00	99310.00
	1500 mm dia	मिटर	109584.00	111775.00	111775.00
	1600 mm dia	मिटर	118915.00	121293.00	121293.00
	1700 mm dia	मिटर	134064.00	136745.00	136745.00
	1800 mm dia	मिटर	149056.00	152037.00	152037.00
	1900 mm dia	मिटर	164206.00	167490.00	167490.00
	2000 mm dia	मिटर	179356.00	182943.00	182943.00
	2100 mm dia	मिटर	200042.00	204042.00	204042.00
	2200 mm dia	मिटर	220729.00	225143.00	225143.00
	2300 mm dia	मिटर	241507.00	246337.00	246337.00
	2400 mm dia	मिटर	262285.00	267530.00	267530.00
F)	PN-3, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	6593.00	6922.00	6922.00
	350 mm dia	मिटर	7595.00	7974.00	7974.00
	400 mm dia	मिटर	10245.00	10654.00	10654.00
	450 mm dia	मिटर	12143.00	12628.00	12628.00
	500 mm dia	मिटर	14912.00	15508.00	15508.00
	600 mm dia	मिटर	17624.00	18328.00	18328.00
	700 mm dia	मिटर	25643.00	26668.00	26668.00

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1. GRP PIPES AS PER IS:12709:1994					
	800 mm dia	मिटर	33433.00	34770.00	34770.00
	900 mm dia	मिटर	35638.00	37063.00	37063.00
	1000 mm dia	मिटर	42996.00	44715.00	44715.00
	1100 mm dia	मिटर	58140.00	59884.00	59884.00
	1200 mm dia	मिटर	68285.00	70333.00	70333.00
	1300 mm dia	मिटर	83818.00	86332.00	86332.00
	1400 mm dia	मिटर	90159.00	92863.00	92863.00
	1500 mm dia	मिटर	102470.00	104519.00	104519.00
	1600 mm dia	मिटर	111195.00	113418.00	113418.00
	1700 mm dia	मिटर	125361.00	127868.00	127868.00
	1800 mm dia	मिटर	139380.00	142167.00	142167.00
	1900 mm dia	मिटर	153546.00	156616.00	156616.00
	2000 mm dia	मिटर	167713.00	171067.00	171067.00
	2100 mm dia	मिटर	187056.00	190797.00	190797.00
	2200 mm dia	मिटर	206400.00	210528.00	210528.00
	2300 mm dia	मिटर	225829.00	230345.00	230345.00
	2400 mm dia	मिटर	245258.00	250163.00	250163.00
G)	PN-6, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	7623.00	8004.00	8004.00
	350 mm dia	मिटर	8781.00	9220.00	9220.00
	400 mm dia	मिटर	11845.00	12318.00	12318.00
	450 mm dia	मिटर	14040.00	14601.00	14601.00
	500 mm dia	मिटर	17241.00	17930.00	17930.00
	600 mm dia	मिटर	20377.00	21192.00	21192.00
	700 mm dia	मिटर	29649.00	30834.00	30834.00
	800 mm dia	मिटर	38655.00	40201.00	40201.00
	900 mm dia	मिटर	41204.00	42852.00	42852.00
	1000 mm dia	मिटर	49712.00	51700.00	51700.00
	1100 mm dia	मिटर	67221.00	69237.00	69237.00
	1200 mm dia	मिटर	78951.00	81319.00	81319.00
	1300 mm dia	मिटर	96910.00	99817.00	99817.00
	1400 mm dia	मिटर	104243.00	106327.00	106327.00
	1500 mm dia	मिटर	118477.00	120846.00	120846.00
	1600 mm dia	मिटर	128564.00	131135.00	131135.00
	1700 mm dia	मिटर	144943.00	147841.00	147841.00
	1800 mm dia	मिटर	161152.00	164375.00	164375.00
	1900 mm dia	मिटर	177531.00	181081.00	181081.00
	2000 mm dia	मिटर	193910.00	197788.00	197788.00
	2100 mm dia	मिटर	216275.00	220600.00	220600.00
	2200 mm dia	मिटर	238640.00	243412.00	243412.00
	2300 mm dia	मिटर	261104.00	266326.00	266326.00
	2400 mm dia	मिटर	283568.00	289239.00	289239.00
H)	PN-9, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	8892.00	9336.00	9336.00

दिपक कुमार रिसाल
नगरप्रमुख

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1. GRP PIPES AS PER IS:12709:1994					
	350 mm dia	मिटर	10242.00	10651.00	10651.00
	400 mm dia	मिटर	13816.00	14368.00	14368.00
	450 mm dia	मिटर	16377.00	17032.00	17032.00
	500 mm dia	मिटर	20110.00	20914.00	20914.00
	600 mm dia	मिटर	23768.00	24718.00	24718.00
	700 mm dia	मिटर	34582.00	35965.00	35965.00
	800 mm dia	मिटर	45087.00	46890.00	46890.00
	900 mm dia	मिटर	48061.00	49983.00	49983.00
	1000 mm dia	मिटर	57984.00	59723.00	59723.00
	1100 mm dia	मिटर	78407.00	80759.00	80759.00
	1200 mm dia	मिटर	92089.00	94851.00	94851.00
	1300 mm dia	मिटर	113036.00	115296.00	115296.00
	1400 mm dia	मिटर	121588.00	124019.00	124019.00
	1500 mm dia	मिटर	138191.00	140954.00	140954.00
	1600 mm dia	मिटर	149957.00	152956.00	152956.00
	1700 mm dia	मिटर	169062.00	172443.00	172443.00
	1800 mm dia	मिटर	187967.00	191726.00	191726.00
	1900 mm dia	मिटर	207072.00	211213.00	211213.00
	2000 mm dia	मिटर	226177.00	230700.00	230700.00
	2100 mm dia	मिटर	252263.00	257308.00	257308.00
	2200 mm dia	मिटर	278350.00	283917.00	283917.00
	2300 mm dia	मिटर	304552.00	310643.00	310643.00
	2400 mm dia	मिटर	330754.00	337369.00	337369.00
I)	PN-12, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	9692.00	10176.00	10176.00
	350 mm dia	मिटर	11164.00	11610.00	11610.00
	400 mm dia	मिटर	15059.00	15661.00	15661.00
	450 mm dia	मिटर	17851.00	18565.00	18565.00
	500 mm dia	मिटर	21920.00	22796.00	22796.00
	600 mm dia	मिटर	25907.00	26943.00	26943.00
	700 mm dia	मिटर	37695.00	39202.00	39202.00
	800 mm dia	मिटर	49145.00	51110.00	51110.00
	900 mm dia	मिटर	52386.00	53957.00	53957.00
	1000 mm dia	मिटर	63203.00	65099.00	65099.00
	1100 mm dia	मिटर	85464.00	88027.00	88027.00
	1200 mm dia	मिटर	100377.00	102384.00	102384.00
	1300 mm dia	मिटर	123209.00	125673.00	125673.00
	1400 mm dia	मिटर	132531.00	135181.00	135181.00
	1500 mm dia	मिटर	150628.00	153640.00	153640.00
	1600 mm dia	मिटर	163454.00	166723.00	166723.00
	1700 mm dia	मिटर	184277.00	187962.00	187962.00
	1800 mm dia	मिटर	204885.00	208982.00	208982.00
	1900 mm dia	मिटर	225708.00	230222.00	230222.00

GRP and HDPE/DWC Pipes

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1. GRP PIPES AS PER IS:12709:1994					
	2000 mm dia	मिटर	246532.00	251462.00	251462.00
	2100 mm dia	मिटर	274967.00	280466.00	280466.00
	2200 mm dia	मिटर	303402.00	309470.00	309470.00
	2300 mm dia	मिटर	331962.00	338601.00	338601.00
	2400 mm dia	मिटर	360522.00	367732.00	367732.00
J)	PN-15, SN-5000 (248 Kpa)				
	300 mm dia	मिटर	10661.00	11087.00	11087.00
	350 mm dia	मिटर	12281.00	12772.00	12772.00
	400 mm dia	मिटर	16565.00	17227.00	17227.00
	450 mm dia	मिटर	19636.00	20421.00	20421.00
	500 mm dia	मिटर	24112.00	25076.00	25076.00
	600 mm dia	मिटर	28498.00	29637.00	29637.00
	700 mm dia	मिटर	41464.00	43122.00	43122.00
	800 mm dia	मिटर	54060.00	55681.00	55681.00
	900 mm dia	मिटर	57625.00	59353.00	59353.00
	1000 mm dia	मिटर	69523.00	71608.00	71608.00
	1100 mm dia	मिटर	94010.00	95890.00	95890.00
	1200 mm dia	मिटर	110415.00	112623.00	112623.00
	1300 mm dia	मिटर	135530.00	138240.00	138240.00
	1400 mm dia	मिटर	145785.00	148700.00	148700.00
	1500 mm dia	मिटर	165691.00	169004.00	169004.00
	1600 mm dia	मिटर	179799.00	183394.00	183394.00
	1700 mm dia	मिटर	202705.00	206759.00	206759.00
	1800 mm dia	मिटर	225373.00	229880.00	229880.00
	1900 mm dia	मिटर	248279.00	253244.00	253244.00
	2000 mm dia	मिटर	271186.00	276609.00	276609.00
	2100 mm dia	मिटर	302464.00	308513.00	308513.00
	2200 mm dia	मिटर	333742.00	340416.00	340416.00
	2300 mm dia	मिटर	365158.00	372461.00	372461.00
	2400 mm dia	मिटर	396574.00	404505.00	404505.00
2. HDPE DOUBLE -WALL CORRUGATED PIPES (DWC)(SN					
1	100mm dia.	मिटर	540.00	556.00	556.00
2	150mm dia.	मिटर	1080.00	1112.00	1112.00
3	200mm dia.	मिटर	1620.00	1668.00	1668.00
4	250mm dia.	मिटर	2052.00	2113.00	2113.00
5	300mm dia.	मिटर	3412.80	3515.00	3515.00
6	400mm dia.	मिटर	4395.60	4527.00	4527.00
7	500mm dia.	मिटर	5248.80	5406.00	5406.00
8	600mm dia.	मिटर	9039.60	9310.00	9310.00
9	800mm dia.	मिटर	14985.00	14985.00	14985.00
10	1000mm dia.	मिटर	22572.00	22572.00	22572.00

दिपक कुमार रिसाल
नगरप्रमुख
[illegible] नगरपालिका

किचन र वाथरुममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Porcelain Clay Sanitaryware (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
१	**White glazed porcelain pan**				
	530mm size white glazed without siphon	सेट	२५२४.००	२५२४.००	२५२४.००
	500 mm size white glazed without siphon	सेट	२७४१.००	२७४१.००	२७४१.००
	580 mm size orrisa Pan	सेट	३३७१.००	३३७१.००	३३७१.००
	580 mm size white glazed Indian pan	सेट	१०४९.००	१०४९.००	१०४९.००
	Siphon 'p' or 's' type	सेट	५९०.००	५९०.००	५९०.००
	Asian Pan 51x40 Rectangular	सेट	२५२४.००	२५२४.००	२५२४.००
२	**Porcelain Clay Cistern**				
	white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings)	सेट	३५५९.००	३५५९.००	३५५९.००
	White glazed porcelain clay 10 lit. Cistern cover only.	सेट	६६७.००	६६७.००	६६७.००
	White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate)	सेट	३६९८.००	३६९८.००	३६९८.००
३	**Commode**				
	Supplying of white vitreous Flexio Washdwown one piece commode with soft closing seat cover Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve	सेट	२४८००.००	२४८००.००	२४८००.००
	Supplying of white vitreous Concept Washdwown wall hung commode with soft closing seat cover Size: (365x560x352mm) with concealed cistern	सेट	२७९००.००	२७९००.००	२७९००.००
	Supplying of white vitreous Compact Codie Washdwown, rimless wall hung commode with soft closing seat cover Size: (368x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate	सेट	२६१५०.००	२६१५०.००	२६१५०.००
	White glaze porcelain clay regular commode with 'p' trap	सेट	१५८७.००	१५८७.००	१५८७.००
	White glazed porcelain clay EWC regular commode with 's ' \ p trap	सेट	१८२५.००	१८२५.००	१८२५.००
	White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set.	सेट	१८११९.००	१८११९.००	१८११९.००
	White glazed porcelain clay One Piece commode with 'P ' & 'S ' trap and slow falling seat cover complete set.	सेट	२८८७५.००	२८८७५.००	२८८७५.००
	White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set.	सेट	२०३८९.००	२०३८९.००	२०३८९.००
	White glazed porcelain clay Ewc wall mounted commode without cistern all complete set.	सेट	५२५२.००	५२५२.००	५२५२.००
	White glazed porcelain clay Ewc floor mounted commode without cistern all complete set.	सेट	८६५६.००	८६५६.००	८६५६.००
	600 to 900 mm Grab bar	सेट	६०६२.००	६०६२.००	६०६२.००
४	**Bidet set**				
	Porcelain clay white glaze Bidet.	सेट	३५८४.००	३५८४.००	३५८४.००
	Urinal set				
	Porcelain clay white glaze large flat back urinal 61×41×38 cm size	सेट	४१७४.००	४१७४.००	४१७४.००
	Porcelain clay small Urinal (46.5×35.5×26.5) cm size)	सेट	१८८०.००	१८८०.००	१८८०.००
	White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set	सेट	१६१९.००	१६१९.००	१६१९.००
	Wall mounted Urinal with sensor complete set.	सेट	१००२९१.००	१००२९१.००	१००२९१.००
	Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, Size: (L355xP320xH615mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) ,	सेट	३१८६०.००	३१८६०.००	३१८६०.००
	Supplying of white vitreous Lynbrook Floor Standing Urinal Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC)	सेट	६०५३०.००	६०५३०.००	६०५३०.००

गोकर्णेश्वर नगरपालिकाको कार्यालय गोठाटार, काठमाडौं बागमती प्रदेश, नेपाल २०७३

Khema Asta Sanu Bimla Deepak

दिपक कुमार रिसाल नगरप्रमुख गोकर्णेश्वर नगरपालिका

किचन र बाथरुममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.ब.०७९।८०	आ.ब.०८०।८१
	Porcelain clay white glaze large flat back urinal 385*320*615 mm size	सेट			४३२०.००
	Porcelain clay Small Urinal 315*280*465 size	सेट			२५४०.००
	Wall mounted Urinal with sensor complete set(280*250*500)MM	सेट			१६४७०.००
	Porcelain clay white glaze large flat back with spreader urinal 400*380*610 mm size	सेट			५०७०.००
	Porcelain clay flat back medium Urinal 300*250*500 size	सेट			३५८०.००
५	**Porcelain Clay Urinal Squatting Plate**				
	white glaze squatting plate Small Size (45×35)cm	सेट	१२१२.००	१२१२.००	१२१२.००
	Porcelain clay white glaze squatting plate large size	सेट	१४५५.००	१४५५.००	१४५५.००
	Porcelain clay super color squatting plate large size.	सेट	२८२१.००	२८२१.००	२८२१.००
	Urinal Spreader	सेट	९१५.००	९१५.००	९१५.००
६	**Wash basin**				
	Porcelain clay white glaze wash basin (500×400) mm size regular.	सेट	१०९५.००	१०९५.००	१०७०.००
	Porcelain clay white glaze wash basin (50×40) cm	सेट	१४८१.००	१४८१.००	१४८१.००
	Do but wash basin (45×32)cm	सेट	१०६५.००	१०६५.००	१०६५.००
	white glazed porcelain clay Corner basin 40x40 complete set	सेट	१२०१.००	१२०१.००	१२०१.००
	white glazed porcelain clay U-counter basin,complete.	सेट	८३४८.००	८३४८.००	८३४८.००
	white glazed porcelain clay 0-counter wash basin,(63×50)cm	सेट	१३७७६.००	१३७७६.००	१३७७६.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	९७८५.००	९७८५.००	९७८५.००
	White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set.	सेट	६२३२.००	६२३२.००	६२३२.००
	White glaze porcelain clay Basin for disable with grab bar all complete	सेट	२०५४९.००	२०५४९.००	२०५४९.००
	Supplying of white vitreous Cadet Undercounter Basin, Size: (380x550x175mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	१७२७५.००	१७२७५.००	१७२७५.००
	Supplying of white vitreous Winston Wall hung Basin, Size: (506x460x194mm) with full basin pedestal made of sanitary ceramics with with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	२०६७५.००	२०६७५.००	२०६७५.००
	Supplying of white vitreous Flexio Counter Top Basin, Size: (499x449x181mm) made of sanitary ceramics with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling	सेट	१९२५५.००	१९२५५.००	१९२५५.००
	Supplying of white vitreous Acacia E semi recessed Basin, Size: (W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling	सेट	२३१५०.००	२३१५०.००	२३१५०.००
७	**Pedestal:**				
	Porcelain clay white glaze pedestal	सेट	१३७८.००	१३७८.००	१३७८.००
	White glazed Porcelain clay half pedestal complete set.	सेट	१६७०.००	१६७०.००	१६७०.००
	First color glazed Porcelain clay half pedestal complete set.	सेट	१९७३.००	१९७३.००	१९७३.००
८	**Urinal Partition**	सेट			
	White glaze porcelain clay (68×30)cm division plate	सेट	१६९०.००	१६९०.००	१६९०.००
९	**Lab sink**				
	Porcelain clay white glaze large size	सेट	२२२२.००	२२२२.००	२२२२.००

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

किचन र वाथरुममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Porcelain clay white glaze small size	सेट	१६५३.००	१६५३.००	१६५३.००
	Porcelain clay janittor sink 58×71×43.5 size	सेट	२७५५३.००	२७५५३.००	२७५५३.००
१०	**Super lab sink**	गोटा			
	super lab sink large size	गोटा	४३१३.००	४३१३.००	४३१३.००
	super lab sink small size	गोटा	३४०१.००	३४०१.००	३४०१.००
११	**Kitchen sink**				
	i) Porcelain clay large	सेट	३७६३.००	३७६३.००	३७६३.००
	ii) Porcelain clay small	सेट	३४०९.००	३४०९.००	३४०९.००
	iii) drain board white 53x45	सेट	१३०४.००	१३०४.००	१३०४.००
	iii) Soap dish	सेट	६६१.००	६६१.००	६६१.००
	iv) White glaze foot rest	सेट	४१९.००	४१९.००	४१९.००
	v) White glaze Toilet paper holder	सेट	११५७.००	११५७.००	११५७.००
१२	**Super kitchen sink**				
	super kitchen sink large size	गोटा	७४६५.००	७४६५.००	७४६५.००
	super kitchen sink small size	गोटा	६७५६.००	६७५६.००	६७५६.००
१३	**PVC Cistern Set**				
	single flush	सेट	१९७३.००	१९७३.००	१९७३.००
	Deluxe single flush	सेट	२२०४.००	२२०४.००	२२०४.००
	Dual flush 6/3 lit. cistern complete set.	सेट	२९६६.००	२९६६.००	२९६६.००
	concealed cistern with plate complete set	सेट	१६८६२.००	१६८६२.००	१६८६२.००
	32 mm pvc bottel trap set.	पिस	४७६.००	४७६.००	४७६.००
	1.5x45 cm pvc pipe connector set.	पिस	१४३.००	१४३.००	१४३.००
	Bakellite toilet seat cover set.	पिस	२७६.००	२७६.००	२७६.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflushing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required.	सेट	१००००.००	१००००.००	१००००.००

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

किचन र वाथरुममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush. Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galavinised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern. Cutting and making good the walls wherever required.	सेट	१६०००.००	१६०००.००	१६०००.००
	Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal).premounted water supply with 1/2 female thread.Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles. Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required.	सेट	१८०००.००	१८०००.००	१८०००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt, Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	२५००.००	२५००.००	२५००.००
	Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern	सेट	२५००.००	२५००.००	२५००.००
१४	**Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.**				
	Stainless steel Deep sink 45×45×30 size	पिस	१८१८५.००	१८१८५.००	१८१८५.००
	Stainless steel Orissa pan LP 210 size	पिस	८४८६.००	८४८६.००	८४८६.००
	Stainless steel wash basin model 251 12" round size with pedestal	पिस	१३२६२.००	१३२६२.००	१३२६२.००
	Stainless steel wash basin 500 mm model 277 with complete set	पिस	१०२७६.००	१०२७६.००	१०२७६.००
	Stainless steel commode S trap with self closing complete set	पिस	१७५५४.००	१७५५४.००	१७५५४.००
	Wall mixer (single lever) bath faucet with hand shower	पिस	१४६३४.००	१४६३४.००	१४६३४.००
	Bath tub (single lever)with hand shower	पिस	१८४३२.००	१८४३२.००	१८४३२.००
	External Shower Wall mixer (single control) bath faucet with hand shower	पिस	२५७६४.००	२५७६४.००	२५७६४.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

किचन र बाथरुममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Wall mixer (single control) bath faucet with hand shower(conceal system)	पिस	१५९५२.००	१५९५२.००	१५९५२.००
	Wall mixer (single control) shower faucet (conceal system)	पिस	४१८२.००	४१८२.००	४१८२.००
	conceal mixer faucet	पिस	६४५५.००	६४५५.००	६४५५.००
	Stainless steel Angle valve(Grohe, Rak, American standard or equivalent)	पिस	८२७.००	८२७.००	८२७.००
	Stainless steel two way Angle valve	पिस	११५७.००	११५७.००	११५७.००
	Stainless steel bowl 19"×16" diamond board 37" long	पिस	२६७३.००	२६७३.००	२६७३.००
	Stainless steel bowl with diamond board 37" long	पिस	३६६०.००	३६६०.००	३६६०.००
	Stainless steel bowl with ordinary board 37" long	पिस	२३१४.००	२३१४.००	२३१४.००
	Stainless steel double bowl with double drain board 36" * 18 "size	पिस	१३९१७.००	१३९१७.००	१३९१७.००
	Stainless steel double bowl with single drain board ordinary	पिस	५७८६.००	५७८६.००	५७८६.००
	Stainless steel p trap bottle trap for basin	पिस	२३२४.००	२३२४.००	२३२४.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel Kitchen sink faucet	पिस	५५६५.००	५५६५.००	५५६५.००
	Stainless steel Kitchen sink mixture	पिस	८४०८.००	८४०८.००	८४०८.००
	Stainless steel 1500mm flexible hose pipe(connection pipe)	पिस	१४६२.००	१४६२.००	१४६२.००
	Stainless steel Hose ringer 1200 mm	पिस	१२७४.००	१२७४.००	१२७४.००
	Stainless steel commode spray with hose pipe	पिस	१७९८.००	१७९८.००	१७९८.००
	Stainless steel basin mixer(single control)	पिस	६९४३.००	६९४३.००	६९४३.००
	Stainless steel single faucet for basin	पिस	४४२५.००	४४२५.००	४४२५.००
	Stainless steel Sink 700*450*200	पिस	२४२४६.००	२४२४६.००	२४२४६.००
	Stainless steel Sink table top1200*600*300	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	Steel Split clamp with washer all complete	पिस	३३५०४.००	३३५०४.००	३३५०४.००
	75 mm dia	पिस	३३१.००	३३१.००	३३१.००
	110 mm dia	पिस	४४१.००	४४१.००	४४१.००
	160 mm dia	पिस	७७१.००	७७१.००	७७१.००
	Stainless steel telephonic shower	गोटा	१२४०.००	१२४०.००	१२४०.००
	Stainless steel shower with sliding bar	गोटा	२९७६.००	२९७६.००	२९७६.००
	Stainless steel shower with sliding bar	गोटा	९७८५.००	९७८५.००	९७८५.००
	Stainless steel bottle trap	गोटा	६४७.००	६४७.००	६४७.००
	Stainless steel towel bar 450 mm	गोटा	१२४०.००	१२४०.००	१२४०.००
	Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer , with concealed body and Shower Head with arm and Bath Spout		१८०५५.००	१८०५५.००	१८०५५.००
	Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer with iColor Chrome Hand Shower & Hose ,complete as required.		२०५३०.००	२०५३०.००	२०५३०.००
१५	**Modern Sanitaryware: -**(संवन्धित उत्पादक राक्ष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Hand dryer Germany	गोटा	१९३९७.००	१९३९७.००	१९३९७.००
	Hand Dryer Chinese	गोटा	७१६४.००	७१६४.००	७१६४.००
	Indian Mark Brand Flush valve	गोटा	५७३१.००	५७३१.००	५७३१.००
	Auto sensor for basin	गोटा	३५२६७.००	३५२६७.००	३५२६७.००
	European pattern liquid soap container stainless steel	गोटा	६०६२.००	६०६२.००	६०६२.००
	Looking Mirror Modi guard 450x600mm (18"x 24")	गोटा	१४५९.००	१४५९.००	१४५९.००
	Supplying of C.P. brass Angle valve connection 1/2"plastic handle marking , complete as required,with easy clean, eco start, twist free and Water Saving features.	गोटा	७५०.००	७५०.००	७५०.००

किचन र बाथरुममा प्रयोग हुने सामानहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Supplying of Hygiene Spray with hose and flexible pipe, complete as required, with easy clean, eco start, twist free and Water Saving features.	गोटा	२१२५.००	२१२५.००	२१२५.००
	Supplying of Winston Wall Bib Tap (Cross Handle), complete as requiredwith easy clean, eco start, twist free and Water Saving features.	गोटा	२४८०.००	२४८०.००	२४८०.००
	Supplying of High Speed automatic Hand Dryer, complete as required,ready for operation.	गोटा	३७१७०.००	३७१७०.००	३७१७०.००
	Supplying of Chrome plated Seva Toilet Paper Holder with Flap, complete as required, ready for operation.	गोटा	३४००.००	३४००.००	३४००.००
	Supplying of Chrome plated Seva Soap Dish, complete as required, ready for operation.	गोटा	२८३०.००	२८३०.००	२८३०.००
	Supplying of Chrome plated Seva Robe Hook, Model (WF-6581.908.50) complete as required, ready for operation.	गोटा	२१२५.००	२१२५.००	२१२५.००
	Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation.	गोटा	३७००.००	३७००.००	३७००.००
	Supplying of Chrome plated Seva Glass Holder, complete as required, ready for operation.	गोटा	२६२०.००	२६२०.००	२६२०.००
	Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar, size (580x220mm), OD: 32mm Make	गोटा	८६००.००	८६००.००	८६००.००
	Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories.	गोटा	३०००.००	३०००.००	३०००.००
	Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set.	गोटा	५०००.००	५०००.००	५०००.००
१६	**Electric & Solar Geyser**				
	i) 10 lit. cap. electric water heater	गोटा	१०९१४.००	१०९१४.००	१०९१४.००
	ii) 25 lit cap. electric water heater	गोटा	१६८२६.००	१६८२६.००	१६८२६.००
	iii) 35 lit cap electric water heater	गोटा	२०९१९.००	२०९१९.००	२०९१९.००
	iv) 50 lit cap electric water heater	गोटा	२५०११.००	२५०११.००	२५०११.००
	iv) Gas water heater with cylinder	गोटा	८२००.००	८२००.००	८२००.००
	v) Supplying of 25lts Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation.	गोटा	१५०००.००	१५०००.००	१५०००.००
१७	15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American.	सेट	११७७०.००	११७७०.००	११७७०.००

दिपक कुमार रिसाल
नगरप्रमुख
...र्णेश्वर नगरपालिका

विभिन्न प्रकारका वाटर टेंक र पम्पहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1	G.I. Water Tank (17 Gauge)				
	100 gls	गोटा	८०७५.००	८४७८.००	८४७८.००
	200 gls	गोटा	१२६८५.००	१३१९२.००	१३१९२.००
	300 gls	गोटा	१५९५५.००	१६५९३.००	१६५९३.००
	400 gls	गोटा	१९१५५.००	१९९२१.००	१९९२१.००
	500 gls	गोटा	२२३६५.००	२३२५९.००	२३२५९.००
2	Roof Top PVC Water Tank				
	200 lit – 5000 lit cap.	लीटर	१०.३०	१०.००	१०.००
	5000 lit – 10,000 lit cap	लीटर	१०.६०	११.००	११.००
	Horizontal PVC water tank	लीटर	१२.००	१२.००	१२.००
3	Stainless steel water tank with accessories				
	Capacity 500 ltr	गोटा	१२६१०.००	१३११४.००	१३११४.००
	Capacity 1000 ltr	गोटा	१८५८०.००	१९३२३.००	१९३२३.००
	Capacity 1500 ltr	गोटा	२८५४०.००	२९६८१.००	२९६८१.००
	Capacity 2000 ltr	गोटा	३४५१०.००	३५८९०.००	३५८९०.००
	Capacity 3000 ltr	गोटा	५१७७०.००	५३३२३.००	५३३२३.००
	Capacity 4000 ltr	गोटा	६९०३०.००	७११००.००	७११००.००
	Capacity 5000 ltr	गोटा	९०७१०.००	९३४३१.००	९३४३१.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16")	गोटा	११३००.००	११७५२.००	११७५२.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16")	गोटा	१४५००.००	१५०८०.००	१५०८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16")	गोटा	२२०००.००	२२८८०.००	२२८८०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16")	गोटा	३३५००.००	३४८४०.००	३४८४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16")	गोटा	४१०००.००	४२६४०.००	४२६४०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5")	गोटा	६७०००.००	६९०१०.००	६९०१०.००
	Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5")	गोटा	१०४०००.००	१०६०८०.००	१०६०८०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51")	गोटा	२६०००.००	२७०४०.००	२७०४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61")	गोटा	३७५००.००	३९०००.००	३९०००.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5")	गोटा	४६०००.००	४७८४०.००	४७८४०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66")	गोटा	७३०००.००	७५१९०.००	७५१९०.००
	Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74")	गोटा	११४०००.००	११६२८०.००	११६२८०.००
4	Plastic Water Tank | प्लास्टिक वाटर ट्यांक				
	LLDPE Plastic Tank - Extra Heavy - Black (100 Litres)	लीटर	१३.५०	१४.००	१४.००

विभिन्न प्रकारका वाटर टेंक र पम्पहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	LLDPE Plastic Tank - N.S. Certified - Black (200 Litres)	लीटर	१३.५०	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (300 Litres)	लीटर	१३.५०	१४.००	१४.००
	LLDPE Plastic Tank - N.S. Certified - Black (500 Litres)	लीटर	१२.५०	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (750 Litres)	लीटर	१२.५०	१३.००	१३.००
	LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres)	लीटर	१२.५०	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres)	लीटर	११.५०	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres)	लीटर	११.५०	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres)	लीटर	११.५०	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres)	लीटर	११.५०	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres)	लीटर	११.५०	१२.००	१२.००
	LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres)	लीटर	१२.५०	१३.००	१३.००
	LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres)	लीटर	१२.५०	१३.००	१३.००
	LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres)	गोटा	१२५००.००	१३०००.००	१३०००.००
	LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres).	गोटा	१८५००.००	१९२४०.००	१९२४०.००
5	**Water Pumps/Hand Pumps**				
	Indian Mark-III , Deep Well Hand Pump	गोटा	१२३६०.००	१२८५४.००	१२८५४.००
	6 No. hand pump	गोटा	१५८२.००	१६६१.००	१६६१.००
	Water Pump :				
	i) ½ H.P. Water Pump (Multi stage pump)	सेट	१०८८५.००	११३२०.००	११३२०.००
	ii) ½ H.P. Water Pump mono block type	सेट	६२५८.००	६५७०.००	६५७०.००
	iii) 1.0 H.P. water pump Multistage	सेट	१४२५८.००	१४८२८.००	१४८२८.००
	iv)1.0 H.P. water pump (mono block type)	सेट	९४६५.००	९९३८.००	९९३८.००
	v) 2.0 H.P. water pump	सेट	२२५८७.००	२३४९०.००	२३४९०.००
	vi) 2.0 H.P.3 phase water pump	सेट	२३८४७.००	२४८००.००	२४८००.००
	vii) 5.0 HP 3 phase water pump	सेट	२८६५६.००	२९८०२.००	२९८०२.००
	Jet Water Pump				
	i) 1.10 H.P.	सेट	२१६३०.००	२२४९५.००	२२४९५.००
	ii) Double Stage jet 1.10 H.P.	सेट	२५९५६.००	२६९९४.००	२६९९४.००
	ii) 1.5 H.P.	सेट	२९२०१.००	३०३६९.००	३०३६९.००
	Super Sunction				
	i) 0.50 H.P	सेट	८९२२.००	९३६८.००	९३६८.००
	ii) 0.75 H.P.	सेट	८३२८.००	८७४४.००	८७४४.००
	iii) 1.0 H.P.	सेट	१४२७६.००	१४८४७.००	१४८४७.००
	Water Pump (संवन्धित उत्पादक राक्ष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	१८२०२.००	१८९३०.००	१८९३०.००
	2 H.P. single pump set single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank.	सेट	२९२३३.००	३०४०२.००	३०४०२.००
	Submersible Pump (Italian)				
	i) 1.0 H.P.	सेट	२६०८९.००	२७१३२.००	२७१३२.००
	ii) 2.0 H.P.	सेट	४८३९७.००	५०३३२.००	५०३३२.००
	Electric Water Pump (Chinese)				
	i) ½ H.P	सेट	१७०३.००	१७८८.००	१७८८.००
	ii) ¾ H.P.	सेट	२२१९.००	२३२९.००	२३२९.००
	iii) 1.0 H.P.	सेट	३२७०.००	३४३३.००	३४३३.००
	Submersible Pump Indian				

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

विभिन्न प्रकारका वाटर टेंक र पम्पहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	i) ½ H.P open well type	सेट	१६६५५.००	१७३२१.००	१७३२१.००
	ii) 1.1 H.P open well type	सेट	२४३८८.००	२५३६३.००	२५३६३.००
	iii) 1.5 H.P open well type	सेट	२९७४१.००	३०९३०.००	३०९३०.००
	Vertical Submersible Pump	सेट			
	i) 1.1 H.P	सेट	२७२५४.००	२८३४४.००	२८३४४.००
	iii) 1.5 H.P	सेट	३२९३२.००	३४२४९.००	३४२४९.००

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

साधारण हाते औजारहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
1	Adjustable spanner				
	10"	गोटा	२५५.००	२६५.००	२६५.००
	12"	गोटा	४८२.००	५०१.००	५०१.००
	15"	गोटा	१३८८.००	१४४३.००	१४४३.००
	18"	गोटा	१६४३.००	१७०८.००	१७०८.००
2	Blow Torch				
	1/2 pint	गोटा	१४३४.००	१४९१.००	१४९१.००
	1 pint	गोटा	१७६७.००	१८३७.००	१८३७.००
3	Building Trowel	गोटा	७९.००	८२.००	८२.००
4	Chain Pipe wrench				
	50mm	गोटा	१६४३.००	१७०८.००	१७०८.००
	75mm	गोटा	१९५५.००	२०३३.००	२०३३.००
	100mm	गोटा	२२९५.००	२३८६.००	२३८६.००
	150mm	गोटा	३२२९.००	३३५८.००	३३५८.००
	200mm	गोटा	५४९५.००	५७१४.००	५७१४.००
5	Chain Pulley in Ton				
	3 ton	गोटा	१७५६२.००	१८२६४.००	१८२६४.००
	5 ton	गोटा	२९००५.००	३०१६५.००	३०१६५.००
6	Stone Chisel 1"x12"	गोटा	३६९.००	३८३.००	३८३.००
7	Die teeth oil with cane (250 ml size)	गोटा	२८३.००	२९४.००	२९४.००
8	Smooth steel file half round				
	8"	गोटा	५३९.००	५६०.००	५६०.००
	10"	गोटा	१०३१.००	१०७२.००	१०७२.००
	Flat file 10"	गोटा	५३९.००	५६०.००	५६०.००
9	Hacksaw Blade				
	Single	गोटा	४.००	४.००	४.००
	double	गोटा	९.००	९.००	९.००
10	Hacksaw Frame 6mm	गोटा	१९३.००	२००.००	२००.००
11	Handle die set				
	25 mm	गोटा	३२०१.००	३३२९.००	३३२९.००
	50 mm	गोटा	३६२६.००	३७७१.००	३७७१.००
	60 mm	गोटा	९६३१.००	१००१६.००	१००१६.००
12	Heating Plate				
	80 mm	गोटा	९६३.००	१००१.००	१००१.००
	100 mm	गोटा	११०५.००	११४९.००	११४९.००
	125 mm	गोटा	१४१६.००	१४७२.००	१४७२.००
	150 mm	गोटा	१६८८.००	१७५५.००	१७५५.००
	200 mm	गोटा	२७३१.००	२८४०.००	२८४०.००
	250 mm	गोटा	३३०८.००	३४४०.००	३४४०.००
	300 mm	गोटा	३८६४.००	४०१८.००	४०१८.००
13	Iron Brush 12"	गोटा	७४.००	७६.००	७६.००
14	Iron Pan (madium)	गोटा	२६१.००	२७१.००	२७१.००
15	Pick Axe 1.7 Kg.	गोटा	४३१.००	४४८.००	४४८.००
16	Pipe Cutter				
	15-50 mm	गोटा	२०३९.००	२१२०.००	२१२०.००
	65-80 mm	गोटा	३१७२.००	३२९८.००	३२९८.००
	100 mm	गोटा	५०९९.००	५३०२.००	५३०२.००
	125 mm	गोटा	५६६५.००	५८९१.००	५८९१.००
	150 mm	गोटा	१००८४.००	१०४८७.००	१०४८७.००

साधारण हाते औजारहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
17	Pipe Jack Machine (Heavy)	गोटा	३२२९१.००	३३५८२.००	३३५८२.००
18	Pipe Vice				
	2"	गोटा	२४९३.००	२५९२.००	२५९२.००
	3"	गोटा	३६२६.००	३७७१.००	३७७१.००
	4"	गोटा	५४६७.००	५६८५.००	५६८५.००
	5"	गोटा	१०१४०.००	१०५४५.००	१०५४५.००
19	Pipe Wrench				
	10"	गोटा	३१७.००	३२९.००	३२९.००
	12"	गोटा	५८९.००	६१२.००	६१२.००
	14"	गोटा	७०२.००	७३०.००	७३०.००
	18"	गोटा	११९७.००	११६१.००	११६१.००
	24"	गोटा	१५४१.००	१६०२.००	१६०२.००
	36"	गोटा	५४३८.००	५६५५.००	५६५५.००
	48"	गोटा	९६३१.००	१००१६.००	१००१६.००
20	Plumb Bob Line	गोटा	९१.००	९४.००	९४.००
21	Rachet Die Set				
	1/2"-1"	गोटा	४३०५.००	४४७७.००	४४७७.००
	11/4" -2"	गोटा	८०४४.००	८३६५.००	८३६५.००
	21/2"-3"	गोटा	१७५६२.००	१८२६४.००	१८२६४.००
22	Round File 10"	गोटा	३६९.००	३८३.००	३८३.००
23	Screw Driver 12"	गोटा	२०४.००	२१२.००	२१२.००
24	Shovel 1.5 Kg	गोटा	३६९.००	३८३.००	३८३.००
25	Slide wrench				
	10"	गोटा	३६३.००	३७७.००	३७७.००
	12"	गोटा	४८७.००	५०६.००	५०६.००
	15"	गोटा	१४२२.००	१४७८.००	१४७८.००
26	Spade	गोटा	४४२.००	४५९.००	४५९.००
27	Spare Die Teeth				
	15 mm	गोटा	५८९.००	६१२.००	६१२.००
	20 mm	गोटा	५८९.००	६१२.००	६१२.००
	25 mm	गोटा	५८९.००	६१२.००	६१२.००
	32 mm	गोटा	९३५.००	९७२.००	९७२.००
	40 mm	गोटा	१५९८.००	१६६१.००	१६६१.००
	50 mm	गोटा	१६१५.००	१६७९.००	१६७९.००
	65 mm	गोटा	१८६९.००	१९४३.००	१९४३.००
	80 mm	गोटा	२०९६.००	२१७९.००	२१७९.००
28	Telflon Cover				
	5'x5'	गोटा	३१२.००	३२४.००	३२४.००
	7'x7'	गोटा	४२५.००	४४२.००	४४२.००
29	Telflon Cloth	र.मि	३४२८.००	३५६५.००	३५६५.००
30	Telflon Tape 10 mm	रोल	१८.००	१८.००	१८.००
31	Thermochrome Crayon				
	Indian	गोटा	७६५.००	७९५.००	७९५.००
32	Tool Box (14"x8"x22")	गोटा	२१०२.००	२१८६.००	२१८६.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

RCC Ring and Boring Work

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व. ०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	**RCC Ring for well and Toilets**				
	i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	615.00	645.00	645.00
	ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	762.00	800.00	800.00
	iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	886.00	930.00	930.00
	iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick	गोटा	1173.00	1231.00	1231.00
२	**RCC cover**				
	i) 28" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	1858.00	1950.00	1950.00
	i) 36" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2460.00	2583.00	2583.00
	i) 42" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	2699.00	2833.00	2833.00
	i) 48" dia. 60m thick R.C.C. ring cover with metal frame	गोटा	3224.00	3385.00	3385.00
३	**Drilling of tube well by DTH Method**				
	Drilling of holecin all formation (6 inch)	मी.	5623.00	5904.00	5904.00
	Drilling of holecin all formation (8 inch)	मी.	6578.00	6906.00	6906.00

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Multilayer Composite Pipe

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	Cold Water Pipe (White)				
	12-16 mm ½"	र.मि	१०१.००	१०६.००	१०६.००
	14-18 mm ½"	र.मि	१११.००	११६.००	११६.००
	16-20 mm ½"	र.मि	११९.००	१२४.००	१२४.००
	20-25 mm ¾"	र.मि	१८०.००	१८९.००	१८९.००
	26-32 mm 1"	र.मि	२८१.००	२९५.००	२९५.००
	32-40 mm 1¼"	र.मि	४४६.००	४६८.००	४६८.००
	41-50 mm 1½"	र.मि	६५३.००	६८५.००	६८५.००
२	Hot Water Pipe (Orange)				
	12-16 mm ½"	र.मि	१११.००	११६.००	११६.००
	14-18 mm ½"	र.मि	१२३.००	१२९.००	१२९.००
	16-20 mm ½"	र.मि	१४१.००	१४८.००	१४८.००
	20-25 mm ¾"	र.मि	२०८.००	२१८.००	२१८.००
	26-32 mm 1"	र.मि	३०२.००	३१७.००	३१७.००
	32-40 mm 1¼"	र.मि	४६५.००	४८८.००	४८८.००
३	Gas Lines Pipe (Yellow)				
	12-16 mm ½"	र.मि	८७.००	९१.००	९१.००
	14-18 mm ½"	र.मि	८७.००	९१.००	९१.००
४	MULTILAYER COMPOSITE Fittings				
	a. Equal Straight Union				
	½"ø (16mm ø)	गोटा	१३३.००	१३९.००	१३९.००
	½"ø (18mm ø)	गोटा	१४०.००	१४७.००	१४७.००
	½"ø (20mm ø)	गोटा	१५४.००	१६१.००	१६१.००
	¾" ø (25 mm ø)	गोटा	२२५.००	२३६.००	२३६.००
	1" ø (32 mm ø)	गोटा	३५१.००	३६८.००	३६८.००
	1¼" ø (40 mm ø)	गोटा	१२९६.००	१३६०.००	१३६०.००
	1½" ø (50 mm ø)	गोटा	१९५८.००	२०५५.००	२०५५.००
	b. Unequal Straight Union				
	25 - 16 mm ø	गोटा	२५२.००	२६४.००	२६४.००
	25 - 18 mm ø	गोटा	२६१.००	२७४.००	२७४.००
	25 - 20 mm ø	गोटा	२७५.००	२८८.००	२८८.००
	32 - 16 mm ø	गोटा	३३८.००	३५४.००	३५४.००
	32 - 18 mm ø	गोटा	३५६.००	३७३.००	३७३.००
	32 - 20 mm ø	गोटा	३८३.००	४०२.००	४०२.००
	32 - 25 mm ø	गोटा	४१०.००	४३०.००	४३०.००
	40 - 32 mm ø	गोटा	११२१.००	११७७.००	११७७.००
	50 - 20 mm ø	गोटा	१६३४.००	१७१५.००	१७१५.००
	50 - 32 mm ø	गोटा	१९५८.००	२०५५.००	२०५५.००
	50 - 40 mm ø	गोटा	१८४५.००	१९३७.००	१९३७.००
	c. Male Union				
	16mm x ½"M	गोटा	९५.००	९९.००	९९.००
	18mm x ½"M	गोटा	११०.००	११५.००	११५.००
	20mm x ½"M	गोटा	१२६.००	१३२.००	१३२.००
	25mm x ½"M	गोटा	१५३.००	१६०.००	१६०.००

Multilayer Composite Pipe

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.ब.०७९।८०	आ.ब.०८०।८१
	25mm x ¾"M	गोटा	१९४.००	२०३.००	२०३.००
	25mm x 1"M	गोटा	२४८.००	२६०.००	२६०.००
	32mm x ¾"M	गोटा	२८४.००	२९८.००	२९८.००
	32mm x 1"M	गोटा	३११.००	३२६.००	३२६.००
	32mm x 1½"M	गोटा	३१५.००	३३०.००	३३०.००
	40mm x 1"M	गोटा	९९५.००	१०४४.००	१०४४.००
	40mm x 1½"M	गोटा	१०३०.००	१०८१.००	१०८१.००
	50mm x 1"M	गोटा	१५६३.००	१६४१.००	१६४१.००
	50mm x 1¼"M	गोटा	१५९०.००	१६६९.००	१६६९.००
	50mm x 1½"M	गोटा	२१६०.००	२२६८.००	२२६८.००
	50mm x 2"M	गोटा	१६२३.००	१७०४.००	१७०४.००
	d. Female Straight Union				
	16mm x ½"F	गोटा	१०४.००	१०९.००	१०९.००
	18mm x ½"F	गोटा	११३.००	११८.००	११८.००
	20mm x ½"F	गोटा	१२२.००	१२८.००	१२८.००
	25mm x ½"F	गोटा	१६२.००	१७०.००	१७०.००
	25mm x ¾"F	गोटा	१९४.००	२०३.००	२०३.००
	25mm x 1"F	गोटा	१९८.००	२०७.००	२०७.००
	32mm x ½"F	गोटा	२०३.००	२१३.००	२१३.००
	32mm x ¾"F	गोटा	२०७.००	२१७.००	२१७.००
	32mm x 1"F	गोटा	२९३.००	३०७.००	३०७.००
	40mm x 1½"F	गोटा	११६८.००	१२२६.००	१२२६.००
	50mm x 1¼"F	गोटा	१५७५.००	१६५३.००	१६५३.००
	50mm x 1½"F	गोटा	२१६०.००	२२६८.००	२२६८.००
	50mm x 2"F	गोटा	१६३८.००	१७१९.००	१७१९.००
	e. Equal Elbow				
	½"ø (16mm ø)	गोटा	१२६.००	१३२.००	१३२.००
	½"ø (18mm ø)	गोटा	१५३.००	१६०.००	१६०.००
	½"ø (20mm ø)	गोटा	२०७.००	२१७.००	२१७.००
	¾" ø (25 mm ø)	गोटा	३१५.००	३३०.००	३३०.००
	1" ø (32 mm ø)	गोटा	५०९.००	५३४.००	५३४.००
	1¼" ø (40 mm ø)	गोटा	१६५६.००	१७३८.००	१७३८.००
	1½" ø (50 mm ø)	गोटा	२५६५.००	२६९३.००	२६९३.००
	f. Unequal Elbow				
	40 - 32 mm ø	गोटा	१८३६.००	१९२७.००	१९२७.००
	50 - 20 mm ø	गोटा	२११५.००	२२२०.००	२२२०.००
	50 - 40 mm ø	गोटा	२१५६.००	२२६३.००	२२६३.००
	g. Female Elbow				
	16mm x ½"F	गोटा	१६७.००	१७५.००	१७५.००
	18mm x ½"F	गोटा	१८५.००	१९४.००	१९४.००
	20mm x ½"F	गोटा	२०३.००	२१३.००	२१३.००
	25mm x ½"F	गोटा	२२५.००	२३६.००	२३६.००
	25mm x ¾"F	गोटा	२७९.००	२९२.००	२९२.००
	25mm x 1"F	गोटा	३०६.००	३२१.००	३२१.००
	32mm x ¾"F	गोटा	३२९.००	३४५.००	३४५.००
	32mm x 1"F	गोटा	४१०.००	४३०.००	४३०.००

Multilayer Composite Pipe

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	50mm x 1¼"F	गोटा	२११५.००	२२२०.००	२२२०.००
	h. Male Elbow				
	25mm x ¾"M	गोटा	२२५.००	२३६.००	२३६.००
	25mm x 1"M	गोटा	२९३.००	३०७.००	३०७.००
	32mm x ¾"M	गोटा	२२१.००	२३२.००	२३२.००
	32mm x 1"M	गोटा	३७४.००	३९२.००	३९२.००
	40mm x 1"M	गोटा	१२१५.००	१२७५.००	१२७५.००
	50mm x 1"M	गोटा	१७३२.००	१८१८.००	१८१८.००
	i. Equal Tee				
	½"ø (16mm ø)	गोटा	२२५.००	२३६.००	२३६.००
	½"ø (18mm ø)	गोटा	२५२.००	२६४.००	२६४.००
	½"ø (20mm ø)	गोटा	३१५.००	३३०.००	३३०.००
	¾" ø (25 mm ø)	गोटा	४५५.००	४७७.००	४७७.००
	1" ø (32 mm ø)	गोटा	७११.००	७४६.००	७४६.००
	1¼" ø (40 mm ø)	गोटा	२६५८.००	२७९०.००	२७९०.००
	1½" ø (50 mm ø)	गोटा	३८८४.००	४०७८.००	४०७८.००
	j. Unequal Tee				
	20 mm x 16 mm x 20 mm	गोटा	२०३.००	२१३.००	२१३.००
	20 mm x 18 mm x 20 mm	गोटा	२२५.००	२३६.००	२३६.००
	25 mm x 16 mm x 25 mm	गोटा	३३८.००	३५४.००	३५४.००
	25 mm x 18 mm x 25 mm	गोटा	३८३.००	४०२.००	४०२.००
	25 mm x 20 mm x 25 mm	गोटा	३९६.००	४१५.००	४१५.००
	32 mm x 16 mm x 32 mm	गोटा	६५३.००	६८५.००	६८५.००
	32 mm x 18 mm x 32 mm	गोटा	६७५.००	७०८.००	७०८.००
	32 mm x 20 mm x 32 mm	गोटा	७०२.००	७३७.००	७३७.००
	32 mm x 25 mm x 32 mm	गोटा	७२०.००	७५६.००	७५६.००
	40 mm x 32 mm x 32 mm	गोटा	१९६७.००	२०६५.००	२०६५.००
	40 mm x 32 mm x 40 mm	गोटा	२२७८.००	२३९१.००	२३९१.००
	50 mm x 20 mm x 50 mm	गोटा	३१०५.००	३२६०.००	३२६०.००
	50 mm x 32 mm x 32 mm	गोटा	२०४७.००	२१४९.००	२१४९.००
	50 mm x 32 mm x 50 mm	गोटा	३१३७.००	३२९३.००	३२९३.००
	50 mm x 40 mm x 40 mm	गोटा	३१४७.००	३३०४.००	३३०४.००
	50 mm x 40 mm x 50 mm	गोटा	३५९५.००	३७७४.००	३७७४.००
	k. Female Tee				
	16mm x ½"F x 16mm	गोटा	२२५.००	२३६.००	२३६.००
	18mm x ½"F x 18mm	गोटा	२३४.००	२४५.००	२४५.००
	20mm x ½"F x 20mm	गोटा	२५२.००	२६४.००	२६४.००
	25mm x ½"F x 25mm	गोटा	२३७.००	२४८.००	२४८.००
	25mm x ¾"F x 25mm	गोटा	२६१.००	२७४.००	२७४.००
	25mm x 1"F x 25mm	गोटा	३३८.००	३५४.००	३५४.००
	32mm x ½"F x 32mm	गोटा	३६५.००	३८३.००	३८३.००
	32mm x ¾"F x 32mm	गोटा	३७४.००	३९२.००	३९२.००
	32mm x 1"F x 32mm	गोटा	५०७.००	५३२.००	५३२.००
	40mm x ¾"F x 32mm	गोटा	१४९६.००	१५७०.००	१५७०.००

Multilayer Composite Pipe

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	50mm x ¾"F x 40mm	गोटा	२२१९.००	२३२९.००	२३२९.००
	l. Equal Ball Valve Union				
	½"ø (16mm ø)	गोटा	२६२.००	२७५.००	२७५.००
	½"ø (18mm ø)	गोटा	२९१.००	३०५.००	३०५.००
	½"ø (20mm ø)	गोटा	३८३.००	४०२.००	४०२.००
	¾" ø (25 mm ø)	गोटा	६३५.००	६६६.००	६६६.००
	1" ø (32 mm ø)	गोटा	८८२.००	९२६.००	९२६.००
	1¼" ø (40 mm ø)	गोटा	२८८२.००	३०२६.००	३०२६.००
	1½" ø (50 mm ø)	गोटा	४१५९.००	४३६६.००	४३६६.००
	m. Female Ball Valve Union				
	16mm x ½"F	गोटा	२४४.००	२५६.००	२५६.००
	18mm x ½"F	गोटा	२८०.००	२९४.००	२९४.००
	20mm x ½"F	गोटा	३१३.००	३२८.००	३२८.००
	20mm x ¾"F	गोटा	३५१.००	३६८.००	३६८.००
	25mm x ¾"F	गोटा	६५३.००	६८५.००	६८५.००
	25mm x 1"F	गोटा	६६६.००	६९९.००	६९९.००
	32mm x 1"F	गोटा	७०२.००	७३७.००	७३७.००
	n. Plug				
	1¼" ø (40 mm ø)	गोटा	१४४०.००	१५१२.००	१५१२.००
	1½" ø (50 mm ø)	गोटा	१९८०.००	२०७९.००	२०७९.००
	p. Wall Plated Female Elbow				
	16mm x ½"F	गोटा	१८९.००	१९८.००	१९८.००
	18mm x ½"F	गोटा	२०७.००	२१७.००	२१७.००
	20mm x ½"F	गोटा	२२५.००	२३६.००	२३६.००
	Nipple				
	N 1/2F*1/2F	गोटा	४९.००	५१.००	५१.००
	N 1/2M*1/2M	गोटा	४९.००	५१.००	५१.००
	N 3/4F*1/2F	गोटा	६८.००	७१.००	७१.००
	N 1F*1/2F	गोटा	७७.००	८०.००	८०.००
	N 1F*3/4F	गोटा	८७.००	९१.००	९१.००
	N 3/4M*1/2M	गोटा	६८.००	७१.००	७१.००
	N 1M*1/2M	गोटा	७७.००	८०.००	८०.००
	N 1M*3/4M	गोटा	८७.००	९१.००	९१.००
	N 1/2F*1/2M	गोटा	५९.००	६१.००	६१.००
	N 1/2F*3/4M	गोटा	६८.००	७१.००	७१.००
	N 1/2F*1M	गोटा	१०७.००	११२.००	११२.००
	N 1/2M*3/4F	गोटा	६८.००	७१.००	७१.००
	N 1/2M*1F	गोटा	११२.००	११७.००	११७.००
	N 3/4F*3/4M	गोटा	८७.००	९१.००	९१.००
	N 3/4F*1M	गोटा	९६.००	१००.००	१००.००
	N 3/4M*1F	गोटा	१२७.००	१३३.००	१३३.००

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	**140 mm Dia.**				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	र.मि	159.00	166.00	166.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	257.00	269.00	269.00
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	352.00	369.00	369.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	432.00	453.00	453.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	432.00	453.00	453.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	95.00	99.00	99.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	305.00	320.00	320.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	77.00	80.00	80.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	50.00	52.00	52.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	32.00	33.00	33.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	77.00	80.00	80.00
	RUBBER GASKET To provide leak proof joints.	गोटा	30.00	31.00	31.00
२	**75 mm dia.**				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	63.00	66.00	66.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	38.00	39.00	39.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	126.00	132.00	132.00
	180 mm dia.				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	302.00	317.00	317.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	358.00	375.00	375.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	518.00	543.00	543.0(
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	592.00	621.00	621.00
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	592.00	621.00	621.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	140.00	147.00	147.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	424.00	445.00	445.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	108.00	113.00	113.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	91.00	95.00	95.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	51.00	53.00	53.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	110.00	115.00	115.00
	RUBBER GASKET To provide leak proof joints.	गोटा	41.00	43.00	43.00
३	**110 mm dia.**				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	68.00	71.00	71.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	44.00	46.00	46.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	243.00	255.00	255.00
४	**250 mm dia.**				
	ROOF WATER PIPES (HALF ROUND) To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length.	गोटा	585.00	614.00	614.00
	JOINT BRACKET To connect two lengths of roof water	गोटा	614.00	644.00	644.00
	RUNNING OUTLET To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe.	गोटा	965.00	1013.00	1013.00
	90° ELBOW (without outlet) To change the direction of roof water pipe line through 90°, normally at the corners.	गोटा	1387.00	1456.00	1456.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	90° ELBOW (with outlet) To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe.	गोटा	1387.00	1456.00	1456.00
	SHORT STOP END To close the end of roof water pipe line.	गोटा	302.00	317.00	317.00
	STOP END OUTLET To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe.	गोटा	802.00	842.00	842.00
	SUPPORT BRACKET To support pipes and fittings wherever necessary and strengthen the roof water pipe line.	गोटा	300.00	315.00	315.00
	TOP BRACKET To locate the support bracket and rafter bracket together and ensure proper connection between them.	गोटा	164.00	172.00	172.00
	CLAMP To ensure perfect fixing between pipe and fittings.	गोटा	122.00	128.00	128.00
	RAFTER BRACKETS (TOP/SIDE) To support the complete roof water pipe line with rafters. Available for top and side supports.	गोटा	318.00	333.00	333.00
	RUBBER GASKET To provide leak proof joints.	गोटा	166.00	174.00	174.00
५	**160 mm dia.**				
	PIPE CLIP To provide support and ensure proper fixing of down line pipe on the wall.	गोटा	82.00	86.00	86.00
	RUBBER SEALS To ensure, leak proof joint of single socket elbow.	गोटा	191.00	200.00	200.00
	SINGLE SOCKET ELBOW To join the roof water outlet with down line pipe.	गोटा	437.00	458.00	458.00
	ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems				
	ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY				
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm	र.मि	247.00	259.00	259.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	438.00	459.00	459.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	262.00	275.00	275.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	470.00	493.00	493.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm	र.मि	447.00	469.00	469.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	673.00	706.00	706.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	473.00	496.00	496.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8	र.मि	696.00	730.00	730.00

नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia	र.मि	959.00	1006.00	1006.00
	FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	1196.00	1255.00	1255.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2	र.मि	1022.00	1073.00	1073.00
	FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4	र.मि	1350.00	1417.00	1417.00
	ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY				
	DWV Bend 45 Degree 75 mm size	गोटा	140.00	147.00	147.00
	DWV Bend 87.5 Degree	गोटा	177.00	185.00	185.00
	DWV Bend 87.5 Degree with Door	गोटा	81.00	85.00	85.00
	DWV Socket Plug	गोटा	189.00	198.00	198.00
	DWV Cleansing Pipe	गोटा	114.00	119.00	119.00
	DWV Coupler	गोटा	202.00	212.00	212.00
	DWV Single Tee	गोटा	222.00	233.00	233.00
	DWV Single Tee with Door	गोटा	349.00	366.00	366.00
	DWV Cross Tee	गोटा	491.00	515.00	515.00
	DWV Cross Tee with Door	गोटा	361.00	379.00	379.00
	DWV Double 'Y'	गोटा	481.00	505.00	505.00
	DWV Double 'Y' with Door	गोटा	226.00	237.00	237.00
	DWV Single 'Y'	गोटा	288.00	302.00	302.00
	DWV Single 'Y' with Door	गोटा	12.00	12.00	12.00
	DWV Pipe Clip	गोटा	25.00	26.00	26.00
	DWV Vent Cowel	गोटा	230.00	241.00	241.00
	DWV Bend 45 Degree 110mm size	गोटा	282.00	296.00	296.00
	DWV Bend 87.5 Degree	गोटा	323.00	339.00	339.00
	DWV Bend 87.5 Degree with Door	गोटा	103.00	108.00	108.00
	DWV Socket Plug	गोटा	370.00	388.00	388.00
	DWV Cleansing Pipe	गोटा	206.00	216.00	216.00
	DWV Coupler	गोटा	684.00	718.00	718.00
	DWV Double 'Y'	गोटा	808.00	848.00	848.00
	DWV Double 'Y' with Door	गोटा	566.00	594.00	594.00
	DWV Cross Tee	गोटा	642.00	674.00	674.00
	DWV Cross Tee with Door	गोटा	370.00	388.00	388.00
	DWV Single Tee	गोटा	437.00	458.00	458.00
	DWV Single Tee with Door	गोटा	453.00	475.00	475.00
	DWV Single 'Y'	गोटा	475.00	498.00	498.00
	DWV Single 'Y' with Door	गोटा	47.00	49.00	49.00
	DWV Vent Cowel	गोटा	161.00	169.00	169.00
	DWV Reducer 110*75 mm	गोटा	36.00	37.00	37.00
	DWV Pipe Clip 110mm size	गोटा	436.00	457.00	457.00
	DWV W.C. Connectore (Straight type)	गोटा	348.00	365.00	365.00
	DWV W.C. Connectore (Bend type)	गोटा	174.00	182.00	182.00
	DWV Nahani Trap - 3" Height without Jali75 mm	गोटा	24.00	25.00	25.00
	DWV Nahani Trap Jali	गोटा	539.00	565.00	565.00

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	DWV P-Trap with Leap Ring 10*110 mm	गोटा	773.00	811.00	811.00
	DWV P-Trap with Leap Ring 25*110 mm	गोटा	232.00	243.00	243.00
	DWV Multi Floor Trap 4" w/o Jali 75 mm	गोटा	470.00	493.00	493.00
	DWV Reducer 60*110 mm	गोटा	449.00	471.00	471.00
	DWV Coupler 160mm size	गोटा	1077.00	1130.00	1130.00
	DWV Single Tee	गोटा	1157.00	1214.00	1214.00
	DWV Single Tee with Door	गोटा	2016.00	2116.00	2116.00
	DWV Single 'Y'	गोटा	2118.00	2223.00	2223.00
	DWV Single 'Y' with Door	गोटा	742.00	779.00	779.00
	DWV Bend 87.5 Degree	गोटा	988.00	1037.00	1037.00
	DWV Bend 87.5 Degree with Door	गोटा	864.00	907.00	907.00
६	**FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR**				
	FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm	र.मि	584.00	613.00	613.00
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-8	र.मि	606.00	636.00	636.00
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-8	र.मि	630.00	661.00	661.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-8	र.मि	593.00	622.00	622.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-8	र.मि	604.00	634.00	634.00
	FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm	र.मि	1078.00	1131.00	1131.00
	FOAMCORE Single Socket (R/R) (3mtrs length) SN-4	र.मि	1120.00	1176.00	1176.00
	FOAMCORE Double Socket (R/R) (3mtrs length) SN-4	र.मि	1163.00	1221.00	1221.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	1096.00	1150.00	1150.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	1116.00	1171.00	1171.00
	FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm	र.मि	1688.00	1772.00	1772.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	1718.00	1803.00	1803.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	1746.00	1833.00	1833.00
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	2801.00	2941.00	2941.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	2849.00	2991.00	2991.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	2899.00	3043.00	3043.00
	FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm	र.मि	3709.00	3894.00	3894.00
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-2	र.मि	3773.00	3961.00	3961.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-2	र.मि	3838.00	4029.00	4029.00
	FOAMCORE Plain Both End (3mtrs length) SN-4	र.मि	4583.00	4812.00	4812.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	FOAMCORE Single Socket Self Fit (3mtrs length) SN-4	र.मि	4663.00	4896.00	4896.00
	FOAMCORE Double Socket Self Fit (3mtrs length) SN-4	र.मि	4743.00	4980.00	4980.00
	FOAMCORE Plain Both End (6mtrs length) SN-8	र.मि	583.00	612.00	612.00
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-8	र.मि	598.00	627.00	627.00
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-8	र.मि	613.00	643.00	643.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-8	र.मि	594.00	623.00	623.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-8	र.मि	605.00	635.00	635.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	1077.00	1130.00	1130.00
	FOAMCORE Single Socket (R/R) (6mtrs length) SN-4	र.मि	1109.00	1164.00	1164.00
	FOAMCORE Double Socket (R/R) (6mtrs length) SN-4	र.मि	1139.00	1195.00	1195.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	1097.00	1151.00	1151.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	1116.00	1171.00	1171.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	1688.00	1772.00	1772.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	1718.00	1803.00	1803.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	1747.00	1834.00	1834.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	2801.00	2941.00	2941.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	2849.00	2991.00	2991.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	2898.00	3042.00	3042.00
	FOAMCORE Plain Both End (6mtrs length) SN-2	र.मि	3709.00	3894.00	3894.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-2	र.मि	3773.00	3961.00	3961.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-2	र.मि	3838.00	4029.00	4029.00
	FOAMCORE Plain Both End (6mtrs length) SN-4	र.मि	4583.00	4812.00	4812.00
	FOAMCORE Single Socket Self Fit (6mtrs length) SN-4	र.मि	4663.00	4896.00	4896.00
	FOAMCORE Double Socket Self Fit (6mtrs length) SN-4	र.मि	4743.00	4980.00	4980.00
	DWV Coupler SN-8 110mm	गोटा	294.00	308.00	308.00
	DWV Coupler SN-4 160 mm	गोटा	708.00	743.00	743.00
	DWV Coupler SN-4 200 mm	गोटा	1447.00	1519.00	1519.00
	DWV Coupler SN-4 250 mm	गोटा	2697.00	2831.00	2831.00
	DWV Coupler SN-2 315mm	गोटा	4338.00	4554.00	4554.00
	DWV Coupler SN-4 315 mm	गोटा	4736.00	4972.00	4972.00
	DWV Long Radius Bend - 90 Degree SN-8 110mm	गोटा	1001.00	1051.00	1051.00

Rainwater Collection System

सि.नं.	निर्माण सामाग्रीहरुको विवरण		एकाई	मु.अ.क बाहेकको दररेट		
				आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	DWV Long Radius Bend - 90 Degree SN-4	160 mm	गोटा	2787.00	2926.00	2926.00
	DWV Long Radius Bend - 90 Degree SN-4	200mm	गोटा	5205.00	5465.00	5465.00
	DWV Long Radius Bend - 90 Degree SN-4	250 mm	गोटा	11668.00	12251.00	12251.00
	DWV Long Radius Bend - 90 Degree SN-4	315 mm	गोटा	27705.00	29090.00	29090.00

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाण्डौ
बागमती प्रदेश, नेपाल
२०७३

सिचाई संवन्धि कार्य

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	Supply flexible,kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm	मिटर	१५०.००	१५७.००	१५७.००
२	Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs,flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar	गोटा	३०.००	३१.००	३१.००
३	**SPRINKLERS & ACCESSORIES**				
	Unispray	गोटा	६६०.००	६९३.००	६९३.००
	Providing of Pop up spray head having and two piece stem ratchet (0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover 15SST	गोटा	१२००.००	१२६०.००	१२६०.००
	Providing of Shrub spray head having variable adjustable arc (0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover PA series	गोटा	१२००.००	१२६०.००	१२६०.००
	Gear rotors 5004	गोटा	३१००.००	३२५५.००	३२५५.००
	Providing of 1/2" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyetylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.	गोटा	३९०.००	४०९.००	४०९.००
	Providing of 3/4" Pop up Connecting Swing joint Assembly. The tubing shall be made of polyetylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.	गोटा	४८०.००	५०४.००	५०४.००
	Providing and fixing of HDPE service saddle of varying size	गोटा	८५०.००	८९२.००	८९२.००
४	**VALVES & ACCESSORIES**				
	Providing and fixing PVC Ball Valve,security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm.	गोटा	३८००.००	३९९०.००	३९९०.००
	Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar.	गोटा	२१००.००	२२०५.००	२२०५.००
	12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout	गोटा	७५००.००	७८७५.००	७८७५.००
	6"Round box.	गोटा	१२५०.००	१३१२.००	१३१२.००
	Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC	गोटा	१३५००.००	१४०४०.००	१४०४०.००
	Key threads into top of QCV to provide water access 33DK	गोटा	९७५०.००	१०२३७.००	१०२३७.००

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय गोठाटार, काठमाडौं बागमती प्रदेश, नेपाल २०७३

कुमार रिसाल नगरप्रमुख गोकर्णेश्वर नगरपालिका

Plastic Dustbin, Compost-Bin, Planter & Road Divider

सि.नं.	निर्माण सामाग्रीहरुको विवरण		मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
१	**LLDPE PLASTIC DUSTBIN - SMALL SIZE (;fgf] 8:6ljg)** (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	३000.00	३१२०.00	३१२०.00
२	**LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टविन)** (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID	गोटा	४000.00	४१६०.00	४१६०.00
३	**LLDPE PLASTIC LARGE WHEEL DUSTBIN (पांग्रावाला लार्ज डस्टविन)** (Capacity: 140 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED.	गोटा	७000.00	७२८०.00	७२८०.00
४	**LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (पांग्रावाला एक्स्ट्रा लार्ज डस्टविन)** (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED	गोटा	८000.00	८३२०.00	८३२०.00
५	**M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS** SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24". TOTAL WEIGHT: 19 KG	गोटा	६000.00	६२४०.00	६२४०.00
६	**M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS** SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG	गोटा	८000.00	८३२०.00	८३२०.00
७	**LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोष्ट विन फिटिङ सहित)** BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT)	गोटा	४000.00	४१६०.00	४१६०.00
८	**LLDPE ROAD-DIVIDER - SMALL (रोड डिभाइडर , सानो साइज)** WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG	गोटा	३000.00	३१२०.00	३१२०.00
९	**LLDPE ROAD-DIVIDER - LARGE (रोड डिभाइडर, ठूलो साइज)** WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK.	गोटा	१६५00.00	१७१६०.00	१७१६०.00
१०	**LLDPE LARGE PLANTER (ठूलो प्लास्टिक गमला)** WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE.	गोटा	५५00.00	५७२०.00	५७२०.00

Khemaj

दीपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Sewage Treatment Plant

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व. ०७९।०८०	आ.व.०८०।८१
१	Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified.	गोटा	१२०७३६.००	१२०७३६.००	१२०७३६.००
२	Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO certified.	गोटा	१६१३९२.००	१६१३९२.००	१६१३९२.००
३	Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified,	गोटा	२१५६००.००	२१५६००.००	२१५६००.००
४	Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified.	गोटा	२७२२७२.००	२७२२७२.००	२७२२७२.००
५	Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified,	गोटा	३२१५५२.००	३२१५५२.००	३२१५५२.००
६	Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified.	गोटा	३७५७६०.००	३७५७६०.००	३७५७६०.००
७	Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified	गोटा	४४९६८०.००	४४९६८०.००	४४९६८०.००
८	Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified	गोटा	४८६६४०.००	४८६६४०.००	४८६६४०.००

मेनहोल कभरहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	C.I. Manhole Cover including frame.				
१	Square Frame Medium Duty				
	i) 10" × 10" (4 Kg.)	सेट	६२६	६७५.००	६७५.००
	ii) 12" × 12" (5 Kg.)	सेट	७७४	८३५.००	८३५.००
	iii) 14" × 14" (7 Kg.)	सेट	११५६	१२४७.००	१२४७.००
	v) 16" × 16" (10 Kg.)	सेट	१५४९	१६७१.००	१६७१.००
	vi) 18" × 18" (14 Kg.)	सेट	२४०८	२५९८.००	२५९८.००
	viii) 20" × 20" (16 Kg.)	सेट	२७१६	२९३०.००	२९३०.००
	ix) 22" × 22" (20 Kg.)	सेट	३१०८	३३५३.००	३३५३.००
	x) 24" × 24" (24 Kg.)	सेट	४३१८	४६५९.००	४६५९.००
	xi) 27" × 27" (31 Kg.)	सेट	५४४२	५८७१.००	५८७१.००
२	Square Frame Heavy Duty				
	iii) 14" × 14" (14 Kg.)	सेट	२३५५	२५४१.००	२५४१.००
	viii) 20" × 20" (16 Kg.)		३८४०	४१४३.००	४१४३.००
	ix) 22" × 22" (22 Kg.)	सेट	५२५१	५६६५.००	५६६५.००
	xi) 27" × 27" (45 Kg.)	सेट	७५११	८१०४.००	८१०४.००
३	Rounded Manhole Cover				
	Round Manhole cover medium 450mm(22")		४१५९	४४८७.००	४४८७.००
	Round Manhole cover Heavy 450mm(22")		८२०१	८८४८.००	८८४८.००
	Round Manhole cover medium 500 mm(24")		६५४६	७०६३.००	७०६३.००
	Round Manhole cover Heavy 500 mm(24")		९७९२	१०५६५.००	१०५६५.००
	Rounded Manhole Cover with square frame				
	i) 18" dia. with square frame (60 Kg.)	सेट	९३१५	१००५०.००	१००५०.००
	ii) 20" dia. with square frame (70 Kg.)	,,	१०८६४	११७२२.००	११७२२.००
	iii) 20" dia. with square frame (100 Kg.)	,,	१५५२१	१६७४७.००	१६७४७.००
	iv) 22" dia. Medium class. (125 Kg.)	,,	१९४९९	२१०३९.००	२१०३९.००
	v) 22" dia. Heavy class. (208Kg.)	,,	३२३४७	३४९०२.००	३४९०२.००
	vi) 24" dia. Medium class. (70 Kg.)	,,	१११७१	१२०५३.००	१२०५३.००
	vii) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.)	,,	१३४८४	१४५४९.००	१४५४९.००
	viii) 24" with square frame (IS:1726) (70 Kg.)	,,	१०९१७	११७७९.००	११७७९.००
	ix) 26"with square frame (IS:1726) (85 Kg.)	,,	१३२६१	१४३०८.००	१४३०८.००
	xi) 28" with square frame (IS:1726) (116 Kg.)	,,	१८३०१	१९७४६.००	१९७४६.००
	x) 30" with square frame (IS:1726) (100 Kg.)		१५५९५	१६८२७.००	१६८२७.००
	xi) 30" with square frame (IS:1726) (116 Kg.)		१८३०१	१९७४६.००	१९७४६.००
	xi) 32" with square frame (IS:1726) (208Kg.)		३२३४७	३४९०२.००	३४९०२.००
४	C.I. Tank Cover Locking Types- Round				
	18" (8 Kg.)	सेट	१७९३	१९३४.००	१९३४.००
	20" (12 Kg.)	,,	२६३०	२८३७.००	२८३७.००
	22" (14 Kg.)	,,	२९८७	३२२२.००	३२२२.००

मेनहोल कभरहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	24" (16 Kg.)	,,	३५८५	३८६८.००	३८६८.००
	28" (24 Kg.)	,,	५३७८	५८०२.००	५८०२.००
५	C.I. Tank Cover Locking Types- Rectangular				
	18" x 18" (13 Kg.)	सेट	२९८७	३२२२.००	३२२२.००
	24" x 24" (50 Kg.)	सेट	१०७५५	११६०४.००	११६०४.००
	18" x 24" (27 Kg.)	सेट	५९७६	६४४८.००	६४४८.००
६	C.I. Gully Gratings & Jali strip-Mediun Duty				
	4"	सेट	१०७	११५.००	११५.००
	5"	सेट	१४३	१५४.००	१५४.००
	6"	सेट	१९१	२०६.००	२०६.००
	10"	सेट	६५७	७०८.००	७०८.००
७	C.I. Gully Gratings & Jali Strip- Mediun Duty				
	4" x 4"	सेट	९५	१०२.००	१०२.००
	5" x 5"	सेट	१२०	१२९.००	१२९.००
	6" x 6"	सेट	१४३	१५४.००	१५४.००
	9" x 9"	सेट	४१८	४५१.००	४५१.००
	10" x 10"	सेट	५३८	५८०.००	५८०.००
	12" x 12"	सेट	७७७	८३८.००	८३८.००
८	C.I. Gully Gratings				
	i) 15"×18" Medium (18 Kg.)	सेट	३९४४	४२५५.००	४२५५.००
	ii) 15"×18" Heavy (25 Kg.)	सेट	५३७८	५८०२.००	५८०२.००
९	**Grit Cover** - फलामे एङ्गलको फ्रेममा फलामे पत्तिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम	के.जी.	१७४	१८७.००	१८७.००
१०	**Aluminum Grating 4" dia.**	गोटा	४५	४८.००	४८.००
११	**SMC Manhole Cover**				
	Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)-Round-Yellow and Grey (50 Ton Capacity)	गोटा	२५२२१	२७७४३.००	२८२९७.००
	Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)-Round-Yellow and Grey (40 Ton Capacity)	गोटा	१७२५७	१८९८२.००	१९३६१.००
	Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) -Round-Yellow and Grey (10 Ton Capacity)	गोटा	१८३००	१८३००.००	१८३००.००
	Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity)	गोटा	९२९२	१०२२१.००	१०४२५.००
	Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	१२२७०	१३४९७.००	१२२७२.००
	Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (**Overlapping** 50 Ton Capacity)	गोटा	२००००	२००००.००	२००००.००

दिपक कुमार रिसाल
नगरप्रमुख

मेनहोल कभरहरु

सि.नं.	सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	७८५०	७९००.००	७८४८.००
	Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity)	गोटा	६७३०	६७५०.००	६५९९.००
	Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey (**Overlapping** 15 Ton Capacity)	गोटा	१२०००	१२०००.००	१२०००.००
	Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity)	गोटा	४७७९	५२५६.००	५३६१.००
	Frame Size 400mm*400mm - Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity)	गोटा	२४७८	२७२५.००	२७७९.००
	Frame Size 400mm*400mm – Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali)	गोटा	१७६९९	७८००.००	७८००.००
	SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set)	सेट	९२०४	७५००.००	७५००.००
	SMC water tank shield and footpath cover 610 mm x 510 mm-rectangular black cover.	गोटा			६२४५.००
	Manhole Cover Lock Set	सेट		२०००.००	१५००.००
	Plastic Prefab Manholes				
	LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) **Includes Reducer Cone, Shaft, 2nos Gasket & End Cap**				
	Height 2.5 mtr	गोटा			११४६००
	Height 3 mtr	गोटा			१२४५५०
	LLDPE PLASTIC MANHOLE (DN 800MM SERIES) **Includes Reducer Cone, Shaft, 2nos Gasket & End Cap**				
	Height 2 mtr	गोटा			७९९००
	LLDPE PLASTIC MANHOLE (DN 600MM SERIES) **Includes Shaft, 2nos Gasket & End Cap**				
	Height 2 mtr	गोटा			४०८००
	Height 4 mtr	गोटा			५९५००
	LLDPE PLASTIC MANHOLE (DN 500MM SERIES) **Includes Shaft, 2nos Gasket & End Cap**				
	Height 4 mtr	गोटा			४२५००

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
A	**SWITCH & OUTLETS**				
१	**SWITCH SOCKET- (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)**				
	One Gang one way switch	सेट	58.00	58.00	58.00
	One Gang two way switch	सेट	69.00	69.00	69.00
	One way bell switch	सेट	72.00	72.00	72.00
	Two gang one way switch	सेट	96.00	96.00	96.00
	Two gang one way switch with one bell push	सेट	105.00	105.00	105.00
	Two gang Full two way switch	सेट	107.00	107.00	107.00
	Three Gang one way switch	सेट	127.00	127.00	127.00
	Four gang one way switch	सेट	161.00	161.00	161.00
	Six gang one way switch (3x5)	सेट	253.00	253.00	253.00
	Eight gang one way switch	सेट	304.00	304.00	304.00
	Dimmer single 300 watt	सेट	309.00	309.00	309.00
	Dimmer single 750 watt	सेट	459.00	459.00	459.00
	5 Step humming free dimmer	सेट	407.00	407.00	407.00
	16Amp 3 Pin Plug Top	सेट	121.00	121.00	121.00
	1 switch with dimmer	सेट	368.00	368.00	368.00
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	151.00	151.00	151.00
	6/16 Amp , Power sockets with switch , indicator & safety shutter	सेट	169.00	169.00	169.00
	20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket	सेट	371.00	371.00	371.00
	32A D.P. switch with fuse & indicator Surface Mounting	सेट	206.00	206.00	206.00
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket shuttered socket & 2 nos. Humming free 5 steps fan dimmer with indicator	सेट	611.00	611.00	611.00
	Blanking plate single	सेट	40.00	40.00	40.00
	Telephone socket single	सेट	118.00	118.00	118.00
	Telephone socket Double	सेट	169.00	169.00	169.00
	Angle / bottom holder	सेट	35.00	35.00	35.00
	Ceiling Rose	सेट	35.00	35.00	35.00
	Buzzer	सेट	97.00	97.00	97.00
	Musical bell	सेट	222.00	222.00	222.00
	T.V.antena single Socket	सेट	82.00	82.00	82.00
	6A 2/3 Pin unshuttered multi switch socket	सेट	128.00	128.00	128.00
	RJ 45 Computer Socket for modem	सेट	234.00	234.00	234.00
	Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm)	सेट	35.00	35.00	35.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50	सेट	63.00	63.00	63.00
	Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50	सेट	98.00	98.00	98.00
२	**Switch / socket outlet, Plate series** having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" . -(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	10A 1gang 1way Switch	सेट	83.00	83.00	83.00
	10A 2gang 1way Switch	सेट	163.00	163.00	163.00
	10A 3gang 1way Switch	सेट	216.00	216.00	216.00
	10A 4gang 1way Switch	सेट	350.00	350.00	350.00
	10A 5gang 1way Switch	सेट	371.00	371.00	371.00
	10A 6gang 1way Switch	सेट	617.00	617.00	617.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	10A 1gang 2way Switch	सेट	144.00	144.00	144.00
	10A 2gang 2way Switch	सेट	278.00	278.00	278.00
	10A 3gang 2way Switch	सेट	407.00	407.00	407.00
	10A 4gang 2way Switch	सेट	613.00	613.00	613.00
	T V Socket outlet	सेट	299.00	299.00	299.00
	Telephone Socket	सेट	268.00	268.00	268.00
	13A Universal socket outlet	सेट	464.00	464.00	464.00
	13A Socket	सेट	273.00	273.00	273.00
	15A switched Socket outlet	सेट	443.00	443.00	443.00
	5A Socket	सेट	340.00	340.00	340.00
	RJ 45 8way Computer Socket	सेट	824.00	824.00	824.00
	TV and Telephone Socket	सेट	592.00	592.00	592.00
	7+2 PIN SOCKET OUTLET	सेट	927.00	927.00	927.00
	3+2 PIN SOCKET OUTLET	सेट	577.00	577.00	577.00
	X5 2+2 - 2 PIN SOCKET OUTLET	सेट	783.00	783.00	783.00
	SCHUKO SOCKET WITH ONE SWITCH	सेट	505.00	505.00	505.00
	Bell Press	सेट	237.00	237.00	237.00
	Blank Plate	सेट	93.00	93.00	93.00
	400W Light Dimmer W/ Switch	सेट	906.00	906.00	906.00
	400W Fan Controller / Multi Step Dimmer	सेट	917.00	917.00	917.00
	5 Step Fan Controller	सेट	896.00	896.00	896.00
	2 Pin Socket W/ Switch	सेट	453.00	453.00	453.00
	13A Twin Socket	सेट	680.00	680.00	680.00
३	MODULAR SWITCH PLATES -संवन्धित उत्पादक राष्ट्को गुणस्तर चिन्ह प्राप्त)				
	1 MODULAR PLATE	सेट	148.00	148.00	148.00
	2 MODULAR PLATE	सेट	148.00	148.00	148.00
	3 MODULAR PLATE	सेट	192.00	192.00	192.00
	4 MODULAR PLATE	सेट	221.00	221.00	221.00
	6 MODULAR PLATE	सेट	301.00	301.00	301.00
	8 MODULAR PLATE	सेट	354.00	354.00	354.00
	12 MODULAR PLATE	सेट	482.00	482.00	482.00
	16 MODULAR PLATE	सेट	562.00	562.00	562.00
	18 MODULAR PLATE	सेट	593.00	593.00	593.00
४	**SWITCHES** (संवन्धित उत्पादक राष्ट्को गुणस्तर चिन्ह प्राप्त)				
	10A 1 WAY SWITCH	सेट	130.00	130.00	130.00
	10A 2 WAY SWITCH	सेट	239.00	239.00	239.00
	16A 1 WAY SWITCH WITH INDICATOR	सेट	283.00	283.00	283.00
	16A 1 WAY SWITCH	सेट	252.00	252.00	252.00
	20A DP SWITCH WITH INDICATOR	सेट	546.00	546.00	546.00
	32A DP SWITCH WITH INDICATOR	सेट	655.00	655.00	655.00
	10A BELL PUSH	सेट	252.00	252.00	252.00
	10A 2 MODULAR BELL PUSH	सेट	372.00	372.00	372.00
	25A MOTOR STATER	सेट	1162.00	1162.00	1162.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	400W 1 MODULAR DIMMER	सेट	673.00	673.00	673.00
	100W 2 MODULAR DIMMER	सेट	1313.00	1313.00	1313.00
	STEP REGULATOR 4 STEP DIMMER	सेट	690.00	690.00	690.00
	20A 2 WAY SWITCH 1M	सेट	396.00	396.00	396.00
	20A 1 WAY SWITCH WITH IND 1M	सेट	480.00	480.00	480.00
५	**SOCKETS** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	6A 2 PIN SOCKET	सेट	212.00	212.00	212.00
	13A UNIVERSAL SOCKET	सेट	279.00	279.00	279.00
	6/16A 3 PIN SOCKET	सेट	429.00	429.00	429.00
	RJ11 SOCKET	सेट	282.00	282.00	282.00
	TV SOCKET	सेट	226.00	226.00	226.00
	USB CHARGER	सेट	2155.00	2155.00	2155.00
	BUZZER OFF	सेट	536.00	536.00	536.00
	BLANK OFF	सेट	50.00	50.00	50.00
	LED FOOT LIGHT 2M	सेट	1085.00	1085.00	1085.00
	LED PHASE INDICATOR	सेट	285.00	285.00	285.00
	RJ 45 SOCKET	सेट	819.00	819.00	819.00
	CALL BELL INDICATOR	सेट	2031.00	2031.00	2031.00
	MOVEMENT SENSOR	सेट	7230.00	7230.00	7230.00
६	**HOSPITALITY**				
	SAVER SOCKET 4M	सेट	6296.00	6296.00	6296.00
	MECHANICAL KEY/TAG 32A + KEY FOB	सेट	1500.00	1500.00	1500.00
	DND MMR INSIDE ROOM UNIT	सेट	1301.00	1301.00	1301.00
	DND MMR OUTSIDE ROOM UNIT	सेट	925.00	925.00	925.00
७	**MODULAR SWITCH IN GANG MODULE WHITE**				
	1 GANG ONE WAY SWITCH	सेट	278.00	278.00	278.00
	2 GANG ONE WAY SWITCH	सेट	408.00	408.00	408.00
	3 GANG ONE WAY SWITCH	सेट	582.00	582.00	582.00
	4 GANG ONE WAY SWITCH	सेट	741.00	741.00	741.00
	6 GANG ONEW WAY SWITCH	सेट	1081.00	1081.00	1081.00
	8 GANG ONE WAY SWITCH	सेट	1394.00	1394.00	1394.00
	12 GANG ONE WAY SWITCH	सेट	2042.00	2042.00	2042.00
	16 GANG ONE WAY SWITCH	सेट	2642.00	2642.00	2642.00
	18 GANG ONE WAY SWITCH	सेट	2933.00	2933.00	2933.00
	1 GANG TWO WAY SWITCH	सेट	387.00	387.00	387.00
	16A POWER SOCKET SET	सेट	873.00	873.00	873.00
	13A UNIVERSAL SOCKET SET	सेट	723.00	723.00	723.00
	400W DIMMER SET	सेट	821.00	821.00	821.00
	1000W DIMMER SET	सेट	1464.00	1464.00	1464.00
	RJ45 SOCKET SET	सेट	967.00	967.00	967.00
	RJ11 SOCKET SET	सेट	430.00	430.00	430.00
	BLANK PLATE	सेट	50.00	50.00	50.00
	TV SOCKET SET	सेट	374.00	374.00	374.00
	BELL PUSH SET	सेट	400.00	400.00	400.00

नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	20A DP SWITCH WITH INDICATOR SET	सेट	694.00	694.00	694.00
	32A D.P SWITCH WITH INDICATOR SET	सेट	803.00	803.00	803.00
८	**GI METAL BOX RATES**				
	GI METAL BOX 1/2 MODULE 3*3	सेट	103.00	103.00	103.00
	GI METAL BOX 3 MODULE 3*4	सेट	128.00	128.00	128.00
	GI METAL BOX 4 MODULE 3*5	सेट	141.00	141.00	141.00
	GI METAL BOX 6 MODULE 3*8	सेट	210.00	210.00	210.00
	GI METAL BOX 8 MODULE HORIZONTAL 3*9	सेट	267.00	267.00	267.00
	GI METAL BOX 8 MODULE SQUARE 5*5	सेट	267.00	267.00	267.00
	GI METAL BOX 12/16 MODULE 6*8	सेट	405.00	405.00	405.00
	GI METAL BOX 18 MODULE 8*8	सेट	462.00	462.00	462.00
९	**NON MODULAR SWITCHES LOCAL BRAND**				
	16A MULTI POWER SOCKET	सेट	325.00	325.00	325.00
	16A POWER MULTI SOCKET + USB	सेट	800.00	800.00	800.00
	16A DOUBLE MULTI POWER SOCKET	सेट	665.00	665.00	665.00
	2 GANG + SOCKET SWITCH	सेट	320.00	320.00	320.00
	4 GANG + SOCKET SWITCH	सेट	525.00	525.00	525.00
	6 GANG + SOCKET SWITCH	सेट	640.00	640.00	640.00
	1 GANG SWITCH	सेट	135.00	135.00	135.00
	2 GANG SWITCH	सेट	200.00	200.00	200.00
	3 GANG SWITCH	सेट	267.00	267.00	267.00
	4 GANG SWITCH	सेट	350.00	350.00	350.00
	6 GANG SWITCH	सेट	525.00	525.00	525.00
	8 GANG SWITCH	सेट	655.00	655.00	655.00
	10 GANG SWITCH	सेट	800.00	800.00	800.00
	DIMMER KNOB	सेट	445.00	445.00	445.00
	2 PIN SOCKET KNOB	सेट	100.00	100.00	100.00
	2 WAY SWITCH KNOB	सेट	94.00	94.00	94.00
	DOOR BELL KNOB	सेट	94.00	94.00	94.00
	1 GANG WATER PROOF BELL PUSH SWITCH	सेट	175.00	175.00	175.00
	20A D.P SWITCH	सेट	445.00	445.00	445.00
	45A D.P SWITCH	सेट	660.00	660.00	660.00
	TV SOCKET	सेट	206.00	206.00	206.00
	TELEPHONE SOCKET	सेट	206.00	206.00	206.00
	RJ45 SOCKET KNOB	सेट	290.00	290.00	290.00
	TV+ TELEPHONE SOCKET	सेट	275.00	275.00	275.00
	1 GANG PLATE	सेट	94.00	94.00	94.00
	2 GANG PLATE	सेट	94.00	94.00	94.00
	3X3 WOODEN PLATE	सेट	125.00	125.00	125.00
	3X5 WOODEN PLATE	सेट	165.00	165.00	165.00
१०	**White Plate series modular type(polycarbonate) SWITCH SOCKET** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	One Gang one way switch	सेट	100.00	100.00	100.00
	One Gang two way switch	सेट	112.00	112.00	112.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	One way bell switch	सेट	112.00	112.00	112.00
	Two gang one way switch	सेट	133.00	133.00	133.00
	Two gang one way switch with one bell push	सेट	146.00	146.00	146.00
	Two gang Full two way switch	सेट	158.00	158.00	158.00
	Three Gang one way switch	सेट	167.00	167.00	167.00
	Four gang one way switch	सेट	202.00	202.00	202.00
	Six gang one way switch	सेट	307.00	307.00	307.00
	Eight gang one way switch	सेट	374.00	374.00	374.00
	Dimmer single 400 watt	सेट	486.00	486.00	486.00
	1 switch with dimmer	सेट	499.00	499.00	499.00
	6/16 Amp , 2/3 Pin Power sockets with switch & indicator	सेट	260.00	260.00	260.00
	6/13 Amp , Power sockets with switch , indicator	सेट	263.00	263.00	263.00
	20 A D.P. switch with fuse & indicator Surface Mounting	सेट	354.00	354.00	354.00
	4 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	391.00	391.00	391.00
	6 Gang (86 mm x 220 mm) switch 2/3 pin switch socket with indicator	सेट	474.00	474.00	474.00
	Blanking plate single	सेट	62.00	62.00	62.00
	Telephone socket single	सेट	152.00	152.00	152.00
	Telephone socket Double	सेट	249.00	249.00	249.00
	T.V.antena single Socket	सेट	142.00	142.00	142.00
	RJ 45 Computer Socket for modem	सेट	206.00	206.00	206.00
	CAT-6 Computer Socket for modem	सेट	321.00	321.00	321.00
११	**Modular Type Switch Socket set** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	1P – 6A/10A 1 way switch	गोटा	139.00	139.00	139.00
	1P – 16A/20A 1 way switch	गोटा	223.00	223.00	223.00
	1P – 25A 1 way switch	गोटा	326.00	326.00	326.00
	1P – 6A/10A 2 way switch	गोटा	167.00	167.00	167.00
	1P – 16A/20A 2 way switch	गोटा	253.00	253.00	253.00
	1P – 6A push button	गोटा	184.00	184.00	184.00
	1 gang blanking module	गोटा	43.00	43.00	43.00
	2 gang blanking module	गोटा	86.00	86.00	86.00
१२	**FAN REGULATOR / DIMMER**				
	Step type fan regulator	गोटा	638.00	638.00	638.00
	60 – 500 W dimmer	गोटा	797.00	797.00	797.00
	1000 W dimmer	गोटा	1524.00	1524.00	1524.00
१३	**SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS**				
	6A – multi socket 5 pin	गोटा	240.00	240.00	240.00
	6/16A twin socket 3 pin (flushed)	गोटा	332.00	332.00	332.00
	6/16A twin socket 3 pin (projected)	गोटा	332.00	332.00	332.00
	25A 3 pin socket	गोटा	401.00	401.00	401.00
	13A 3 pin socket	गोटा	270.00	270.00	270.00
	RJ 11 telephone jack	गोटा	159.00	159.00	159.00
	RJ 45 cat.6e computer socket	गोटा	557.00	557.00	557.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	TV socket	गोटा	161.00	161.00	161.00
	HOSPITALITY RANGE				
	250V/110V shaver socket	गोटा	4355.00	4355.00	4355.00
	Indicator (DO NOT DISTUURB)	गोटा	180.00	180.00	180.00
	LED yellow night lamp	गोटा	560.00	560.00	560.00
	LED Blue night lamp	गोटा	560.00	560.00	560.00
१४	**FRONT PLATE (COMPATIBLE TO MARKET BOXES)**	गोटा			
	1 module front plate	गोटा	72.00	72.00	72.00
	2 module front plate	गोटा	77.00	77.00	77.00
	3 module front plate	गोटा	84.00	84.00	84.00
	4 module front plate	गोटा	89.00	89.00	89.00
	6 module front plate	गोटा	162.00	162.00	162.00
	8 module front plate(4+4)	गोटा	217.00	217.00	217.00
	8 module front plate (Horizontal)	गोटा	174.00	174.00	174.00
	12 module front plate	गोटा	260.00	260.00	260.00
	18 module front plate	गोटा	350.00	350.00	350.00
१५	**Modular Type Switch Socket** (संवन्धित उत्पादक राष्ट्को गुणस्तर चिन्ह प्राप्त)				
	Seperate Module for Modular Switch & Socket				
	1P – 6A/10A 1 way switch	गोटा	87.00	90.00	90.00
	1P – 16A/20A 1 way switch	गोटा	144.00	150.00	150.00
	1P – 6A/10A 2 way switch	गोटा	134.00	139.00	139.00
	1P – 16A/20A 2 way switch	गोटा	175.00	182.00	182.00
	1P – 6A push button	गोटा	134.00	139.00	139.00
	1 gang blanking module	गोटा	41.00	42.00	42.00
	2 gang blanking module	गोटा	78.00	81.00	81.00
	Modular Switch, Sockets, Plates				
	6A SWITCH 1W 1 MODULE	गोटा	157.00	137.60	137.60
	6A SWITCH 2W 1 MODULE	गोटा	272.00	265.60	265.60
	6A SWITCH 1W 1 MODULE WITH INDICATOR	गोटा	278.00	265.60	265.60
	10A SWITCH 1W 2 MODULE	गोटा	336.00	323.20	323.20
	10A SWITCH 2W 2 MODULE	गोटा	394.00	380.80	380.80
	10A INTERMEDIATE SWITCH 2 MODULE	गोटा	2227.00	2153.60	2153.60
	10A SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	432.00	412.80	412.80
	16A SWITCH 1W 1 MODULE	गोटा	304.00	300.80	300.80
	16A SWITCH 2W 1 MODULE	गोटा	387.00	377.60	377.60
	16A SWITCH 1W WITH INDICATOR 1 MODULE	गोटा	403.00	390.40	390.40
	20A SWITCH 1W 1 MODULE	गोटा	464.00	441.60	441.60
	20A DP SWITCH 1W 2 MODULE	गोटा	675.00	649.60	649.60
	20A DP SWITCH 1W WITH INDICATOR 2 MODULE	गोटा	685.00	662.40	662.40
	20A SWITCH 2W 2 MODULE	गोटा	768.00	742.40	742.40
	25 A SP 1W SWITCH WITH INDICATOR 1 MODULE	गोटा	480.00	460.80	460.80
	32A DP SWITCH WITH INDICATOR 2 MODULE	गोटा	918.00	896.00	896.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	6/16 A 2 PIN EURO US SOCKET 1 MODULE	गोटा	502.00	483.20	483.20
	16A 3 PIN SWITCHED SOCKET 3 MODULE	गोटा		950.40	950.40
	MULTISTANDARD SOCKET6/10/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M	गोटा	518.00	505.60	505.60
	6A 5 PIN UNIVERSAL SOCKET 2 MODULE	गोटा	397.00	390.40	390.40
	6/16 A SOCKET 3 MODULE	गोटा	618.00	598.40	598.40
	6/16 A SOCKET 2 MODULE	गोटा	525.00	505.60	505.60
	6/16A EURO SOCKET 2 MODULE	गोटा	534.00	524.80	524.80
	25A SOCKET 2 MODULE	गोटा	525.00	505.60	505.60
	6A 3 PIN ISI SOCKET 2M	गोटा		252.80	252.80
	ROTARY LIGHT DIMMER 400W 1 MODULE	गोटा	928.00	899.20	899.20
	ROTARY LIGHT DIMMER 500W 2 MODULE	गोटा	1194.00	1148.80	1148.80
	REMOVABLE LED LAMP 2 MODULE	गोटा		3696.00	3696.00
	LED SKIRTING LIGHT 3 MODULE	गोटा	774.00	771.00	771.00
	INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLORED LABELS	गोटा		816.00	816.00
	BELL CALL INDICATOR 240V 1 MODULE	गोटा		1529.60	1529.60
	BUZZER 230 V 1 MODULE	गोटा	1027.00	1027.20	1027.20
	INFRARED SENSOR 400W 2 MODULE	गोटा		2444.80	2444.80
	REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE	गोटा	5619.00	5869.00	5869.00
	REMOTE CONTROL HAND UNIT	गोटा	870.00	908.00	908.00
	16A KEY CARD SWITCH 2 MODULE	गोटा	4979.00	4950.40	4950.40
	CREDIT CARD SIZE KEY FOB	गोटा		166.40	166.40
	DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE	गोटा	544.00	544.00	544.00
	INTERNAL CONTROL UNIT FOR DND &MMR 1+1 MODULE	गोटा	451.00	441.60	441.60
	SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE	गोटा	3786.00	3804.80	3804.80
	RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY	गोटा	739.00	761.60	761.60
	RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY	गोटा	1034.00	1068.80	1068.80
	PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE	गोटा	2112.00	2057.60	2057.60
	PRETERMINATED HDMI SOCKET1 MODULE	गोटा	2582.00	2528.00	2528.00
	PRETERMINATED PROJECTOR CONNECTOR 1 MODULE	गोटा	2582.00	2528.00	2528.00
	VOLUME CONTROLLER 2 MODULE	गोटा	1664.00	1625.60	1625.60
	16A MOTOR STARTER 2 MODULE	गोटा		976.00	976.00
	25A MOTOR STARTER 2 MODULE	गोटा		976.00	976.00
	VOLTAGE SURGE PROTECCTOR 230V 1 MODULE	गोटा		3084.80	3084.80
	16A SP MCB 1 C CURVE 1 M	गोटा		646.40	646.40
	20A SP MCB 1 C CURVE 1 M	गोटा		646.40	646.40
	32A SP MCB 1 C CURVE 1 M	गोटा		646.40	646.40
	USB CHARGER 1000 mA 1 MODULAR TYPE A	गोटा		1616.00	1616.00
	USB CHARGER 1500 mA 1 MODULAR TYPE A	गोटा	1485.00	1551.00	1551.00
	DOUBLE USB CHARGER 3000 Ma 2 MODULE	गोटा	3866.00	3744.00	3744.00
	USB CHARGER 1500 mA 1 MODULAR C TYPE	गोटा	1862.00	1798.40	1798.40
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A	गोटा	4458.00	4316.80	4316.80
	COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C	गोटा	4912.00	4752.00	4752.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE	गोटा		2825.60	2825.60
	COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE	गोटा		3763.20	3763.20
	WIRELESS CHARGER +TYPE-A USB 1A-5V/5W CHARGER WITH ONE 2.4A/12W	गोटा		10256.00	10256.00
	LOUDSPEAKER FOR FALSE CEILING & PLASTER BOARD 8 OHMS 10W	गोटा		3260.80	3260.80
	BLUETOOTH SOUND DIFFUSION 2 MODULE	गोटा	7360.00	7190.40	7190.40
	ROTARY LED DIMMER 50 W	गोटा	3786.00	3324.80	3324.80
	6A TOUCH SWITCH 1W 2 MODULE	गोटा		4956.80	4956.80
	6A TOUCH SWITCH 2W 2 MODULE	गोटा		5728.00	5728.00
	16A TOUCH SWITCH 1W 2 MODULE	गोटा		5728.00	5728.00
	6A TOUCH BELL PUSH 2 MODULE	गोटा		4956.80	4956.80
	TOUCH FAN REGULATOR 100W 2 MODULE	गोटा		5728.00	5728.00
	300 W UNIVERSAL LED TOUCH LIGHT SCROLL DIMMING 2 MODULE	गोटा		5728.00	5728.00
	READING LIGHT RED	गोटा		2873.60	2873.60
	CABLE OUTLET 8 mm 1 MODULE	गोटा	259.00	246.40	246.40
	BLANKING PLATE 1 MODULE	गोटा	61.00	63.00	63.00
	BLANKING PLATE 2 MODULE	गोटा		86.40	86.40
	CLASSIC WHITE PLATE+ FRAME 1 M	गोटा		201.60	201.60
	CLASSIC WHITE PLATE+ FRAME 2 M	गोटा		201.60	201.60
	CLASSIC WHITE PLATE+ FRAME 3 M	गोटा		259.20	259.20
	CLASSIC WHITE PLATE+ FRAME 4 M	गोटा		291.20	291.20
	CLASSIC WHITE PLATE + FRAME 6M	गोटा		361.60	361.60
	CLASSIC WHITE PLATE+ FRAME 8 M (H)	गोटा		464.00	464.00
	CLASSIC WHITE PLATE + FRAME 2 X 4M	गोटा		489.60	489.60
	CLASSIC WHITE PLATE+ FRAME 9M	गोटा		518.40	518.40
	CLASSIC WHITE PLATE+ FRAME 12 M	गोटा		675.20	675.20
	CLASSIC WHITE PLATE+ FRAME 16M	गोटा		784.00	784.00
	CLASSIC WHITE PLATE+ FRAME 18 M	गोटा		1062.40	1062.40
	BRUSHED SILVER PLATE+ FRAME 1M	गोटा		265.60	265.60
	BRUSHED SILVER PLATE+ FRAME 2M	गोटा		265.60	265.60
	BRUSHED SILVER PLATE+ FRAME 3M	गोटा		371.20	371.20
	BRUSHED SILVER PLATE+ FRAME 4M	गोटा		384.00	384.00
	BRUSHED SILVER PLATE+ FRAME 6M	गोटा		496.00	496.00
	BRUSHED SILVER PLATE+ FRAME 8M(H)	गोटा		646.40	646.40
	BRUSHED SILVER PLATE+ FRAME 2X 4M	गोटा		646.40	646.40
	BRUSHED SILVER PLATE+ FRAME 9M	गोटा		700.80	700.80
	BRUSHED SILVER PLATE+ FRAME 12M	गोटा		928.00	928.00
	BRUSHED SILVER PLATE+ FRAME 16M	गोटा		1068.80	1068.80
	BRUSHED SILVER PLATE+ FRAME 18M	गोटा		1446.40	1446.40
	ALU SUN SET PLATE + FRAME 1M	गोटा		259.20	259.20
	ALU SUN SET PLATE + FRAME 2M	गोटा		259.20	259.20
	ALU SUN SET PLATE + FRAME 3M	गोटा		355.20	355.20
	ALU SUN SET PLATE + FRAME 4M	गोटा		380.80	380.80
	ALU SUN SET PLATE + FRAME 6M	गोटा		489.60	489.60

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	ALU SUN SET PLATE + FRAME 8M(H)	गोटा		627.20	627.20
	ALU SUN SET PLATE + FRAME 2 X 4 M	गोटा		630.40	630.40
	ALU SUN SET PLATE + FRAME 9M	गोटा		678.40	678.40
	ALU SUN SET PLATE + FRAME 12M	गोटा		896.00	896.00
	ALU SUN SET PLATE + FRAME 16M	गोटा		1027.20	1027.20
	ALU SUN SET PLATE + FRAME 18M	गोटा		1420.80	1420.80
	CHAMPAGNE PLATE + FRAME 1M	गोटा		259.20	259.20
	CHAMPAGNE PLATE +FRAME 2M	गोटा		259.20	259.20
	CHAMPAGNE PLATE + FRAME 3M	गोटा		355.20	355.20
	CHAMPAGNE PLATE + FRAME 4M	गोटा		380.80	380.80
	CHAMPAGNE PLATE + FRAME 6M	गोटा		489.60	489.60
	CHAMPAGNE PLATE + FRAME 8M(H)	गोटा		627.20	627.20
	CHAMPAGNE PLATE + FRAME 2 X 4 M	गोटा		630.40	630.40
	CHAMPAGNE PLATE + FRAME 9M	गोटा		678.40	678.40
	CHAMPAGNE PLATE + FRAME 12M	गोटा		896.00	896.00
	CHAMPAGNE PLATE + FRAME 16M	गोटा		1027.20	1027.20
	CHAMPAGNE PLATE + FRAME 18M	गोटा		1420.80	1420.80
	MATT SILVER PLATE + FRAME 1M	गोटा		259.20	259.20
	MATT SILVER PLATE + FRAME 2M	गोटा		259.20	259.20
	MATT SILVER PLATE + FRAME 3M	गोटा		355.20	355.20
	MATT SILVER PLATE + FRAME 4M	गोटा		380.80	380.80
	MATT SILVER PLATE + FRAME 6M	गोटा		489.60	489.60
	MATT SILVER PLATE + FRAME 8M(H)	गोटा		627.20	627.20
	MATT SILVER PLATE + FRAME 2 X 4 M	गोटा		630.40	630.40
	MATT SILVER PLATE + FRAME 9M	गोटा		678.40	678.40
	MATT SILVER PLATE + FRAME 12M	गोटा		896.00	896.00
	MATT SILVER PLATE + FRAME 16M	गोटा		1027.20	1027.20
	MATT SILVER PLATE + FRAME 18M	गोटा		1420.80	1420.80
१६	**FAN REGULATOR / DIMMER**				
	Step type fan regulator	गोटा	700.00	731.00	731.00
	60 – 500 W dimmer	गोटा	597.00	623.00	623.00
	FAN STEP REGULATOR 100W 1 MODULE	गोटा	858.00	822.40	822.40
	FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE	गोटा	1050.00	1017.60	1017.60
	FAN STEP REGULATOR 120W360 DEGREE 2 MODULE	गोटा	1200.00	1164.80	1164.80
	FAN STEP REGULATOR 70W 2 MODULE	गोटा	1158.00	1113.60	1113.60
	FAN REGULATOR 100W 8 STEP 2M	गोटा		915.20	915.20
१७	**SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS**				
	6A – multi socket 5 pin	गोटा	185.00	193.00	193.00
	6/16A twin socket 3 pin (flushed)	गोटा	288.00	300.00	300.00
	6/16A twin socket 3 pin (projected)	गोटा	288.00	300.00	300.00
	13A 3 pin socket	गोटा	185.00	193.00	193.00
	RJ 11 telephone jack	गोटा	144.00	150.00	150.00
	RJ 45 cat.6e computer socket	गोटा	237.00	247.00	247.00
	TV COAXIAL SOCKET 1 MODULE	गोटा	278.00	290.00	290.00

Premaj

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	TELEPHONE SOCKET RJ 11 1 MODULE	गोटा	266.00	277.00	277.00
	TELEPHONE SOCKET DOUBLE RJ 11 1MODULE	गोटा	454.00	474.00	474.00
१८	**TV socket**	गोटा	144.00	150.00	150.00
	1 module front plate	गोटा	113.00	118.00	118.00
	2 module front plate	गोटा	113.00	118.00	118.00
	3 module front plate	गोटा	148.00	154.00	154.00
	4 module front plate	गोटा	165.00	172.00	172.00
	6 module front plate	गोटा	227.00	237.00	237.00
	8 module front plate(4+4)	गोटा	305.00	318.00	318.00
	8 module front plate (Horizontal)	गोटा	313.00	326.00	326.00
	12 module front plate	गोटा	363.00	379.00	379.00
	18 module front plate	गोटा	453.00	473.00	473.00
१९	**BELL INDICATOR**				
	4 way bell indicator with plate	सेट	1255.00	1255.00	1255.00
	6 way " " " "	सेट	2049.00	2049.00	2049.00
	8 way " " " "	सेट	2851.00	2851.00	2851.00
	12 way " " " "	सेट	4395.00	4395.00	4395.00
	6A PUSH BUTTON SP 1 MODULE	सेट	221.00	214.00	214.00
	6A PUSH BUTTON SP WITH INDICATOR 1 MODULE	सेट	314.00	314.00	314.00
	6A BELL PUSH 1 MODULE	सेट	285.00	281.00	281.00
	6A BELL PUSH WITH INDICATOR 1 MODULE	सेट	342.00	332.00	332.00
	6A BELL PUSH 2 MODULE	सेट	384.00	377.00	377.00
	6A BELL PUSH WITH INDICATOR 2 MODULE	सेट	570.00	556.00	556.00
	BELL CALL INDICATOR 240V 1 MODULE	सेट	1530.00	1530.00	1530.00
२०	**Flush mounting galvanized Metal box for modular type switch & socket-(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)**				
	1module metal box having L x B x Depth =(78x78x45)mm	सेट	52.00	54.00	54.00
	2 module " " = (78x78x45)mm	सेट	52.00	54.00	54.00
	3 gang " " " =(78x100x45)mm	सेट	56.00	58.00	58.00
	4 gang " " =(78x140x50)mm	सेट	68.00	71.00	71.00
	5 gang " " =(78x205x50)mm	सेट	134.00	139.00	139.00
	6 gang " " =(78x205x50)mm	सेट	136.00	142.00	142.00
	8 module metal box (4+4) =(78x230x60)mm	सेट	181.00	189.00	189.00
	8 module metal box (Horizontal) =(135x120x60)mm	सेट	181.00	189.00	189.00
	12 module metal box =(135x120x60)mm	सेट	231.00	241.00	241.00
	TV socket metal box	सेट	52.00	54.00	54.00
	Telephone socket metal box	सेट	52.00	54.00	54.00
२३	**METAL Junction BOX**				
	4"×4"	सेट	100.00	104.00	104.00
	4"×6"	सेट	150.00	156.00	156.00
	6"×8"	सेट	237.00	247.00	247.00
	8"×10"	सेट	349.00	364.00	364.00
	8"×12"	सेट	349.00	364.00	364.00
२४	**PVC Junction Box**	सेट	34.00	35.00	35.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	4"×4"	सेट		0.00	0.00
	4"×6"	सेट	31.00	32.00	32.00
	6"×8"	सेट	46.00	48.00	48.00
	8"×10"	सेट	67.00	69.00	69.00
	8" x12"	सेट	129.00	134.00	134.00
	PVC Junction box cover	सेट	144.00	150.00	150.00
२५	**PVC Box for MCB**				
	1-pole PVC box GPS	सेट	81.00	84.00	84.00
	2- pole PVC " "	सेट	81.00	84.00	84.00
	3 and 4-pole PVC " "	सेट	130.00	135.00	135.00
२६	**Industrial Plug & Sockets**				
	Industrial type Plug & Socket with required IP protection				
	16/20 Amp 3 Pin Socket with required IP protection	गोटा	3684.80	3848.00	3848.00
	16/20 Amp 4 Pin Socket with required IP protection	गोटा	4043.20	4223.00	4223.00
	16/20 Amp 5 Pin Socket with required IP protection	गोटा	4043.20	4223.00	4223.00
	32 Amp 3 Pin Socket with required IP protection	गोटा	4188.80	4375.00	4375.00
	32 Amp 4 Pin Socket with required IP protection	गोटा	4704.00	4913.00	4913.00
	32 Amp 5 Pin Socket with required IP protection	गोटा	4704.00	4913.00	4913.00
	63 Amp 3 Pin Socket with required IP protection	गोटा	10752.00	11182.00	11182.00
	63 Amp 4 Pin Socket with required IP protection	गोटा	9800.00	10192.00	10192.00
	63 Amp 5 Pin Socket with required IP protection	गोटा	9800.00	10192.00	10192.00
	16/20 Amp 3 Pin Plug with required IP protection	गोटा	1859.20	1941.00	1941.00
	16/20 Amp 4 Pin Plug with required IP protection	गोटा	2598.40	2714.00	2714.00
	16/20 Amp 5 Pin Plug with required IP protection	गोटा	2172.80	2269.00	2269.00
	32 Amp 3 Pin Plug with required IP protection	गोटा	3203.20	3345.00	3345.00
	32 Amp 4 Pin Plug with required IP protection	गोटा	3270.40	3415.00	3415.00
	32 Amp 5 Pin Plug with required IP protection	गोटा	2676.80	2795.00	2795.00
	63 Amp 3 Pin Plug with required IP protection	गोटा	9665.60	10095.00	10095.00
	63 Amp 4 Pin Plug with required IP protection	गोटा	7750.40	8095.00	8095.00
	63 Amp 5 Pin Plug with required IP protection	गोटा	6787.20	7089.00	7089.00
२७	**Outdoor Junction Box:** IP 66/IP67/IP69 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, made out of PC-GFS Polycarbonate/ Polypropylene including the required number of cable glands with following standards: • VDE approved, DNV GL-certificate No-TAE00000EE, and certified in accordance with the new international standard IEC 60670-22. • Fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent.				
	93 x 93 x 62, Dimensions(mm)	गोटा	1366.40	1427.00	1427.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1612.80	1684.00	1684.00
	104 x 104 x 70, Dimensions(mm)	गोटा	1680.00	1754.00	1754.00
	130 x 130 x 77, Dimensions(mm)	गोटा	2195.20	2292.00	2292.00
	130 x 130 x 77, Dimensions(mm)	गोटा	3057.60	3193.00	3193.00
	130 x 180 x 77, Dimensions(mm)	गोटा	3572.80	3731.00	3731.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	130 x 180 x 77, Dimensions(mm)	गोटा	3920.00	4094.00	4094.00
	155 x 210 x 92, Dimensions(mm)	गोटा	4558.40	4761.00	4761.00
	155 x 210 x 92, Dimensions(mm)	गोटा	5107.20	5334.00	5334.00
	205 x 255 x 112, Dimensions(mm)	गोटा	27428.80	28649.00	28649.00
	225 x 295 x 122, Dimensions(mm)	गोटा	28817.60	30099.00	30099.00
	255 x 355 x 122, Dimensions(mm)	गोटा	8019.20	8376.00	8376.00
२८	**Junction Box for Underground/Underwater Application:** IP 68 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for installation in the ground (underground – buried applications) without traffic loads. The junction box shall fulfill the following standards: IEC 60670-22: Particular requirements for connecting boxes and enclosures. IEC 60695 – 2 – 11: Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C. DIN VDE V 0606 – 22 – 100: Cable junction boxes for encapsulating				
	93 x 93 x 62, Dimensions(mm)	गोटा	9643.20	10028.00	10028.00
	104 x 104 x 70, Dimensions(mm)	गोटा	11580.80	12044.00	12044.00
	104 x 104 x 70, Dimensions(mm)	गोटा	11692.80	12160.00	12160.00
	130 x 130 x 77, Dimensions(mm)	गोटा	15008.00	15608.00	15608.00
	130 x 130 x 77, Dimensions(mm)	गोटा	15456.00	16074.00	16074.00
	130 x 180 x 77, Dimensions(mm)	गोटा	18390.40	19126.00	19126.00
	130 x 180 x 77, Dimensions(mm)	गोटा	19622.40	20407.00	20407.00
२९	Encapsulating/Waterproofing Gel Compound: Gel, suitable for Low voltage, free from halogen & silicon content, with self-life of 2 years, dielectric strength of 10kv/mm and should withstand temperature of 1000c (long time)-1400c (short time).			0.00	0.00
	350 ml, Packet	गोटा	8724.80	9073.00	9073.00
	500 ml, Packet	गोटा	10505.60	10925.00	10925.00
	850 ml, Packet	गोटा	13932.80	14490.00	14490.00
	1200 ml, Drum	गोटा	16083.20	16726.00	16726.00
	2000 ml, Drum	गोटा	14403.20	14979.00	14979.00
	5000 ml, Drum	गोटा	32547.20	33849.00	33849.00
	10000 ml, Drum	गोटा	63638.40	66183.00	66183.00
३०	DB Box Condensation Protection Passive Measure: for preventing condensation in panels and DB's, having performance range temperature range of -30 deg C to +90 deg C. The Condensation Bag/Pouch shall be Environment friendly and can be disposed of in regular trash.				
	50 x 75 , Dimensions(mm)	गोटा	582.40	605.00	605.00
	75 x 100, Dimensions(mm)	गोटा	1075.20	1118.00	1118.00
	100 x 150, Dimensions(mm)	गोटा	2072.00	2154.00	2154.00
	150 x 150, Dimensions(mm)	गोटा	3080.00	3203.00	3203.00
३१	Polycarbonate Thermoplastic Box: IP 64/IP65/IP66 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 featured with UV resistance in accordance with IEC 61439-1, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	300 x 150 x 170, Dimensions(mm)	गोटा	6675.20	7008.00	7008.00

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	300 x 300 x 170, Dimensions(mm)	गोटा	9632.00	10113.00	10113.00
	300 x 450 x 170, Dimensions(mm)	गोटा	12678.40	13185.00	13185.00
	300 x 600 x 170, Dimensions(mm)	गोटा	15724.80	16353.00	16353.00
	450 x 600 x 170, Dimensions(mm)	गोटा	27596.80	28700.00	28700.00
	600 x 600 x 170, Dimensions(mm)	गोटा	34809.60	36201.00	36201.00
	300 x 300 x 214, Dimensions(mm)	गोटा	10348.80	10762.00	10762.00
	300 x 450 x 214, Dimensions(mm)	गोटा	13776.00	14327.00	14327.00
	300 x 600 x 214, Dimensions(mm)	गोटा	17192.00	17879.00	17879.00
	300 x 300 x 180, Dimensions(mm)	गोटा	11177.60	11624.00	11624.00
३२	Cable Glands and Locknuts: IP 68 Cable Glands and LocknutsMade from Polyamide Material				
	M 12 x 1.5	गोटा	73.92	77.00	77.00
	M 16 x 1.5	गोटा	76.16	79.00	79.00
	M 20 x 1.5	गोटा	103.04	107.00	107.00
	M 25 x 1.5	गोटा	179.20	187.00	187.00
	M 32 x 1.5	गोटा	244.16	255.00	255.00
	M 40 x 1.5	गोटा	508.48	531.00	531.00
	M 50 x 1.5	गोटा	788.48	823.00	823.00
	M 63 x 1.5	गोटा	1234.24	1289.00	1289.00
B	**LT- PANELS**				
	General & Mid Segment				
३३	Distribution board (DB) - factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketted door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 way **SPN DB** Double Cover	सेट	1082.00	1130.00	1130.00
	6 way SPN DB " "	सेट	1135.00	1185.00	1185.00
	8 way SPN DB " "	सेट	1416.00	1479.00	1479.00
	12 way SPN DB " "	सेट	1679.00	1753.00	1753.00
	16 way SPN DB " "	सेट	1795.00	1874.00	1874.00
	3-4 way TPN DB Double Cover	सेट	2668.00	2786.00	2786.00
	6 way TPN " " "	सेट	2998.00	3131.00	3131.00
	8 way TPN " " " Vertical	सेट	5799.00	6057.00	6057.00
	12 way TPN " " " Vertical	सेट	7727.00	8070.00	8070.00
	Standard Segment				
३२	Distribution Box : factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof (IP 43 & IK 09 ingress protection) double door vertical/horizontal type Distribution Boards conforming IEC: 61439-3, fabricated from 16 SWG sheet steel provided with hinged gasketted door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc.				
	4 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3002.00	3135.00	3135.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	8 WAY SPN DB BOX (DOUBLE DOOR)	सेट	3706.00	3870.00	3870.00
	12 WAY SPN DB BOX (DOUBLE DOOR)	सेट	4454.00	4652.00	4652.00
	16 WAY SPN DB BOX (DOUBLE DOOR)	सेट	5651.00	5902.00	5902.00
	18 WAY SPN DB BOX (DOUBLE DOOR)	सेट	5779.00	6036.00	6036.00
	20 WAY SPN DB BOX (DOUBLE DOOR)	सेट	7011.00	7322.00	7322.00
	4 WAY SPN DB BOX (SINGLE DOOR)	सेट	2256.00	2356.00	2356.00
	8 WAY SPN DB BOX(SINGLE DOOR)	सेट	2752.00	2874.00	2874.00
	12 WAY SPN DB BOX(SINGLE DOOR)	सेट	3254.00	3398.00	3398.00
	16 WAY SPN DB BOX(SINGLE DOOR)	सेट	3974.00	4150.00	4150.00
	20 WAY SPN DB BOX(SINGLE DOOR)				
	4 WAY TPN DB BOX (DOUBLE DOOR)	सेट	7334.00	7660.00	7660.00
	6 WAY TPN DB BOX (DOUBLE DOOR)	सेट	9133.00	9539.00	9539.00
	8 WAY TPN DB BOX (DOUBLE DOOR)	सेट	10954.00	11392.00	11392.00
	12 WAY TPN DB BOX (DOUBLE DOOR)	सेट	16406.00	17062.00	17062.00
	16 WAY TPN DB BOX (DOUBLE DOOR)	सेट	20339.00	21152.00	21152.00
	20 WAY TPN DB BOX (DOUBLE DOOR)	सेट	28474.00	29612.00	29612.00
	2 ROW OF 14M DB (DOUBLE DOOR)	सेट	9398.00	9816.00	9816.00
	3 ROW OF 14M DB (DOUBLE DOOR)	सेट	11286.00	11737.00	11737.00
	4 ROW OF 14M DB (DOUBLE DOOR)	सेट	12294.00	12785.00	12785.00
	3 ROW OF 14M DB +MCCB (DOUBLE DOOR)	सेट	12291.00	12782.00	12782.00
	4WAY +12 TPN DB'S (DOUBLE DOOR)	सेट	22003.00	22883.00	22883.00
	6WAY +18 TPN DB'S (DOUBLE DOOR)	सेट	24998.00	25997.00	25997.00
	8WAY +24 TPN DB'S (DOUBLE DOOR)	सेट	27514.00	28614.00	28614.00
	12WAY +36 TPN DB'S (DOUBLE DOOR)	सेट	37510.00	39010.00	39010.00
	4WAY +12 +12 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	26413.00	27469.00	27469.00
	4WAY +12 +18 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	30234.00	31443.00	31443.00
	4WAY +12 +24 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	34957.00	36355.00	36355.00
	4WAY +12 +36 7 SEGMENT DB'S (DOUBLE DOOR)	सेट	39427.00	41004.00	41004.00
	63A-160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	6528.00	6818.00	6818.00
	250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	11594.00	12057.00	12057.00
	100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR)	सेट	3488.00	3643.00	3643.00
	DP/TP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	1162.00	1213.00	1213.00
	FP ENCLOUSER FOR MCB(SINGLE DOOR)	सेट	1162.00	1213.00	1213.00
	Panel Board Thermoplastic Polycarbonate				
३३	Distribution Board Thermoplastic Polycarbonate: IP 65 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 made of Thermoplastics PS Polystyrene Outdoor MCB Distribution Boards suitable for 1-54 MCB modules with fixed plug-in terminal for PE/N, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property.				
	3 Modules	गोटा	3796.80	3986.00	3986.00
	4 Modules	गोटा	4793.60	5033.00	5033.00

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	6 Modules	गोटा	5488.00	5762.00	5762.00
	9 Modules	गोटा	6854.40	7197.00	7197.00
	12 Modules	गोटा	11356.80	11811.00	11811.00
	18 Modules	गोटा	13563.20	14105.00	14105.00
	24 Modules	गोटा	16128.00	16773.00	16773.00
	2 row 36 Modules	गोटा	20832.00	21665.00	21665.00
	3 row 36 Modules	गोटा	20238.40	21047.00	21047.00
	4 row 48 Modules	गोटा	26342.40	27396.00	27396.00
	3 row 54 Modules	गोटा	29198.40	30366.00	30366.00
३४	**Panel Board:-** wall/floor Mounted, IP rated conforming IS: 8623 and IS: 13032 double door, powder coated encloser (40-60microns), treated with seven (7) tank process with push button lock, safety Arcilic Sheet Cover with warning sign at exposed portion , DB name embrossed in Metal tag, ferruling, Spreader, and made of 1.6/2 mm metal sheet including Copper neutral bar, phase bar and earth bus bar with adequate space for incomming and outgoing cable with complete internal wiring excluding the cost of switchgears and measuring instrument:				
	60/75/100 AMP, 9"×36"×48" size	सेट	21414.00	22366.00	22366.00
	60/75/100 AMP "12×36"×48" size	सेट	25493.00	26627.00	26627.00
	60/75/100 AMP 9"×48"×60" size	सेट	35690.00	37278.00	37278.00
	60/75100 AMP 12"×49"×60" size	सेट	42488.00	44378.00	44378.00
	150/200 AMP 9"×38"×52" size	सेट	23793.00	24851.00	24851.00
	150/200 AMP 12"×38"×52" size	सेट	23793.00	24851.00	24851.00
	150/200 AMP 9"×42"×56 "size	सेट	26496.00	27675.00	27675.00
	150/200 AMP 12"×42"×56" size	सेट	28179.00	29432.00	29432.00
	250/300AMP 12"×48"×60"size	सेट	34505.00	36040.00	36040.00
	250/300AMP 12"×52"×62" size	सेट	38626.00	40344.00	40344.00
	400 AMP 12"×52"×66" size	सेट	41118.00	42947.00	42947.00
३५	**Manual Change over Panel Type -** (;+jlGwt pTkfbs /fi6«sf] u'0f:t/ lrGx k|fKt_				
	63 Amp FP	गोटा	11618.00	12135.00	12135.00
	80 Amp FP	गोटा	12854.00	13426.00	13426.00
	100 Amp FP	गोटा	18210.00	19020.00	19020.00
	125 Amp FP	गोटा	19199.00	20053.00	20053.00
	160 Amp FP	गोटा	25214.00	26336.00	26336.00
	200 Amp FP	गोटा	26038.00	27196.00	27196.00
	250 Amp FP	गोटा	27686.00	28918.00	28918.00
	315 Amp FP	गोटा	35020.00	36578.00	36578.00
	OPEN EXECUTION				
	CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE	गोटा	9600.00	10027.00	10027.00
	CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE	गोटा	12655.00	13218.00	13218.00
	CHANGEOVER SD CO FR1 125A OPEN EXECUTION	गोटा	19245.00	20101.00	20101.00
	CHANGEOVER SD CO FR1 160A OPEN EXECUTION	गोटा	20800.00	21725.00	21725.00
	CHANGEOVER SD CO FR1 200A OPEN EXECUTION	गोटा	25260.00	26384.00	26384.00
	CHANGEOVER SD CO FR1 250A OPEN EXECUTION	गोटा	37165.00	38818.00	38818.00
	CHANGEOVER SD CO FR1 315A OPEN EXECUTION	गोटा	39140.00	40881.00	40881.00
	CHANGEOVER SD CO FR1 400A OPEN EXECUTION	गोटा	57690.00	60257.00	60257.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	CHANGEOVER SD CO FR1 630A OPEN EXECUTION	गोटा	68000.00	71026.00	71026.00
	CHANGEOVER SD CO FR1 800A OPEN EXECUTION	गोटा	98500.00	102883.00	102883.00
	CHANGEOVER SD CO FR1 1000A OPEN EXECUTION	गोटा	176500.00	184354.00	184354.00
	CHANGEOVER SD WITH CENTER OPERATION 1250A	गोटा	234500.00	244935.00	244935.00
	CHANGEOVER SD WITH CENTER OPERATION 1600A	गोटा	277500.00	289848.00	289848.00
	CHANGEOVER SD WITH CENTER OPERATION 2000A	गोटा	377900.00	394716.00	394716.00
	Sheet Steel Enclosure				
	CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE	गोटा	13935.00	14555.00	14555.00
	CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE	गोटा	17775.00	18565.00	18565.00
	CHANGEOVER SD CO FR2 125A IN SS ENCL	गोटा	25900.00	27052.00	27052.00
	CHANGEOVER SD CO FR2 160A IN SS ENCL	गोटा	28910.00	30196.00	30196.00
	CHANGEOVER SD CO FR2 200A IN SS ENCL	गोटा	33430.00	34917.00	34917.00
	CHANGEOVER SD CO FR2 250A IN SS ENCL	गोटा	47255.00	49357.00	49357.00
	CHANGEOVER SD CO FR2 315A IN SS ENCL	गोटा	49530.00	51734.00	51734.00
	CHANGEOVER SD CO FR2 400A IN SS ENCL	गोटा	72180.00	75392.00	75392.00
	CHANGEOVER SD CO FR2 630A IN SS ENCL	गोटा	86000.00	89827.00	89827.00
	CHANGEOVER SD FR2 800A IN SS ENCL	गोटा	129990.00	135774.00	135774.00
	CHANGEOVER SD FR2 1000A IN SS ENCL	गोटा	228500.00	238668.00	238668.00
	Panel Board Thermoplastic Polycarbonate				
३६	Panel Board Thermoplastic Polycarbonate : IP 65/54 rated Panel Boards in accordance with IEC 60 439-1 (IS8623) and IEC 60 439-2 for power switchgear and control gear assembly, made of high quality Polycarbonate PC-GFS, Shock Proof, Polyurethane gaskets, ferruling, rust free, corrosion free, add and chemical resistant, fire retardant, self- extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC. The panel boards must include TPNE copper bus bar including necessary accessories for internal wiring at the board excluding cost of MCCB/MCB & measuring instrument.				
	60/75/100 Amp, 9"x36"x48" size	सेट		163836.00	163836.00
	60/75/100 AMP, 12"x36"x48" size	सेट		163836.00	163836.00
	60/75/100 AMP, 9"x48"x60" size	सेट		274932.00	274932.00
	60/75/100 AMP, 15"x49"x60" size	सेट		274932.00	274932.00
	150/200 AMP, 9"x38"x52" size	सेट		174468.00	174468.00
	150/200 AMP, 12"x38"x52" size	सेट		174468.00	174468.00
	150/200 AMP, 9"x42"x56" size	सेट		210120.00	210120.00
	150/200 AMP, 12"x42"x56" size	सेट		210120.00	210120.00
	250/300 AMP, 12"x48"x60" size	सेट		274932.00	274932.00
	250/300 AMP, 12"x52"x62" size	सेट		296004.00	296004.00
	400 AMP, 12"x52"x66" size	सेट		317124.00	317124.00
३७	**Panel Board measurement instrument**				
	0-500 volt meter	पिस	1023.00	1068.00	1068.00
	60/100 Amp meter .	पिस	979.00	1022.00	1022.00
	Panel Indicator	पिस	237.00	247.00	247.00
	2 Amp glass fuse with holder 12 mm size	पिस	134.00	139.00	139.00
	AMP meter selector switch	पिस	649.00	677.00	677.00
	volt meter selector switch	पिस	711.00	742.00	742.00
	60/100 Amp C.T. coil per set 3 Pcs	पिस	1432.00	1495.00	1495.00

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	150-200AMP C.T coil. 3 PC / Set	गोटा	1782.00	1861.00	1861.00
	250-300 AMP ,, ,,	गोटा	2421.00	2528.00	2528.00
	400/500/600AMP ,, ,,	गोटा	3554.00	3712.00	3712.00
	Kilo watt hour **energy meter** single phase	पिस	2271.00	2372.00	2372.00
	Kilo watt hour energy meter 3 phase direct	पिस	10228.00	10683.00	10683.00
C	**SWITCH GEARS**				
३८	**Miniature Circuits Breaker (MCB)** , (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Single Pole				
	6–32 amp MCB SP (single pole)	गोटा	206.00	215.00	215.00
	40A SP 10 KA MCB	गोटा	749.00	782.00	782.00
	63A SP 10 KA MCB	गोटा	817.00	853.00	853.00
	Double Pole				
	6–32 amp MCB DP (Double pole)	गोटा	1020.00	1065.00	1065.00
	40A DP 10 KA MCB	गोटा	1600.00	1671.00	1671.00
	63A DP 10 KA MCB	गोटा	1800.00	1880.00	1880.00
	Three Pole				
	6–32 amp MCB TP (Triple pole)	गोटा	1670.00	1744.00	1744.00
	40A TP 10 KA MCB	गोटा	2450.00	2559.00	2559.00
	63A TP 10 KA MCB	गोटा	2590.00	2705.00	2705.00
	Four Pole				
	10–32 amp MCB FP (Four pole)	गोटा	2140.00	2235.00	2235.00
	40A FP 10 KA MCB	गोटा	3130.00	3269.00	3269.00
	63A FP 10 KA MCB	गोटा	3200.00	3342.00	3342.00
३९	**Miniature Circuits Breaker (MCB)** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	0.5–5 amp MCB SP (single pole)	गोटा	258.00	269.00	269.00
	6–32 amp MCB SP (single pole)	गोटा	165.00	172.00	172.00
	6–32 amp MCB DP (Double pole)	गोटा	618.00	645.00	645.00
	6–32 amp MCB TP (Triple pole)	गोटा	1236.00	1291.00	1291.00
	32 amp MCB TPN	गोटा	1494.00	1560.00	1560.00
	40–63 amp MCB DP	गोटा	979.00	1022.00	1022.00
	40–63 amp MCB TP	गोटा	1391.00	1452.00	1452.00
	40–63 amp MCB TPN	गोटा	1854.00	1936.00	1936.00
४०	**Residual Current Circuit Breaker (RCCB)** (संवन्धित उत्पादक राक्ष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	Two Pole				
	25A 30mA 2 POLE RCCB	गोटा	2751.00	2873.00	2873.00
	25A 100mA 2 POLE RCCB	गोटा	3725.00	3890.00	3890.00
	25A 300mA DP RCCB	गोटा	3725.00	3890.00	3890.00
	40A30mA DP RCCB	गोटा	4025.00	4204.00	4204.00
	40A 100mA DP RCCB	गोटा	4260.00	4449.00	4449.00
	40A 300mA DP RCCB	गोटा	4260.00	4449.00	4449.00
	63A 30mA DP RCCB	गोटा	5015.00	5238.00	5238.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	63A 300mA DP RCCB	गोटा	5140.00	5368.00	5368.00
	Four Pole				
	25A 30mA Four Pole RCCB	गोटा	4710.00	4919.00	4919.00
	25A 100mAFour Pole RCCB	गोटा	4880.00	5097.00	5097.00
	25A 300mA Four Pole RCCB	गोटा	4880.00	5097.00	5097.00
	40A 30mA Four Pole RCCB	गोटा	4730.00	4940.00	4940.00
	40A 100mAFour Pole RCCB	गोटा	4955.00	5175.00	5175.00
	40A 300mA Four Pole RCCB	गोटा	4955.00	5175.00	5175.00
	63A 30mA Four Pole RCCB	गोटा	5425.00	5666.00	5666.00
	63A 100mAFour Pole RCCB	गोटा	5695.00	5948.00	5948.00
	63A 300mA Four Pole RCCB	गोटा	5695.00	5948.00	5948.00
	100A 300mA Four Pole RCCB	गोटा	9550.00	9974.00	9974.00
४१	**Moulded Case Circuit Breaker** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	15 A-100 A 3 POLE, 10 KA	गोटा		4132.00	4132.00
	15 A-100 A 4 POLE, 19 KA	गोटा		6067.00	6067.00
	16A-63A 3P MCCB 10 KA FTFM	गोटा	3385.00	3723.00	3723.00
	80A 3P MCCB 10 KA FTFM + SPRD	गोटा	3940.00	4334.00	4334.00
	100A 3P MCCB 10 KA FTFM + SPRD	गोटा	3940.00	4334.00	4334.00
	125A 3P MCCB 10 KA FTFM + SPRD	गोटा	5585.00	6143.00	6143.00
	15 A-100 A 3 POLE, 10 KA	गोटा		8500.00	8500.00
	125 A 3 POLE, 16 KA	गोटा		9196.00	9196.00
	160 A 3 POLE, 16 KA	गोटा		11858.00	11858.00
	15 A-100 A 4 POLE, 19 KA	गोटा		11330.00	11330.00
	125 A 4 POLE, 16 KA	गोटा		11402.00	11402.00
	160 A 4 POLE, 16 KA	गोटा		14928.00	14928.00
	125A 3P MCCB 18 KA TM 9 PIN	गोटा	12200.00	13420.00	13420.00
४२	**Moulded Case Circuit Breaker** (As per IS/IEC 60947-2 and Utilization Catagoerie -B, Icu=Ics=100% with spreader)				
	16A 3P MCCB 16/25 KA	गोटा		9936.00	9936.00
	20A-63A 3P MCCB 16/25 KA	गोटा	9230.00	10153.00	10153.00
	80A 3P MCCB 16/25 KA	गोटा	9680.00	10648.00	10648.00
	100A 3P MCCB 16/25 KA	गोटा	9680.00	10648.00	10648.00
	125A 3P MCCB 16/25 KA	गोटा	13140.00	14454.00	14454.00
	160A 3P MCCB 16/25 KA	गोटा	20200.00	22220.00	22220.00
	200A 3P MCCB 25 KA	गोटा	27500.00	30250.00	30250.00
	250A 3P MCCB 25 KA	गोटा	29380.00	32318.00	32318.00
	16A - 100 A 3P MCCB 36 KA	गोटा		12592.00	12592.00
	125A 3P MCCB 36 KA	गोटा	18165.00	19981.00	19981.00
	160A 3P MCCB 36 KA	गोटा	24145.00	26559.00	26559.00
	200A 3P MCCB 36 KA	गोटा	28710.00	31581.00	31581.00
	250A 3P MCCB 36 KA	गोटा	32310.00	35541.00	35541.00
	320A 3P MCCB 36 KA	गोटा	37475.00	41222.00	41222.00
	400A 3P MCCB 36 KA	गोटा	37508.00	41258.00	41258.00
	500A 3P MCCB 36 KA	गोटा	43310.00	47641.00	47641.00

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	630A 3P MCCB 36 KA	गोटा	49100.00	54010.00	54010.00
	800A 3P MCCB 36 KA	गोटा		79653.00	79653.00
	1000A 3P MCCB 36 KA	गोटा		103968.00	103968.00
	1250A 3P MCCB 36 KA	गोटा		148555.00	148555.00
	125A 3P MCCB 50 KA	गोटा	23570.00	25927.00	25927.00
	160A 3P MCCB 50 KA	गोटा	29675.00	32642.00	32642.00
	200A 3P MCCB 50 KA	गोटा	27930.00	30723.00	30723.00
	250A 3P MCCB 50 KA	गोटा	30732.00	33805.00	33805.00
	320A 3P MCCB 50 KA	गोटा	35961.00	39557.00	39557.00
	400A 3P MCCB 50 KA	गोटा	36080.00	39688.00	39688.00
	500A 3P MCCB 50 KA	गोटा	42860.00	47146.00	47146.00
	630A 3P MCCB 50 KA	गोटा	55500.00	61050.00	61050.00
	800A 3P MCCB 50 KA	गोटा	86130.00	94743.00	94743.00
	1000A 3P MCCB 50 KA	गोटा	136637.00	150300.00	150300.00
	1250A 3P MCCB 50 KA	गोटा	167185.00	183903.00	183903.00
	800 A 3 POLE, 70 KA	गोटा		142236.00	142236.00
	1000 A 3 POLE, 70 KA	गोटा		215390.00	215390.00
	1250A 3 POLE, 70 KA	गोटा		220656.00	220656.00
	16A 4P MCCB 16/25 KA	गोटा		13812.00	13812.00
	20A 4P MCCB 16/25 KA	गोटा	12905.00	14195.00	14195.00
	25A 4P MCCB 16/25 KA	गोटा	12905.00	14195.00	14195.00
	32A 4P MCCB 16/25 KA	गोटा	12905.00	14195.00	14195.00
	40A 4P MCCB 16/25 KA	गोटा	12905.00	14195.00	14195.00
	50A 4P MCCB 16/25 KA	गोटा	15435.00	16978.00	16978.00
	63A 3P MCCB 16/25 KA	गोटा		13812.00	13812.00
	80A 4P MCCB 16/25 KA	गोटा	15435.00	16978.00	16978.00
	100A 4P MCCB 16/25 KA	गोटा	15735.00	17308.00	17308.00
	125A 4P MCCB 16/25 KA	गोटा	19520.00	21472.00	21472.00
	160A 4P MCCB 16/25 KA	गोटा	25050.00	27555.00	27555.00
	200A 4P MCCB 25 KA	गोटा	34950.00	38445.00	38445.00
	250A 4P MCCB 25 KA	गोटा	36845.00	40529.00	40529.00
	16A - 100 A 4P MCCB 36 KA	गोटा		15712.00	15712.00
	125A 4P MCCB 36 KA	गोटा	22555.00	24810.00	24810.00
	160A 4P MCCB 36 KA	गोटा	28680.00	31548.00	31548.00
	200A 4P MCCB 36 KA	गोटा	35320.00	38852.00	38852.00
	250A 4P MCCB 36 KA	गोटा	39470.00	43417.00	43417.00
	320A 4P MCCB 36 KA	गोटा	46800.00	51480.00	51480.00
	400A 4P MCCB 36 KA	गोटा	47575.00	52332.00	52332.00
	500A 4P MCCB 36 KA	गोटा	59015.00	64916.00	64916.00
	630A 4P MCCB 36 KA	गोटा	65400.00	71940.00	71940.00
	800A 4P MCCB 36 KA	गोटा		89616.00	89616.00
	1000A 4P MCCB 36 KA	गोटा		131436.00	131436.00
	1250A 4P MCCB 36 KA	गोटा		158119.00	158119.00
	125A 4P MCCB 50 KA	गोटा	26430.00	29073.00	29073.00

दीपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	200A 4P MCCB 50 KA	गोटा	34915.00	38406.00	38406.00
	250A 4P MCCB 50 KA	गोटा	37704.00	41474.00	41474.00
	320A 4P MCCB 50 KA	गोटा	44442.00	48886.00	48886.00
	400A 4P MCCB 50 KA	गोटा	45057.00	49562.00	49562.00
	500A 4P MCCB 50 KA	गोटा	54124.00	59536.00	59536.00
	630A 4P MCCB 50 KA	गोटा	57698.00	63467.00	63467.00
	800A 4P MCCB 50 KA	गोटा	98200.00	108020.00	108020.00
	1000A 4P MCCB 50 KA	गोटा	190415.00	209456.00	209456.00
	1250A 4P MCCB 50 KA	गोटा	240500.00	264550.00	264550.00
	800 A 4 POLE, 70 KA	गोटा		164896.00	164896.00
	1000 A 4 POLE, 70 KA	गोटा		304968.00	304968.00
	1250A 4 POLE, 70 KA	गोटा		351662.00	351662.00
४३	**MCB/ISOLATOR** संबन्धित उत्पादक राष्ट्को गुणस्तर चिन्ह प्राप्त				
	B CURVE MCB SP 6A-32A	गोटा	239.00	249.00	249.00
	B CURVE MCB SP 40A	गोटा	281.00	293.00	293.00
	B CURVE MCB SP 50A-63A	गोटा	281.00	293.00	293.00
	C CURVE MCB SP 0.5-4A	गोटा	281.00	293.00	293.00
	C CURVE MCB SP 6-32A	गोटा	239.00	249.00	249.00
	C CURVE MCB SP 40A	गोटा	446.00	465.00	465.00
	C CURVE MCB SP 50-63A	गोटा	446.00	465.00	465.00
	C CURVE MCB SPN 0.5-4A	गोटा	479.00	500.00	500.00
	C CURVE MCB SPN 6-32A	गोटा	513.00	535.00	535.00
	C CURVE MCB SPN 40A	गोटा	561.00	585.00	585.00
	C CURVE MCB SPN 50-63A	गोटा	561.00	585.00	585.00
	C CURVE MCB DP 0.5-4A	गोटा	617.00	644.00	644.00
	C CURVE MCB DP 6-32A	गोटा	564.00	589.00	589.00
	C CURVE MCB DP 40A	गोटा	617.00	644.00	644.00
	C CURVE MCB DP 50-63A	गोटा	617.00	644.00	644.00
	C CURVE MCB TP 0.5-4A	गोटा	925.00	966.00	966.00
	C CURVE MCB TP 6-32A	गोटा	847.00	884.00	884.00
	C CURVE MCB TP 40A	गोटा	925.00	966.00	966.00
	C CURVE MCB TP 50-63A	गोटा	925.00	966.00	966.00
	C CURVE MCB TPN 0.5-4A	गोटा	1206.00	1259.00	1259.00
	C CURVE MCB TPN 6-32A	गोटा	1103.00	1152.00	1152.00
	C CURVE MCB TPN 40A	गोटा	1206.00	1259.00	1259.00
	C CURVE MCB TPN 50-63A	गोटा	1206.00	1259.00	1259.00
	C CURVE MCB FP 0.5-4A	गोटा	1290.00	1347.00	1347.00
	C CURVE MCB FP 6-32A	गोटा	1180.00	1232.00	1232.00
	C CURVE MCB FP 40A	गोटा	1290.00	1347.00	1347.00
	C CURVE MCB FP 50-63A	गोटा	1290.00	1347.00	1347.00
	ISOLATOR DP 40A	गोटा	551.00	575.00	575.00
	ISOLATOR DP 63A	गोटा	551,00	575.00	575.00
	ISOLATOR DP 80-100A	गोटा	576.00	601.00	601.00
	ISOLATOR DP 125A	गोटा	611.00	638.00	638.00

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	ISOLATOR FP 40A	गोटा	902.00	942.00	942.00
	ISOLATOR FP 63A	गोटा	902.00	942.00	942.00
	ISOLATOR FP 80-100A	गोटा	998.00	1042.00	1042.00
	ISOLATOR FP 125A	गोटा	998.00	1042.00	1042.00
	RCCB DP 25A 30mA	गोटा	3547.00	3704.00	3704.00
	RCCB DP 40A 30mA	गोटा	3547.00	3704.00	3704.00
	RCCB DP 63A 30mA	गोटा	3547.00	3704.00	3704.00
	RCCB DP 25A 100mA	गोटा	3345.00	3493.00	3493.00
	RCCB DP 40A 100mA	गोटा	3345.00	3493.00	3493.00
	RCCB DP 63A 100mA	गोटा	3345.00	3493.00	3493.00
	RCCB DP 25A 300mA	गोटा	3345.00	3493.00	3493.00
	RCCB DP 40A 300mA	गोटा	3345.00	3493.00	3493.00
	RCCB DP 63A 300mA	गोटा	3345.00	3493.00	3493.00
	RCCB FP 25A 30mA	गोटा	4155.00	4339.00	4339.00
	RCCB FP 40A 30mA	गोटा	4155.00	4339.00	4339.00
	RCCB FP 63A 30mA	गोटा	4155.00	4339.00	4339.00
	RCCB FP 25A 100mA	गोटा	4004.00	4182.00	4182.00
	RCCB FP 40A 100mA	गोटा	4004.00	4182.00	4182.00
	RCCB FP 63A 100mA	गोटा	4004.00	4182.00	4182.00
	RCCB FP 25A 300mA	गोटा	4004.00	4182.00	4182.00
	RCCB FP 40A 300mA	गोटा	4004.00	4182.00	4182.00
	RCCB FP 63A 300mA	गोटा	4004.00	4182.00	4182.00
४४	**MCB/ISOLATOR/RCCB** (As per IS/IEC 60898-1(2002) for MCB; IEC 60947-3 for Isolator, IS 12640-1 for RCCB, Icu=Ics=100%, 10kA)				
	B-Curve, MCB 6-32A (SINGLE POLE)	गोटा	310.00	323.00	323.00
	C-Curve,MCB 6-32A (SINGLE POLE)	गोटा	515.00	537.00	537.00
	C-Curve,MCB 40A (SINGLE POLE)	गोटा	1139.00	1189.00	1189.00
	C-Curve,MCB 63A (SINGLE POLE)	गोटा	1139.00	1189.00	1189.00
	MCB 6-32A (DOUBLE POLE)	गोटा	1584.00	1654.00	1654.00
	MCB 40A(DOUBLE POLE)	गोटा	2550.00	2663.00	2663.00
	MCB 63A(DOUBLE POLE)	गोटा	2550.00	2663.00	2663.00
	MCB 6-32A(TRIPPLE POLE)	गोटा	2586.00	2701.00	2701.00
	MCB 40A(TRIPPLE POLE)	गोटा	3949.00	4124.00	4124.00
	MCB 63A(TRIPPLE POLE)	गोटा	3949.00	4124.00	4124.00
	MCB 6-32A(FOUR POLE)	गोटा	3491.00	3646.00	3646.00
	MCB 40A (FOUR POLE)	गोटा	5034.00	5258.00	5258.00
	MCB 63A (FOUR POLE)	गोटा	5034.00	5258.00	5258.00
	ISOLATOR 32A 240V(DOUBLE POLE)	गोटा	861.00	899.00	899.00
	ISOLATOR 40A 240v(DOUBLE POLE)	गोटा	950.00	992.00	992.00
	ISOLATOR 63A 240v(DOUBLE POLE)	गोटा	1254.00	1309.00	1309.00
	ISOLATOR 32A 415v(TRIPPLE POLE)	गोटा	1542.00	1610.00	1610.00
	ISOLATOR 40A 415v(TRIPPLE POLE)	गोटा	1651.00	1724.00	1724.00
	ISOLATOR 63A 415v(TRIPPLE POLE)	गोटा	1955.00	2041.00	2041.00
	ISOLATOR 32A 415v (FOUR POLE)	गोटा	1693.00	1768.00	1768.00

दिपक कुमार रिसाल
प्रमुख
नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	ISOLATOR 40A 415v (FOUR POLE)	गोटा	2102.00	2195.00	2195.00
	ISOLATOR 63A 415v (FOUR POLE)	गोटा	2304.00	2406.00	2406.00
	RCBO 10A 30MA-2M SPN(DOUBLE POLE)	गोटा	7984.00	8339.00	8339.00
	RCBO 16A 30MA-2M SPN(DOUBLE POLE)	गोटा	7984.00	8339.00	8339.00
	RCBO 20A 30MA-2M SPN(DOUBLE POLE)	गोटा	7984.00	8339.00	8339.00
	RCBO 25A 30MA-2M SPN(DOUBLE POLE)	गोटा	7984.00	8339.00	8339.00
	RCBO 32A 30MA-2M SPN(DOUBLE POLE)	गोटा	8384.00	8757.00	8757.00
	RCBO 16A 30mA 4M(DOUBLE POLE)	गोटा	6576.00	6868.00	6868.00
	RCBO 25A 30mA 4M(DOUBLE POLE)	गोटा	6576.00	6868.00	6868.00
	RCBO 32A 30MA 4M(DOUBLE POLE)	गोटा	7200.00	7520.00	7520.00
	RCBO 40A 30MA 4M(DOUBLE POLE)	गोटा	8563.00	8944.00	8944.00
	RCBO 16A 30mA 7M (FOUR POLE)	गोटा	9270.00	9682.00	9682.00
	RCBO 25A 30mA 7M (FOUR POLE)	गोटा	9270.00	9682.00	9682.00
	RCBO 32A 30MA 7M (FOUR POLE)	गोटा	9562.00	9987.00	9987.00
	RCBO 40A 30MA 7M (FOUR POLE)	गोटा	9706.00	10137.00	10137.00
	RCBO 63A 30MA 7M (FOUR POLE)	गोटा	11494.00	12005.00	12005.00
	RCCB 25A 30MA 2M (DOUBLE POLE)	गोटा	5603.00	5852.00	5852.00
	RCCB 40A 30MA 2M (DOUBLE POLE)	गोटा	6560.00	6851.00	6851.00
	RCCB 63A 30MA 2M (DOUBLE POLE)	गोटा	7840.00	8188.00	8188.00
	RCCB 25A 30MA 240v 4M (FOUR POLE)	गोटा	7718.00	8061.00	8061.00
	RCCB 40A 30MA 240v 4M (FOUR POLE)	गोटा	7622.00	7961.00	7961.00
	RCCB 63A 30MA 240v 4M (FOUR POLE)	गोटा	8845.00	9238.00	9238.00
D	**WIRES, CABLE & ACCESSERIES**				
४५	**CABLE SHOE**				
	16 sq.mm cable shoe	गोटा	64.00	66.00	66.00
	25 sq.mm " "	गोटा	83.00	86.00	86.00
	35 sq.mm " "	गोटा	64.00	66.00	66.00
	50 sq.mm " "	गोटा	75.00	78.00	78.00
	70 sq.mm " "	गोटा	92.00	96.00	96.00
	95 sq.mm " "	गोटा	143.00	149.00	149.00
	150 sq.mm " "	गोटा	215.00	224.00	224.00
	195 sq.mm " "	गोटा	305.00	318.00	318.00
	250 sq.mm " "	गोटा	485.00	506.00	506.00
४६	**COPPER CONDUCTOR /WIRE /CABLE (PER COIL=(90 RM) NS marked**				
	1/18 size p.v.c. insulated copper wire/ cable	क्वायल	948.00	990.00	990.00
	3/22 " " "	क्वायल	1133.00	1183.00	1183.00
	3/20 " " "	क्वायल	1803.00	1883.00	1883.00
	7/22 " " "	क्वायल	2524.00	2636.00	2636.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	7/20 " " "	क्वायल	4120.00	4303.00	4303.00
	7/18 " " "	क्वायल	6489.00	6777.00	6777.00
	7/16 " " "	क्वायल	13390.00	13985.00	13985.00
	19/18 " " "	क्वायल	18025.00	18827.00	18827.00
	19/16 " " "	क्वायल	36050.00	37654.00	37654.00
	2\20 " " "	क्वायल	1370.00	1430.00	1430.00
	2\22 " " "	क्वायल	927.00	968.00	968.00
४७	FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	22.00	22.00	22.00
	Size 1 C *1 SQMM	र.मी	30.00	31.00	31.00
	Size 1 C *1.5 SQMM	र.मी	44.00	45.00	45.00
	Size 1 C *2.5SQMM	र.मी	72.00	75.00	75.00
	Size 1 C *4SQMM	र.मी	105.00	109.00	109.00
	Size 1 C *6SQMM	र.मी	159.00	166.00	166.00
४८	FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010				
	Size 1 C *0.75 SQMM	र.मी	24.00	25.00	25.00
	Size 1 C *1 SQMM	र.मी	32.00	33.00	33.00
	Size 1 C *1.5 SQMM	र.मी	47.00	49.00	49.00
	Size 1 C *2.5SQMM	र.मी	76.00	79.00	79.00
	Size 1 C *4SQMM	र.मी	112.00	116.00	116.00
	Size 1 C *6SQMM	र.मी	168.00	175.00	175.00
४९	Multistrand Flexible wire for house wiring (90meter per coil) NS marked Eqv.				
	1.0 mm PVC insulated Copper wire	क्वायल	1030.00	1075.00	1075.00
	1.5 mm PVC insulated Copper wire	क्वायल	1648.00	1721.00	1721.00
	2.5 mm PVC insulated Copper wire	क्वायल	2421.00	2528.00	2528.00
	4.0 mm PVC insulated Copper wire	क्वायल	3914.00	4088.00	4088.00
	6.0 mm PVC insulated Copper wire	क्वायल	6180.00	6455.00	6455.00
	10.0mm PVC insulated Copper wire	क्वायल	10300.00	10758.00	10758.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
५०	**Concentric Cable NS marked Eqv.**				
	4mm size concentric cable	र.मी	23.00	24.00	24.00
	6mm size " "	र.मी	26.00	27.00	27.00
	10mm size concentric cable	र.मी	39.00	40.00	40.00
	16mm size " "	र.मी	67.00	69.00	69.00
	25mm size " "	र.मी	89.00	92.00	92.00
५१	**Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694**				
	a) 2 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी	103.00	107.00	112.00
	2.5 mm2	र.मी	139.00	145.00	152.00
	4.0 mm2	र.मी	191.00	199.00	211.00
	6.0 mm2	र.मी	247.00	257.00	273.00
	10.0 mm2	र.मी	371.00	387.00	413.00
	16.0 mm2	र.मी	494.00	515.00	574.00
	25.0 mm2	र.मी	721.00	753.00	852.00
	35.0 mm2	र.मी	958.00	1000.00	1141.00
	50.0 mm2	र.मी	1339.00	1398.00	1534.00
	70.0 mm2	र.मी			2163.00
	95.0 mm2	र.मी			2956.00
	120.0 mm2	र.मी			3733.00
	150.0 mm2	र.मी			4613.00
	185.0 mm2	र.मी			5675.00
	240.0 mm2	र.मी			7378.00
	300.0 mm2	र.मी			9259.00
	400.0 mm2	र.मी			12384.00
	b) 3 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी	129.00	134.00	140.00
	2.5 mm2	र.मी	180.00	188.00	196.00
	4.0 mm2	र.मी	258.00	269.00	280.00
	6.0 mm2	र.मी	330.00	344.00	372.00
	10.0 mm2	र.मी	494.00	515.00	577.00
	16.0 mm2	र.मी	690.00	720.00	806.00
	25.0 mm2	र.मी	1051.00	1097.00	1237.00
	35.0 mm2	र.मी	1391.00	1452.00	1673.00
	50.0 mm2	र.मी	1906.00	1990.00	2259.00
	70.0 mm2	र.मी	2678.00	2797.00	3197.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	95.0 mm2	र.मी	3605.00	3765.00	4393.00
	120.0 mm2	र.मी	4532.00	4733.00	5554.00
	150.0 mm2	र.मी	5562.00	5809.00	6846.00
	185.0 mm2	र.मी			8450.00
	240.0 mm2	र.मी			11009.00
	300.0 mm2	र.मी			13809.00
	400.0 mm2	र.मी			18489.00
	c) 3.5 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	25.0 mm2	र.मी	1257.00	1312.00	1484.00
	35.0 mm2	र.मी	1597.00	1668.00	1934.00
	50.0 mm2	र.मी	2245.00	2344.00	2667.00
	70.0 mm2	र.मी	3090.00	3227.00	3761.00
	95.0 mm2	र.मी	4120.00	4303.00	5145.00
	120.0 mm2	र.मी	5408.00	5648.00	6629.00
	150.0 mm2	र.मी	6386.00	6670.00	7933.00
	185.0 mm2	र.मी	7931.00	8283.00	9934.00
	240.0 mm2	र.मी	10403.00	10865.00	12883.00
	300.0 mm2	र.मी	13184.00	13770.00	16119.00
	400.0 mm2	र.मी	17304.00	18074.00	21493.00
	d) 4 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी	155.00	161.00	168.00
	2.5 mm2	र.मी	221.00	230.00	243.00
	4.0 mm2	र.मी	319.00	333.00	354.00
	6.0 mm2	र.मी	412.00	430.00	484.00
	10.0 mm2	र.मी	618.00	645.00	728.00
	16.0 mm2	र.मी	901.00	941.00	1054.00
	25.0 mm2	र.मी	1339.00	1398.00	1627.00
	35.0 mm2	र.मी	1803.00	1883.00	2212.00
	50.0 mm2	र.मी	2575.00	2689.00	3002.00
	70.0 mm2	र.मी	3502.00	3657.00	4247.00
	95.0 mm2	र.मी	4738.00	4948.00	5830.00
	120.0 mm2	र.मी	5974.00	6239.00	7388.00
	150.0 mm2	र.मी	7416.00	7746.00	9119.00
	185.0 mm2	र.मी	9064.00	9467.00	11250.00
	240.0 mm2	र.मी	12360.00	12910.00	14661.00
	300.0 mm2	र.मी	14832.00	15492.00	18399.00
	400.0 mm2	र.मी	20085.00	20978.00	24637.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
५२	Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	a) 1 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	10.0 mm2	र.मी	43.00	44.00	174.00
	16.0 mm2	र.मी	65.00	67.00	258.00
	25.0 mm2	र.मी	76.00	79.00	397.00
	35.0 mm2	र.मी	91.00	95.00	543.00
	50.0 mm2	र.मी	121.00	126.00	738.00
	70.0 mm2	र.मी	158.00	165.00	1039.00
	95.0 mm2	र.मी	214.00	223.00	1444.00
	120.0 mm2	र.मी	260.00	271.00	1828.00
	150.0 mm2	र.मी	308.00	321.00	2256.00
	185.0 mm2	र.मी			2782.00
	240.0 mm2	र.मी			3628.00
	300.0 mm2	र.मी			4560.00
	400.0 mm2	र.मी			6161.00
	b) 2 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी	72.00	75.00	82.00
	2.5 mm2	र.मी	103.00	107.00	115.00
	4.0 mm2	र.मी	144.00	150.00	171.00
	6.0 mm2	र.मी	196.00	204.00	233.00
	10.0 mm2	र.मी	309.00	322.00	367.00
	16.0 mm2	र.मी	427.00	446.00	515.00
	25.0 mm2	र.मी	659.00	688.00	797.00
	35.0 mm2	र.मी	896.00	935.00	1082.00
	50.0 mm2	र.मी	1236.00	1291.00	1475.00
	70.0 mm2	र.मी	1236.00	1291.00	2095.00
	95.0 mm2	र.मी	2318.00	2421.00	2878.00
	120.0 mm2	र.मी	3039.00	3174.00	3646.00
	150.0 mm2	र.मी	3811.00	3980.00	4513.00
	185.0 mm2	र.मी			5570.00
	240.0 mm2	र.मी			7261.00
	300.0 mm2	र.मी			9128.00
	400.0 mm2	र.मी			12235.00
	c) 3 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी	93.00	97.00	109.00
	2.5 mm2	र.मी	134.00	139.00	159.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	4.0 mm2	र.मी	196.00	204.00	233.00
	6.0 mm2	र.मी	278.00	290.00	326.00
	10.0 mm2	र.मी	438.00	457.00	521.00
	16.0 mm2	र.मी	639.00	667.00	756.00
	25.0 mm2	र.मी	979.00	1022.00	1187.00
	35.0 mm2	र.मी	1318.00	1376.00	1621.00
	50.0 mm2	र.मी	1854.00	1936.00	2200.00
	70.0 mm2	र.मी	2575.00	2689.00	3132.00
	95.0 mm2	र.मी	3502.00	3657.00	4324.00
	120.0 mm2	र.मी	4429.00	4626.00	5483.00
	150.0 mm2	र.मी	5459.00	5701.00	6772.00
	185.0 mm2	र.मी			8370.00
	240.0 mm2	र.मी			10932.00
	300.0 mm2	र.मी			13732.00
	400.0 mm2	र.मी			18411.00
	d) 3.5 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	25.0 mm2	र.मी	1205.00	1258.00	1447.00
	35.0 mm2	र.मी	1545.00	1613.00	1884.00
	50.0 mm2	र.मी	2163.00	2259.00	2615.00
	70.0 mm2	र.मी	3013.00	3147.00	3708.00
	95.0 mm2	र.मी	4069.00	4250.00	5096.00
	120.0 mm2	र.मी	5356.00	5594.00	6592.00
	150.0 mm2	र.मी	6335.00	6616.00	7884.00
	185.0 mm2	र.मी			9897.00
	240.0 mm2	र.मी			12870.00
	300.0 mm2	र.मी			16615.00
	400.0 mm2	र.मी			21530.00
	e) 4 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी	113.00	118.00	134.00
	2.5 mm2	र.मी	170.00	177.00	199.00
	4.0 mm2	र.मी	252.00	263.00	298.00
	6.0 mm2	र.मी	350.00	365.00	419.00
	10.0 mm2	र.मी	556.00	580.00	679.00
	16.0 mm2	र.मी	845.00	882.00	1017.00
	25.0 mm2	र.मी	1318.00	1376.00	1589.00
	35.0 mm2	र.मी	1772.00	1850.00	2172.00
	50.0 mm2	र.मी	2472.00	2582.00	2962.00
	70.0 mm2	र.मी	3451.00	3604.00	4219.00
	95.0 mm2	र.मी	4687.00	4895.00	5808.00
	120.0 mm2	र.मी	5923.00	6186.00	7378.00

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. वाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	150.0 mm2	र.मी	7365.00	7692.00	9128.00
	185.0 mm2	र.मी	9064.00	9467.00	11282.00
	240.0 mm2	र.मी	12257.00	12802.00	14719.00
	300.0 mm2	र.मी	14832.00	15492.00	18495.00
	400.0 mm2	र.मी	20085.00	20978.00	24795.00
५३	**Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694**				
	a) 2 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	2.5 mm2	र.मी	93.00	97.00	96.00
	4.0 mm2	र.मी	118.00	123.00	114.00
	6.0 mm2	र.मी	134.00	139.00	132.00
	10.0 mm2	र.मी	160.00	167.00	160.00
	16.0 mm2	र.मी	180.00	188.00	181.00
	25.0 mm2	र.मी	216.00	225.00	220.00
	35.0 mm2	र.मी	247.00	257.00	248.00
	50.0 mm2	र.मी	319.00	333.00	305.00
	70.0 mm2	र.मी	397.00	414.00	397.00
	95.0 mm2	र.मी	505.00	527.00	493.00
	120.0 mm2	र.मी			592.00
	150.0 mm2	र.मी			723.00
	185.0 mm2	र.मी			882.00
	240.0 mm2	र.मी			1070.00
	300.0 mm2	र.मी			1314.00
	400.0 mm2	र.मी			1661.00
	b) 3 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी			
	2.5 mm2	र.मी	108.00	112.00	111.00
	4.0 mm2	र.मी	134.00	139.00	132.00
	6.0 mm2	र.मी	149.00	155.00	153.00
	10.0 mm2	र.मी	180.00	188.00	192.00
	16.0 mm2	र.मी	206.00	215.00	210.00
	25.0 mm2	र.मी	278.00	290.00	284.00
	35.0 mm2	र.मी	335.00	349.00	330.00
	50.0 mm2	र.मी	427.00	446.00	412.00
	70.0 mm2	र.मी	541.00	565.00	539.00
	95.0 mm2	र.मी	494.00	515.00	695.00
	120.0 mm2	र.मी	834.00	871.00	836.00
	150.0 mm2	र.मी	1004.00	1048.00	1006.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	185.0 mm2	र.मी	1236.00	1291.00	1244.00
	240.0 mm2	र.मी	1514.00	1581.00	1544.00
	300.0 mm2	र.मी	1854.00	1936.00	1877.00
	400.0 mm2	र.मी	2318.00	2421.00	2390.00
	c) 3.5 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	25.0 mm2	र.मी	319.00	333.00	330.00
	35.0 mm2	र.मी	371.00	387.00	387.00
	50.0 mm2	र.मी	489.00	510.00	496.00
	70.0 mm2	र.मी	628.00	655.00	656.00
	95.0 mm2	र.मी	803.00	838.00	829.00
	120.0 mm2	र.मी	979.00	1022.00	1031.00
	150.0 mm2	र.मी	1174.00	1226.00	1215.00
	185.0 mm2	र.मी	1421.00	1484.00	1495.00
	240.0 mm2	र.मी	1772.00	1850.00	1860.00
	300.0 mm2	र.मी	2215.00	2313.00	2260.00
	400.0 mm2	र.मी	2781.00	2904.00	2790.00
	d) 4 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	2.5 mm2	र.मी	124.00	129.00	128.00
	4.0 mm2	र.मी	155.00	161.00	153.00
	6.0 mm2	र.मी	180.00	188.00	188.00
	10.0 mm2	र.मी	196.00	204.00	206.00
	16.0 mm2	र.मी	252.00	263.00	260.00
	25.0 mm2	र.मी	340.00	355.00	355.00
	35.0 mm2	र.मी	402.00	419.00	415.00
	50.0 mm2	र.मी	548.00	572.00	546.00
	70.0 mm2	र.मी	700.00	731.00	708.00
	95.0 mm2	र.मी	901.00	941.00	889.00
	120.0 mm2	र.मी	1082.00	1130.00	1105.00
	150.0 mm2	र.मी	1370.00	1430.00	1346.00
	185.0 mm2	र.मी	1627.00	1699.00	1629.00
	240.0 mm2	र.मी	2039.00	2129.00	2040.00
	300.0 mm2	र.मी	2524.00	2636.00	2472.00
	400.0 mm2	र.मी	3193.00	3335.00	3165.00
५४	**Aluminium conductor unarmoured (power) cable NS marked or eqv.**				
	a) 1 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	16.0 mm2	र.मी	52.00	54.00	54.00
	25.0 mm2	र.मी	72.00	75.00	75.00
	35.0 mm2	र.मी	88.00	91.00	93.00
	50.0 mm2	र.मी	113.00	118.00	118.00
	70.0 mm2	र.मी	144.00	150.00	153.00
	95.0 mm2	र.मी	196.00	204.00	203.00
	120.0 mm2	र.मी	237.00	247.00	248.00
	150.0 mm2	र.मी	391.00	408.00	308.00
	185.0 mm2	र.मी	361.00	377.00	383.00
	240.0 mm2	र.मी	443.00	462.00	468.00
	300.0 mm2	र.मी	536.00	559.00	581.00
	400.0 mm2	र.मी			737.00
	630.0 mm2	र.मी			1215.00
	b) 2 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	2.5 mm2	र.मी	52.00	54.00	50.00
	4.0 mm2	र.मी	62.00	64.00	64.00
	6.0 mm2	र.मी	77.00	80.00	82.00
	10.0 mm2	र.मी	98.00	102.00	104.00
	16.0 mm2	र.मी	103.00	107.00	139.00
	25.0 mm2	र.मी	144.00	150.00	156.00
	35.0 mm2	र.मी	185.00	193.00	185.00
	50.0 mm2	र.मी	237.00	247.00	238.00
	70.0 mm2	र.मी	299.00	312.00	316.00
	95.0 mm2	र.मी	402.00	419.00	400.00
	120.0 mm2	र.मी			493.00
	150.0 mm2	र.मी			613.00
	185.0 mm2	र.मी			758.00
	240.0 mm2	र.मी			936.00
	300.0 mm2	र.मी			1162.00
	400.0 mm2	र.मी			1491.00
	c) 3 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	2.5 mm2	र.मी	62.00	64.00	57.00
	4.0 mm2	र.मी	72.00	75.00	75.00
	6.0 mm2	र.मी	88.00	91.00	93.00
	10.0 mm2	र.मी	124.00	129.00	124.00
	16.0 mm2	र.मी	144.00	150.00	167.00
	25.0 mm2	र.मी	206.00	215.00	252.00
	35.0 mm2	र.मी	258.00	269.00	270.00
	50.0 mm2	र.मी	340.00	355.00	344.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	70.0 mm2	र.मी	453.00	473.00	461.00
	95.0 mm2	र.मी	597.00	623.00	613.00
	120.0 mm2	र.मी	742.00	775.00	752.00
	150.0 mm2	र.मी	886.00	925.00	921.00
	185.0 mm2	र.मी	1112.00	1161.00	1155.00
	240.0 mm2	र.मी	1380.00	1441.00	1452.00
	300.0 mm2	र.मी	1751.00	1828.00	1785.00
	400.0 mm2	र.मी			2302.00
	d) 3.5 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694				
	25.0 mm2	र.मी	258.00	269.00	273.00
	35.0 mm2	र.मी	309.00	322.00	330.00
	50.0 mm2	र.मी	412.00	430.00	436.00
	70.0 mm2	र.मी	567.00	592.00	596.00
	95.0 mm2	र.मी	742.00	775.00	772.00
	120.0 mm2	र.मी	927.00	968.00	988.00
	150.0 mm2	र.मी	1112.00	1161.00	1158.00
	185.0 mm2	र.मी	1391.00	1452.00	1452.00
	240.0 mm2	र.मी	1751.00	1828.00	1848.00
	300.0 mm2	र.मी	2163.00	2259.00	2266.00
	400.0 mm2	र.मी			2914.00
	e) 4 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694				
	1.5 mm2	र.मी			
	2.5 mm2	र.मी	72.00	75.00	64.00
	4.0 mm2	र.मी	82.00	85.00	89.00
	6.0 mm2	र.मी	98.00	102.00	107.00
	10.0 mm2	र.मी	134.00	139.00	160.00
	16.0 mm2	र.मी	196.00	204.00	216.00
	25.0 mm2	र.मी	288.00	300.00	302.00
	35.0 mm2	र.मी	350.00	365.00	372.00
	50.0 mm2	र.मी	484.00	505.00	504.00
	70.0 mm2	र.मी	639.00	667.00	666.00
	95.0 mm2	र.मी	845.00	882.00	864.00
	120.0 mm2	र.मी	1030.00	1075.00	1095.00
	150.0 mm2	र.मी	1288.00	1345.00	1356.00
	185.0 mm2	र.मी	1597.00	1668.00	1661.00
	240.0 mm2	र.मी	2009.00	2098.00	2107.00
	300.0 mm2	र.मी	2472.00	2582.00	2581.00
	400.0 mm2				3342.00
E	CABLE MANAGEMENT				

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Pregalvanized Cable Tray & Raceways				
५५	**LADDER CABLE TRAY (15X30X15) Pre Galvanized (275 Gsm)**				
	Pre Galvanized (275Gsm) Bolted Rungs Type 100mm ladder Cable Tray	र.मी	3225	3368.00	3368.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 150mm ladder Cable Tray	र.मी	2500	2611.00	2611.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 200mm ladder Cable Tray	र.मी	1850	1932.00	1932.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 300mm ladder Cable Tray	र.मी	1650	1723.00	1723.00
	Pre Galvanized (275Gsm) Bolted Rungs Type 400mm ladder Cable Tray	र.मी	1450	1514.00	1514.00
५६	**Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts --2500MM Long**				
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-100mm	र.मी	2575	2689.00	2689.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-150mm	र.मी	3250	3394.00	3394.00
	Raceways 2mm Thk WDJ [PG275GSM] Base With Cover & Strap-200mm	र.मी	3500	3655.00	3655.00
५७	**Perforated Cable Tray 1.6mm Thick--2500mm Long,Pre Galvanized**				
	Perforated Cable Tray **PCT 100MM** Pre-Galvanized (275GSM)			1350.00	1350.00
	Perforated Cable Tray **PCT 150MM** Pre-Galvanized (275GSM)			1680.00	1680.00
	Perforated Cable Tray **PCT 200MM** Pre-Galvanized (275GSM)			2040.00	2040.00
	Perforated Cable Tray **PCT 300MM** Pre-Galvanized (275GSM)			2400.00	2400.00
	Perforated Cable Tray **PCT 450MM** Pre-Galvanized (275GSM)			3660.00	3660.00
	Perforated Cable Tray **PCT 600MM** Pre-Galvanized (275GSM)			4680.00	4680.00
५८	**Perforated Cable Tray 2mm Thick--2500mm Long, Pre Galvanized (275 Gsm)**				
	Perforated Cable Tray **PCT 100MM** Pre-Galvanized (275GSM)	र.मी	1175	1222.00	1222.00
	Perforated Cable Tray **PCT 150MM** Pre-Galvanized (275GSM)	र.मी	1450	1508.00	1508.00
	Perforated Cable Tray **PCT 200MM** Pre-Galvanized (275GSM)	र.मी	1775	1846.00	1846.00
	Perforated Cable Tray **PCT 300MM** Pre-Galvanized (275GSM)	र.मी	2050	2132.00	2132.00
	Perforated Cable Tray **PCT 450MM** Pre-Galvanized (275GSM)	र.मी	3160	3286.00	3286.00
	Perforated Cable Tray **PCT 600MM** Pre-Galvanized (275GSM)	र.मी	4030	4191.00	4191.00
५९	**Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER -2500mm Long**				
	Perforated Cable Tray with **2mm Thk Cover PCT 100MM** Pre-Galvanized	र.मी	1976	2055.00	2055.00
	Perforated Cable Tray with **2mm Thk Cover PCT 300MM** Pre-Galvanized	र.मी	4050	4212.00	4212.00
	Perforated Cable Tray with **2mm Thk Cover PCT 450MM** Pre-Galvanized	र.मी	6250	6500.00	6500.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5∘C to +60∘C ,durable and impact resistant				
६०	**CABLE SUPPORT SYSTEM - FINISH - (275GSM)**				
	Slotted Z Section - (2500MM LONG) Pre Galvanized (PG 275)	र.मी	800	835.00	835.00
	Rung sloted "C CHANEL" - Pre Galvanized (PG 275)	र.मी	525	548.00	548.00
	Punched Flate 30x5mm THK,HDG 65 Micron (PG 275GSM)	र.मी	750	783.00	783.00
	Splice plate 35x200x2.00 (PG 120)/ Coupler plate 38x110mm	गोटा	550	574.00	574.00
	Splice plate 62x90x2.00 (PG 120)/Coupler plate 62x110mm	गोटा	575	600.00	600.00
	M8-Threaded rod Electroplated,1000 mm long	र.मी	190	198.00	198.00
	M10-**Threaded rod** Electroplated,1000 mm long	र.मी	290	302.00	302.00
	Rod coupler, M-8,Electroplated	गोटा	95	99.00	99.00
	Rod coupler, M-10,Electroplated	गोटा	105	109.00	109.00
	WDJ Coupler 100,150 & 200 mm	गोटा	575	600.00	600.00
	275 gsm Pregalvanized **Junction Box**	गोटा	2500	2611.00	2611.00
	Coupler for BRT 900,750,450,300 & 150MM	गोटा	250	261.00	261.00
	Coupler for PCT 600,450,300,200,150 & 100MM	गोटा	275	287.00	287.00
	Bottle Bracket for BRT 100 X50MM	गोटा	250	261.00	261.00
	Bottle Bracket for BRT 150 X50MM	गोटा	400	417.00	417.00
	Bottle Bracket for PCT 200 X50MM	गोटा	550	574.00	574.00
	METAL GRIP/FASTNER	गोटा	90	94.00	94.00
	BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM	गोटा	5000	5222.00	5222.00
	BRT Hardware/PCT Hardware	गोटा	30	31.00	31.00
	uPVC CONDUITS & ACCESSERIES				
६१	**FRLS Conduit of MEDIUM/HEAVY MECHANICAL STRESS(MMS)**				
	20MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/Blue/Green, FRLS Conduit	र.मी	111	115.00	115.00
	25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit	र.मी	139	144.00	144.00
	32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit	र.मी	261	271.00	271.00
	Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5∘C to +60∘C ,durable and impact resistant				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	90	93.00	93.00
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	100	104.00	104.00
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	214	222.00	222.00
६२	**DEEP TYPE**				
	20mm 1 way/2way/3way/4way with cover/without cover	गोटा	145	150.00	150.00
	25mm 1 way/2way/3way/4way with cover/without cover	गोटा	172	178.00	178.00
	32mm 1 way/2way/3way/4way with cover/without cover	गोटा	225	234.00	234.00
६३	**SADDLE,COUPLER,BEND, ELBOW,TEE,BUSH ADAPTOR**				
	20/25MM Round U Clip/Space Bar saddle	गोटा	42	43.00	43.00
	20/25MM Coupler	गोटा	25	26.00	26.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	20/25 mm slip type Bend	गोटा	89	92.00	92.00
	20/25mm Round Elbow	गोटा	44	45.00	45.00
	20/25mm Round Tee	गोटा	61	63.00	63.00
	20/25mm Male/female Bush Adaptor	गोटा	40	41.00	41.00
६४	**POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE**				
	16/20/25 MM Flexiable conduits pipe	र.मी	91	94.00	94.00
	32/40mm flexiable conduits pipe	र.मी	176	183.00	183.00
६५	**FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS**				
	16/20/25 MM FLEXIABLE CONDUITS PIPE	र.मी	120	124.00	124.00
	32/40 MM FLEXIABLE CONDUITS PIPE	र.मी	205	213.00	213.00
६६	**FLEXIABLE PIPE GLAND**				
	16/20/25MM PVC GLAND	गोटा	75	78.00	78.00
	32/40MM PVC GLAND	गोटा	107	111.00	111.00
६७	**uPVC MINI/MAXI TRUNKING PROFILE(LISTY)** made with unplasticides polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance, fire retardant,corrosion free, thermal resistance from -5°C to +60°C.				
	16x16mm	र.मी	45	46.00	46.00
	25x15mm	र.मी	58	60.00	60.00
	50x50mm	र.मी	480	499.00	499.00
	50x100mm	र.मी	1860	1934.00	1934.00
६८	**PVC Listy Double Lock**				
	½" breadth	सेट	31.00	32.00	32.00
	¾"	सेट	46.00	48.00	48.00
	1"	सेट	67.00	69.00	69.00
	1 1/2"	सेट	129.00	134.00	134.00
	2"	सेट	144.00	150.00	150.00
६९	**Accessories**				
	½"–2" size Saddle	र.मी	8.00	8.00	8.00
	Grips (Denmark)	गोटा	6.00	6.00	6.00
	Steel screws	गोटा	2.00	2.00	2.00
	PVC Tape	गोटा	15.00	15.00	15.00
७०	**TABLE FAN, CEILING FANS & EXHAUST Fans,** (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	36" size ceiling Fan	गोटा	2163.00	2259.00	2259.00
	42" size " "	गोटा	2266.00	2366.00	2366.00
	48" size " "	गोटा	2060.00	2151.00	2151.00
	56" size " "	गोटा	2575.00	2689.00	2689.00
	6" Exhaust Fan	गोटा	1494.00	1560.00	1560.00
	8" EXHAUST FAN PLASTIC WHITE	गोटा	1900.00	1984.00	1984.00
	9" Exhaust Fan	गोटा	2265.00	2365.00	2365.00
	10" EXHAUST FAN PLASTIC WHITE	गोटा	2060.00	2151.00	2151.00
	16" size wall fan	गोटा	2833.00	2959.00	2959.00
	12" size exhaust fan	गोटा	2620.00	2736.00	2736.00
	16" TABLE FAN	गोटा	2630.00	2747.00	2747.00

दीपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	18" TABLE FAN GOLD	गोटा	2885.00	3013.00	3013.00
	16" WALL FAN	गोटा	2235.00	2334.00	2334.00
	18" STAND FAN GOLD	गोटा	3300.00	3446.00	3446.00
	16" STAND FAN	गोटा	2660.00	2778.00	2778.00
	16" STAND FAN 3 BLADES	गोटा	2275.00	2376.00	2376.00
	18" WALL FAN REMOTE	गोटा	3160.00	3300.00	3300.00
७१	**Decorative Fans**				
	56" Ceiling Fan	गोटा	3975.00	3975.00	3975.00
	48"Ceiling Fan	गोटा	3425.00	3425.00	3425.00
७२	**Economy Plain Fans**				
	56" Ceiling Fan	गोटा	3700.00	3700.00	3700.00
	48" Power Saver Ceiling Fan -50 W	गोटा	3800.00	3800.00	3800.00
	36" Ceiling Fan	गोटा	2900.00	2900.00	2900.00
	24" Ceiling Fan (High Speed)	गोटा	2800.00	2800.00	2800.00
७३	**Table / Pedestal / Wall Fans**				
	18" Table/Pedstal/Wall Fan	गोटा	6900.00	6900.00	6900.00
	20" Tabel/ Pedstal/Wall Fan	गोटा	7480.00	7480.00	7480.00
	16" Pedestal Fan	गोटा	5150.00	5150.00	5150.00
	16" High Speed Table Fan	गोटा	4500.00	4500.00	4500.00
	16" High Speed Wall Fan	गोटा	4500.00	4500.00	4500.00
७४	**Ventilation / Exhaust Fans**				
	6" Ventilation Exhaust Fan	गोटा	2000.00	2000.00	2000.00
	8" Ventilation Exhaust Fan	गोटा	2090.00	2090.00	2090.00
	10" Ventilation Exhaust Fan	गोटा	2475.00	2475.00	2475.00
	4" Moduler Ventilation Exhaust	गोटा	2200.00	2200.00	2200.00
	6" Moduler Ventilation Exhaust	गोटा	2475.00	2475.00	2475.00
	9"Open Metal Exhaust	गोटा	2975.00	2975.00	2975.00
	12"Open Metal Exhaust	गोटा	3475.00	3475.00	3475.00
F	**Luminaires & Fixtures**				
७२	**LED BULB**				
	0.5W , LED with E14/B22/E27 Base, Color/3000K/4000K/6500K	गोटा	63.00	63.00	63.00
	3W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	124.00	124.00	124.00
	5W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	139.00	139.00	139.00
	7W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	9W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	183.00	183.00	183.00
	12W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	270.00	270.00	270.00
	14/15W , LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	342.00	342.00	342.00
	20/23W , High Power LED with E14/B22/E27 Base, 3000K/4000K/650(	गोटा	522.00	522.00	522.00
	30W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	783.00	783.00	783.00
	40W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1007.00	1007.00	1007.00
	50W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K	गोटा	1262.00	1262.00	1262.00
	4W E14 TAIL WARM	गोटा	250.00	250.00	250.00
	4W E14 NON TAIL WARM	गोटा	230.00	230.00	230.00
	SMART LED BULB				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	3W/5W @100lm/watt dimmable with 220◦ Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb	गोटा	455.00	455.00	455.00
७३	**Fluorescent Tube light (FTL)** set including Tube,condenser, starter , lamp holder,channel/batten made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block . (;+jlGwt pTkfbs /fi6«sfl u'0f:t/ lrGx klfKt				
	1×20 watt FTL (Patti fittings)	सेट	464.00	484.00	484.00
	1×40 watt FTL ,Energy saving electronioc striplite with electronic choke(ballast) Surface mounting (Patti Fitting)	सेट	775.00	809.00	809.00
	1×20 watt FTL (Mirrolta) WRF 20120	सेट	876.00	914.00	914.00
	1×40 watt FTL with attractive & functional decorative battens WRF20140	सेट	1020.00	1065.00	1065.00
	1×40 watt FTL box fittings	सेट	1159.00	1210.00	1210.00
	2×40 watt FTL box fittings	सेट	1751.00	1828.00	1828.00
	1×40 watt FTL Industrial channel	सेट	1782.00	1861.00	1861.00
	2×40 watt FTL Industrial channel	सेट	2287.00	2388.00	2388.00
	1×40 watt FTL, opalite with opal Arcylic dissuser .	सेट	1854.00	1936.00	1936.00
	2×40 watt FTL, oplite with opal Arcylic dissuser	सेट	3090.00	3227.00	3227.00
	4×20 watt FTL, oplite WCF 93418	सेट	5410.00	5650.00	5650.00
	4×20 watt FTL **mirror optic**, surface/recessed mounting	सेट	5410.00	5650.00	5650.00
	1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting	सेट	3554.00	3712.00	3712.00
	2×40 watt FTL **mirror optic**. surface/recessed mounting with electronic choke	सेट	4326.00	4518.00	4518.00
	4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luver Complete set	सेट	9383.00	9800.00	9800.00
	3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling	सेट	8245.00	8611.00	8611.00
७४	**Compact Fluorescent Lamp (CFL) based Luminaries set all complete** . (संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	2 x 18 W **CFL** recessed/surface mounting mirror Optic Complete Set	सेट	2678.00	2678.00	2678.00
	1 x11 W CFL mirror Optic surface/recessed mounting complete set	सेट	1833.00	1914.00	1914.00
	2 x11 W CFL mirror Optic Surface mounting complete set	सेट	2266.00	2366.00	2366.00
	2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luver Complete set	सेट	6067.00	6336.00	6336.00
	3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set	सेट	6824.00	7127.00	7127.00
	Recess mounting Direct Indirect LED luninare	सेट	10815.00	11296.00	11296.00
	Recess mounting Direct Indirect LED luninare	सेट	14060.00	14685.00	14685.00
	Recess Surface mounted LED luminate	सेट	13339.00	13932.00	13932.00
	Hight efficiency circular LED Down Lighter	सेट	3245.00	3389.00	3389.00
	Designer LED Streetlight with pressure die cast housing suitable for secondary roads	सेट	14600.00	15249.00	15249.00
	IP20 and IP 65 non intregal flexible LED Strip Light	सेट	1082.00	1130.00	1130.00
	Circular LED wall/Dome Light suitable for true ceiling	सेट	3245.00	3389.00	3389.00
	Square LED Wall/Dome light suitable for true ceiling	सेट	3245.00	3389.00	3389.00
	Recess mounted indirect and direct luminares	सेट	6129.00	6401.00	6401.00
	2x36 Watt CFL Surface Mirror Optic	सेट	6129.00	6401.00	6401.00
७५	**LUMINARIES Accessories**-(संवन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	500 watt halogen rod	गोटा	232.00	242.00	242.00
	1000 watt halogen rod	गोटा	278.00	290.00	290.00
	70Watt SON Lamp (Sodium Vapour)	गोटा	834.00	871.00	871.00
	150 watt sodium vapour bulb	गोटा	1298.00	1355.00	1355.00
	250 watt sodium vapour bulb	गोटा	1700.00	1775.00	1775.00
	20-40 watt FTL rod	गोटा	80.00	83.00	83.00
	20-40 watt FTL Copper chowk.	गोटा	258.00	269.00	269.00
	20-40W FTL Electronic Chowk with high power factor & instant flicker free start	गोटा	412.00	430.00	430.00
	Acrlye cover for 4×20 FTL	गोटा	989.00	1033.00	1033.00
	FTL starter	गोटा	19.00	19.00	19.00
	8 W to11W, **C.F.L.**Direct fit	गोटा	232.00	242.00	242.00
	13 to 22W , C.F.L.Direct fit	गोटा	299.00	312.00	312.00
	15-100 watt bulb.(ISI)	गोटा	26.00	27.00	27.00
	9W/86 (CFL)	गोटा	165.00	172.00	172.00
	11W/86 (CFL)	गोटा	175.00	182.00	182.00
	36W/86 (CFL)	गोटा	417.00	435.00	435.00
	125W HPL-N (Murcury Vapour)	गोटा	371.00	387.00	387.00
	250W HPL-N	गोटा	876.00	914.00	914.00
	Solar LED bulb	गोटा			
	12V/2W LED bulb	गोटा	361.00	377.00	377.00
	12V/3W LED bulb	गोटा	412.00	430.00	430.00
	12V/4W LED bulb	गोटा	464.00	484.00	484.00
७६	**DOME/DOOM LIGHT**				
	DOOM LIGHT				
	12W DOOM LIGHT WITH SENSOR 6500K	गोटा	2850.00	2976.00	2976.00
	12W DOOM LIGHT WITH SENSOR 2700K	गोटा	2850.00	2976.00	2976.00
	20W DOOM LIGHT LIPER RD 2700K	गोटा	1750.00	1827.00	1827.00
	20W DOOM LIGHT LIPER RD 6500K	गोटा	1750.00	1827.00	1827.00
	30W DOOM LIGHT LIPER RD 2700K	गोटा	2200.00	2297.00	2297.00
	30W DOOM LIGHT LIPER RD 6500K	गोटा	2200.00	2297.00	2297.00
	20W BALLKIT 6500K	गोटा	1850.00	1932.00	1932.00
	Dome light (संवन्धित उत्पादक राक्ष्ट्रको गुणस्तर चिन्ह प्राप्त)				
	6" Milky type decorative dome light	सेट	180.00	188.00	188.00
	6 " Brass base decorative dome light	सेट	736.00	768.00	768.00
	8"Milky type decorative dome light	सेट	227.00	237.00	237.00
	8 " Brass base decorative dome light	सेट	876.00	914.00	914.00
	8" Silver cast Milky base Decorative Dome Light	सेट	1107.00	1156.00	1156.00
	6) 8" Silver cast Black Base base Decorative Dome Light	सेट	567.00	592.00	592.00
	Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light)	सेट	1213.00	1266.00	1266.00
	PANEL DOWN LIGHTS				
	General Segment				
७७	**RECESS PANEL DOWN LIGHT**				

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय

दिपक कुमार रिसाल नगरप्रमुख गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	LED light fixtures with Edgelit/Backlit LED Fixture. Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥70lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, CRI≥70, Burning Life>15,000 hours having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			372.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			464.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			640.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			700.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			756.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			800.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1008.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1056.00
७८	**SURFACE PANEL DOWN LIGHT**				
	LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥70lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, CRI≥70, Burning Life>15,000 hours having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			612.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			775.20
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			880.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			940.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			996.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1080.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1248.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1296.00
	Mid Segment				
७९	**RECESS PANEL DOWN LIGHT, EDGELIT**				
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			560.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			928.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1200.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1200.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1200.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1360.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1840.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2040.00
८०	**SURFACE PANEL DOWN LIGHT, EDGELIT**				

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			928.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1360.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1360.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1360.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1520.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2080.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2480.00
८१	**RECESS PANEL DOWN LIGHT, BACKLIT**				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			692.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			660.00
	8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1200.00
	10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			968.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1200.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1364.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1680.00
	20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1680.00
८२	**SURFACE PANEL DOWN LIGHT, BACKLIT**				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			880.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1120.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			792.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1672.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1796.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1860.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2300.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2520.00
	Standard Segment				
८३	**RECESS PANEL DOWN LIGHT, BACKLIT**				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved , Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1160.00
	8/9W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1640.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1920.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2224.00
	22//24W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2400.00
८४	**SURFACE PANEL DOWN LIGHT, BACKLIT**				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved , Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1340.00
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1584.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1860.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2072.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2416.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2668.00
८५	**DEEP RECCESSED DOWN LIGHT, BACKLIT**				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1000.00
	8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1360.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1632.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1920.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2224.00
	20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2868.00
	COB DOWN LIGHTS				

दीपक कुमार रिसाल
नगरप्रमुख
ओखलढुंगा नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	General Segment				
८६	**COB DOWN LIGHT, RECESSED MOUNTED**				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, CRI≥70, Burning Life>25000-30,000 hours, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted for minimum period of 1 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			301.60
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			740.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1188.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1220.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1064.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1760.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2400.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3024.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3392.00
८७	**COB DOWN LIGHT, SURFACE MOUNTED**				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, CRI≥70, Burning Life>25000-30,000 hours, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser, having manufacture's warranted for minimum period of 1 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1020.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1292.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1496.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1688.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2040.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2480.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2880.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3520.00
	Mid Segment				
८८	**COB DOWN LIGHT, RECESSED MOUNTED**				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, THD <10 %, CRI≥70, SPD: 2KV, CRI≥80, Burning Life>25000-30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1000.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1040.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1432.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1432.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2000.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2760.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3784.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			4640.00
८९	**COB DOWN LIGHT, SURFACE MOUNTED**				
	COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, THD <10 %, CRI≥70, SPD: 2KV, CRI≥80, Burning Life>25000-30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			720.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1200.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1520.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1760.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1984.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2400.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3116.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3600.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			4400.00
	Standard Segment				

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
...पोखरा नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
९०	**COB DOWN LIGHT, RECESSED MOUNTED**				
	COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1040.00
	5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1040.00
	7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1432.00
	9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1432.00
	12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1760.00
	15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2000.00
	18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2760.00
	20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			4320.00
	30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			4640.00
९१	**COB DOWN LIGHT, SURFACE MOUNTED**				
	COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1200.00
	5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1440.00
	8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1760.00
	10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2000.00
	12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2524.00
	15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3040.00
	18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3292.00
	20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3840.00
	30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			5088.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
९२	Cylindrical COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥70lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide. Beam Angle: Narrow/Medium/Wide. With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS. 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	7W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11152.00	11152.00	11152.00
	12W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	11696.00	11696.00	11696.00
	15W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	12512.00	12512.00	12512.00
	18W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K	सेट	13056.00	13056.00	13056.00
	COMMERCIAL LIGHTS				

दिपक कुमार रिसाल
नगरप्रमुख
[illegible] नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	General & Mid Segment				
९३	**RECESS PANEL DOWN LIGHT, BACKLIT**				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Sheet Metal, Frame: Extruded aluminum, Trim Shape: Square/Rectangle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD<10 %, CRI≥70, SPD: 2.5 KV, Burning Life>25,000-30000 hours, LED Source: LED PCB with PC Lense or without having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1268.00
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2160.00
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2880.00
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K	सेट			5600.00
९४	**SURFACE PANEL DOWN LIGHT, BACKLIT**				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			1440.00
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			2880.00
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			3600.00
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K	सेट			6400.00
	Standard Segment				
९५	**RECESS PANEL DOWN LIGHT, BACKLIT**				
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			1408.00
	36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			2400.00
	40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			3200.00
	32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			5760.00
	80W, 2ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			9600.00
९५	**SURFACE PANEL DOWN LIGHT, BACKLIT**				

रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Note: Surface mounted Frame/Templet is not allowed, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			1600.00
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			3200.00
	40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			4000.00
	32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			6512.00
	80W, 2ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			9680.00
९७	**Clean Room LIGHT**				
	Clean Room LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, with options for bottom opening, top opening compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट	33882	33882.00	33882.00
	LINEAR LIGHTS				
९८	**DOWN LIGHTER LINEAR LIGHTS**				
	Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface/ Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip , Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long lenth, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट			3200.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट			3360.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट			4400.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट			5200.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट			6000.00
९९	**UP-DOWN LIGHTER LINEAR LIGHTS**				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long lenth, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years.				
	1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth)	सेट			3680.00
	1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth)	सेट			4560.00
	1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth)	सेट			5760.00
	1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth)	सेट			6800.00
	1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth)	सेट			7600.00
१००	**LED Trunking**				
	LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered.				
	40W, 3000K/4000K/5700K/6000K/6500K	सेट	8470	8470.00	8470.00
	57W, 3000K/4000K/5700K/6000K/6500K	सेट	11670	11670.00	11670.00
	LED HANGING KIT	सेट	1882	1882.00	1882.00
१०१	**LED TUBELIGHTS**				
	4W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट			268.00
	4W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट			304.00
	8W, LED TUBE Only, T5, 3000K/4000K/6500K	सेट			304.00
	8W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K	सेट			408.00
	18/20W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट			496.00
	18/20W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट			408.00
	36/40W, LED TUBE Only, T8, 3000K/4000K/6500K	सेट			2376.00
	36/40W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K	सेट			2228.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 1X4 box type patti T-Led 1x20w	सेट			2956.00
	INDUSTRIAL T-LED BOX TYPE PATTI, 2X4 box type patti T-Led 2x20w	सेट			3580.00
	Industrial Reflector 2X4 box type patti T-Led 2x20w	सेट			2956.00
१०२	**BATTEN LIGHTS**				
	18/20W, 4 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	4077.28		496.00
	8/10W, 2Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	1550.40		464.00
	4/5W, 1 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser	सेट	1550.40		360.00
	18/20W, 4 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	4077.28		624.00
	8/10W,2 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	1550.40		544.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	4/5W,1 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser	सेट	1550.40		496.00
	36/40W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	7529.00	7529.00	7529.00
	18/20W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire	सेट	5647.00	5647.00	5647.00
	18 Watt, Batten 4 ftLED luminaire with PIR Sensors	सेट	8024.00	8381.00	8381.00
	34 Watt Batten 4 ftLED luminaire with PIR Sensors	सेट	11424.00	11932.00	11932.00
	47Watt Batten 4 ftLED luminaire with PIR Sensors	सेट	14688.00	15341.00	15341.00
१०३	**LED STRIP LIGHTS**				
	24W/36W IP20/IP65/IP67 Waterproof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light	गोटा	570.00	570.00	570.00
	Power adaptor 2A/5A	गोटा	2100.00	2100.00	2100.00
१०४	**STRIP/COVE/ROPE LIGHT**				
	LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation,				
	24W/28W LED strip light(5Mtr roll) IP20	र.मी.	538.00	538.00	538.00
	2A LED driver for strip light	गोटा	1275.00	1275.00	1275.00
	Rope light IP 66 400lm/watt LED Rope light	र.मी.	480.00	480.00	480.00
	IP 66 driver for rope light	गोटा	675.00	675.00	675.00
१०५	**LED TRACK LIGHTS**				
	3W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	1450.00	1450.00	1450.00
	6W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	1950.00	1950.00	1950.00
	9W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	2650.00	2650.00	2650.00
	16W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	4400.00	4400.00	4400.00
	24W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	5350.00	5350.00	5350.00
	30W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	6350.00	6350.00	6350.00
	40W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	8650.00	8650.00	8650.00
	50W @100lm/watt IP20 24∘-36∘ Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light	गोटा	9300.00	9300.00	9300.00
	Stick 1MTR for Track light	गोटा	1500.00	1500.00	1500.00
१०६	**MAGNETIC TRACK LIGHTS**				
	1 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा			3808.00
	2 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा			7616.00
	3 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM	गोटा			11520.00
	6W MAGNETIC LASER ,96MMX22MMX25MM TUNABLE DIMMING	गोटा			4800.00
	12W MAGNETIC LASER ,192MMX22MMX25MM TUNABLE DIMMING	गोटा			6376.00
	12W MAGNETIC WALL WASHER LASER TUNABLE DIMMING	गोटा			7040.00

कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	7W MAGNETIC HANGING 300MM	गोटा			6080.00
	10W MAGNETIC LINEAR ,300MMX22MMX25MM TUNABLE DIMMING	गोटा			4800.00
	20W MAGNETIC LINEAR ,600MMX22MMX25MM TUNABLE DIMMING	गोटा			6880.00
	12W MAGNETIC TRACK LIGHT ,45MMX142MM ,TUNABLE DIMMING	गोटा			6880.00
	18W MAGNETIC TRACK LIGHT ,55MMX142MM ,TUNABLE DIMMING	गोटा			8448.00
	L SHAPED RECESSED CONNECTOR	गोटा			2868.00
	POWER SUPPLY	गोटा			1216.00
	DOUBLE CONNECTOR	गोटा			2044.00
	DIRECT CONDUCTIVE CONNECTOR SET	गोटा			2044.00
	75W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा			3920.80
	100W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा			5440.00
	150W ADAPTER FOR MAGNETIC TRACK LIGHT	गोटा			7040.00
१०७	**Exit/Directional/ Information Signage**				
	Exit/Directional/ Information Signage with slim and lightweight, visible from 20 mtrs with integral battery capacity of 3 hrs and bicoloured LED status indicator with customize symbols/letters or as required	सेट	12360.00	12910.00	12910.00
	Self Contained Emergency Down Light Recessed/Surface Mounted, with integral battery capacity of 3 hrs.	सेट	12360.00	12910.00	12910.00
	Self Contained emergency Twin Light, Wal Mounted with integral battery capacity of 3 hrs.	सेट	12360.00	12910.00	12910.00
१०८	**Fixture Accesseries**				
	2x2 Surface/Recess Frame	सेट			1288.00
	1x1 Surface/Recess Frame	सेट			928.00
	Suspension/Hanging/Clip Kit	सेट			1040.00
G	**OUTDOOR LIGHTING**				
	HIGH BAY LIGHT				
१०९	High Bay Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥20 (or as Mentioned), Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense , compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा			5088.00
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	20800.00	20800.00	5364.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy ≥120lm/w	गोटा	20800.00	20800.00	8000.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	24000.00	24000.00	10208.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	27200.00	27200.00	11200.00

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय बागमती प्रदेश, नेपाल २०७३

Khemraj

कुमार रिसाल
प्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा	35200.00	35200.00	20480.00
११०	High Bay Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥150lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense , compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा			7328.00
	80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	20800.00	20800.00	8928.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	20800.00	20800.00	10208.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	24000.00	24000.00	10848.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	27200.00	27200.00	11392.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w	गोटा	35200.00	35200.00	22848.00
	FLOOD LIGHTS				
१११	**General**				
	10W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	1780.00	1780.00	920.00
	20W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	3170.00	3170.00	1548.00
	30W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	3720.00	3720.00	2456.00
	50W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	6030.00	6030.00	2712.00
	100W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	10640.00	10640.00	4608.00
	150W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	16230.00	16230.00	4852.00
	200W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K	गोटा	27335.00	27335.00	6376.00
	10W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	2350.00	2350.00	2160.00
	20W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	3850.00	3850.00	2760.00
	30W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	4250.00	4250.00	3656.00
	50W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K	गोटा	4900.00	4900.00	3920.00
	Mid Segment				
११२	Flood Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 07, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense ,Toughened glass cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा			2492.00
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा			5760.00
	120W, 3000K/4000K/5700K/6000K/6500K,Luminous Efficacy: ≥100lm/w	गोटा			4048.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा			6064.00

दिपक कुमार रिसाल
नगरप्रमुख

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा			7968.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा			10800.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा			14400.00
	400W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	गोटा			17600.00
	Standard Segment				
११३	Flood Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRI≥70, SPD: 4/10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, Toughened glass cover, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा			3392.00
	100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा			5760.00
	120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा			7968.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा			8892.00
	180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा			11760.00
	250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	गोटा			14400.00
	Tunnel Lights				
११४	Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system.				
	60W	गोटा	7595	7595.00	6680.00
	120W	गोटा	131765	131765.00	22240.00
	180W	गोटा	169411	169411.00	33920.00
	240W	गोटा	235295	235295.00	41600.00
	Street Light				
११५	**General Segment**				
	LED AC Street light 24 W with auto on-off switch and auto dimmimg opetion including all accesories and exluding installation	गोटा	7000.00	7000.00	7000.00
	LED AC Street light 30/36 W with auto on-off switch and auto dimmimg opetion including all accesories and exluding installation	सेट	5500.00	5744.00	5744.00
	LED AC Street light 50W with auto on-off switch and auto dimmimg opetion including all accesories and excluding installation	गोटा	9000.00	9000.00	9000.00
	LED AC Street light 100 W with auto on-off switch and auto dimmimg opetion including all accesories and excluding installation	गोटा	16000.00	16000.00	16000.00
	300/500 watt halogen weather proof <u>**FLOOD LIGHT**</u> with glass cover Complete set	सेट	1545.00	1613.00	1613.00
	1000 watt halogen weather proof **flood light** with glass cover Complete set	सेट	3090.00	3227.00	3227.00

गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३

(Khemraj)

...कुमार रिसाल नगरप्रमुख गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	150 watt **HPSV** weather proof flood light with glass cover lamp Complete Set	सेट	9270.00	9682.00	9682.00
	250 watt HPSV weather proof flood light with glass cover lamp Complete Set	सेट	1081.50	1129.00	1129.00
	Single Piece deep drawn aluminum POT optics **road light luminaries** with clear acrylic cover 70W HPSV lamp etc. complete with all accessories,	सेट	5253.00	5486.00	5486.00
	2X18W CFL-4 Pin street light fixture with acrylic diffuser	सेट	2271.00	2372.00	2372.00
	1X125W HPSV **street light** fixture with acrylic diffuser	सेट	5119.00	5346.00	5346.00
	2X60/100W GLS **aviation light** fixture all complete set	सेट	5686.00	5939.00	5939.00
	50W STREET LIGHT SENSOR	सेट	6500.00	6789.00	6789.00
११६	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 07, Flicker Free, THD<10 %, CRI≥70, Burning Life>25000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 1 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			1360.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			2680.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			4768.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			4992.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			6088.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			7160.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			10760.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w	सेट			15240.00
	Mid Segment				
११७	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 08, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense ,compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			1760.00
	40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			2804.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			4820.00
	100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			5088.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			6240.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			8400.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			13440.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w	सेट			17920.00
	Standard Segment				

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
११८	Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 09, Flicker Free, THD<10 %, CRI≥70, SPD: 10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥130lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years.				
	20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट			2000.00
	40-60W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट			4328.00
	70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट			5088.00
	100-120W, 3000K/4000K/5700K/6000K/6500K,Luminous Efficacy: ≥130lm/w	सेट			6240.00
	150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट			7168.00
	180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट			11840.00
	240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट			19200.00
	300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w	सेट			25600.00
११९	**WALL LIGHT**				
	Small Size wall Light	गोटा	1060.00		1176.00
	Medium Size wall Light	गोटा	1310.00		1480.00
	Large Size wall Light	गोटा	1310.00		2000.00
१२०	**Wall bracket/spout light/mirror light bulk head ordinary**	सेट	232.00	242.00	242.00
	Wall bracket/spot light/mirror light /bulk head medium decorative.	सेट	361.00	377.00	377.00
	Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL	सेट	824.00	860.00	860.00
	1 x 11/13 watt CFL **DOWN LIGHT** with reflector & diffuser (conceal light) Complete Set	सेट	968.00	1011.00	1011.00
	1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set	सेट	1514.00	1581.00	1581.00
	Dining lamp.	सेट	1700.00	1775.00	1775.00
	Chandlers 6-8 lamp Medium	सेट	15090.00	15761.00	15761.00
	Chandlers 3-5 lamp Medium	सेट	10764.00	11242.00	11242.00
	Mirror Light Euro Light	सेट	464.00	484.00	484.00
	Picture light Euro Light POO2	सेट	670.00	699.00	699.00
	Wall spot Light E27 60W Euro or eqv.	सेट	361.00	377.00	377.00
	Exit Light safety sign(8.24)W	सेट	824.00	860.00	860.00
१२१	**LED BULKHEAD**				
	6W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	4090.00	4090.00	2000.00
	10W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	5500.00	5500.00	2240.00

(Khemraj)

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	12/15W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow	गोटा	2850.00	2850.00	2320.00
	6/10/12/16W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Plastic Housing, Full Glow/Half Glow	गोटा			1600.00
१२२	**FOOT LIGHT/STEP LIGHT**				
	LED step/foot light with long life LED driver ,No harmful UV/IR radiation, Square/Circle/ Rectangle Shape, Luvered/NonLuverd, Die-cast Aluminium, with required IP protection from dust and water, 3000K/4000K/5700K/6000K/6500K				
	2/3W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2200.00	2200.00	1584.00
	4/5W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2850.00	2850.00	2850.00
	6/7W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	2420.00	2420.00	2420.00
	12/15W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K	गोटा	3225.00	3225.00	3225.00
१२३	**GARDEN SPIKE LIGHT**				
	COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65				
	7W	गोटा	3790.00	3790.00	3790.00
	12W	गोटा	5780.00	5780.00	5780.00
१२४	**Ground LED ground burial**				
	Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free				
	1W 12V 30D	गोटा	2258	2258.00	2258.00
	2W 12V 30D	गोटा	3011	3011.00	3011.00
	Driver & accessories price extra for 12 V.	गोटा	2258	2258.00	2258.00
१२५	**LED Ground Guide**				
	Multiple lighting emission windows to make space out.	गोटा			
	3W 100-240V	गोटा	4141	4141.00	4141.00
	6W 100-240V	गोटा	6023	6023.00	6023.00
१२६	**Ground Burial**				
	Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors				
	3W 20D 100-240V	गोटा	9411	9411.00	9411.00
	6W 20D 100-240V	गोटा	13552	13552.00	13552.00
	12W 20D 100-240V	गोटा	25411	25411.00	25411.00
	18W 20D 100-240V	गोटा	27294	27294.00	27294.00
	36W 20D 100-240V	गोटा	28235	28235.00	28235.00
	18W 20D 24V	गोटा	30117	30117.00	30117.00
	18W 20D 100-240V	गोटा	21647	21647.00	21647.00
१२७	**Linaer Ground Light**				

Khemraj

दीपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Linear Ground light makes space distinctive with more safety and convenience of installation				
	2W 24V, RGB	गोटा	13176	13176.00	13176.00
	9W 24V, RGB	गोटा	17882	17882.00	17882.00
	7W 24V, RGB	गोटा	25411	25411.00	25411.00
	36W 24V, RGB, RGB	गोटा	32941	32941.00	32941.00
१२८	**Bollard Light**				
	Bulb Bollard Lights				
	Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block	सेट	2575.00	2689.00	2689.00
	Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3090.00	3227.00	3227.00
	Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal	सेट	3476.00	3630.00	3630.00
	General Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			4240.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			5280.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			6000.00
	Mid Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			4416.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			5504.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			8480.00
	Standard Segment				
	300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			6288.00
	800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			7328.00
	900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client)	सेट			15120.00
१२९	**TOP POST LIGHT**				
	Bulb Top Lanterns				
	8" Globe type Post top Lamp complete set	सेट	1416.00	1479.00	1479.00
	10" Globe type Post top Lamp complete set	सेट	2704.00	2824.00	2824.00
	Top Post Poles				
	3M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट			9600.00
	3.5-4M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट			12000.00

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	3M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट			11200.00
	3.5-4M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट			14040.00
	3M, top post pole made of Cast Iron with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट			12400.00
	3.5-4M, top post pole made of Cast Iron with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client)	सेट			15600.00
	Top Post/ Gate Post Fixtures				
	Top Post/Gate Light made of Die Cast Base and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट			2800.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and PMMA/ Reflector of required wattage with IP 65 degree of protection (Fixture as per client)	सेट			5600.00
	Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client)	सेट			19200.00
	Top Post/Gate Light made of Die Cast Base, Die Cast Arm, Spun Die Cast of required wattage with IP 65 degree of protection (Fixture as per client)	सेट			20000.00
	Classical/Vintage Type Top Post/Gate Light made of Die Cast Aluminium body of required wattage with IP 65 degree of protection (Fixture as per clent)	सेट			22400.00
१३०	**Smart Lighting Fixtures:**				
	Recessed Downlight: RCI, Ceiling Recessed LED Adjustable Downlight. Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	4480	4569.00	4569.00
	Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	3920	3998.00	3998.00
	Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	2030	2070.00	2070.00
	Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver	गोटा	4900	4998.00	4998.00
	Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver	गोटा	2100	2142.00	2142.00
	Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree	गोटा	2450	2499.00	2499.00

Khemaj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity	गोटा	1960	1999.00	1999.00
	LED Strip Light : SL1/SL2/SL3a. Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	770	785.00	785.00
	0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable	गोटा	4130	4212.00	4212.00
	Aluminium Channel Option 2: Channel With Cover, 3m/Pc	र.मि.	532	542.00	542.00
	LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	406	414.00	414.00
	Non Dimmable Driver: 150w IP20 Non Dimmable Driver	गोटा	1750	1785.00	1785.00
	LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll	र.मि.	1085	1106.00	1106.00
	0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable	गोटा	9706	9900.00	9900.00
	Aluminium Channel: Channel With Cover, 3m/Pc	र.मि.	665	678.00	678.00
	Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details	गोटा	133000	135660.00	135660.00
	Power Supply: DIN System Power Supply, as per the confirmed technical details	गोटा	18200	18564.00	18564.00
	Central Distribution Box: Suitable with modules	सेट	35000	35700.00	35700.00
	Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches	सेट	252000	257040.00	257040.00
	Software: PPS Programming software, we can also program and customize as per client request	सेट	392000	399840.00	399840.00
	Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details	गोटा	98000	99960.00	99960.00
	0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Swithch, as per the confirmed technical details	गोटा	86800	88536.00	88536.00
	Switch Module: 4 Channel 16A, as per the confirmed technical details	गोटा	71400	72828.00	72828.00
	8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details	गोटा	58800	59976.00	59976.00
	Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details	गोटा	32200	32844.00	32844.00
	DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details	गोटा	25200	25704.00	25704.00
	Distribution Box 1: Suitable with modules	सेट	63000	64260.00	64260.00
	Ceiling Light: Suitable with modules	गोटा	119000	121380.00	121380.00
१३१	**Smart Automation and Control System:**				
	Dimmable Driver 6W-50W	गोटा	4130	4212.00	4212.00
	Dimmable-Tunable Driver 6W-50W	गोटा	4130	4212.00	4212.00
	Dali-Dimmable Driver 6W-50W	गोटा	4130	4212.00	4212.00
	Dali-Dimmable-Tunable Driver 6W-50W	गोटा	4130	4212.00	4212.00
	Smart PIR Sensor Ceiling Mount Type	गोटा	20400.00	21307.00	21307.00
	Smart PIR Sensor Surface Mount Type	गोटा	21488.00	22444.00	22444.00
	Smart PIR Sensors Reccessed Mount Type	गोटा	4216.00	4403.00	4403.00
	6 Button Keypad	गोटा	61200.00	63923.00	63923.00
	4 Button Keypad	गोटा	50320.00	52559.00	52559.00
	3 Channel Relay Dali Controller	गोटा	175984.00	183815.00	183815.00
	4 Channel Relay Controller	गोटा	81056.00	84662.00	84662.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	DMX Controller	सेट	680000.00	710260.00	710260.00
	DMX Amplirier	सेट	204000.00	213078.00	213078.00
	15 V DC 1.5 Amps regulated power supply	गोटा	59840.00	62502.00	62502.00
	TCP/IP Protocol network gateway	गोटा	129200.00	134949.00	134949.00
	PDTS Networked Touch Screen intelligent control	गोटा	536656.00	560537.00	560537.00
	server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016. Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers	गोटा	1754400.00	1832470.00	1832470.00
H	**SURVEILLANCE SYSTEM**				
१३२	**ANALOG CCTV**				
	2MP, Analog Turret Camera,1080p, Smart IR, DWDR, DNR	गोटा			2327.08
	2MP, Analog Bullet Camera,1080p, Smart IR, DWDR, 3D DNR	गोटा			2430.44
	5MP, Analog Turret Camera, Smart IR, DWDR, DNR, BLC	गोटा			3173.81
	5MP, Analog Bullet Camera, Smart IR, DWDR, DNR, BLC	गोटा			3173.81
	DVR 4 channel, H.265+/H.265, **2MP, 1 SATA** interface	गोटा			5148.32
	DVR 8 channel, H.265+/H.265, **2MP, 1 SATA** interface	गोटा			6614.51
	DVR 16 channel, H.265+/H.265, **2MP, 1 SATA interface**	गोटा			11767.79
	DVR 8 channel, H.265+/H.265, **8MP, 2 SATA** interface	गोटा			13759.29
					0.00
१३३	**Mid Segment CCTV**				0.00
	2MP, IP based Turret Camera, 1080p, Smart IR, DWDR, 3D DNR,BLC, HLC	गोटा			4574.16
	2MP, IP based Dome Camera, 1080p, Smart IR, DWDR, 3D DNR,BLC, HLC, IK10	गोटा			5001.60
	2MP, IP based Bullet Camera, 1080p, Smart IR, DWDR, 3D DNR,BLC, HLC	गोटा			4574.16
	2MP,IP based Turret Camera, 1080p, Color, White Light, DWDR, 3D DNR,BLC, HLC	गोटा			6686.40
	2MP, IP based Dome Camera, 1080p, Color, White Light, DWDR, 3D DNR,BLC, HLC,IK10	गोटा			9144.07
	2MP, IP based Bullet Camera, 1080p, Color, White Light, DWDR, 3D DNR,BLC, HLC	गोटा			6686.40
	4/5MP, IP based Dome/Turret Camera, Smart IR, DWDR, 3D DNR, BLC,HLC	गोटा			6921.06
	4/5MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा			6983.36
	8MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC,HLC	गोटा			11680.00
	8MP,IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC	गोटा			15429.60
	NVR 8 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा			9391.20
	NVR 16 channel, H.265+/H.265, 8MP, 1 SATA interface	गोटा			11824.42
	NVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा			12533.81
	NVR 16 channel, H.265+/H.265, 8MP, 2 SATA interface	गोटा			14188.32
	NVR 20 channel, H.265+/H.265, 8MP, 2 SATA	गोटा			19600.00
१३४	**Standard Segment CCTV**				
	4/5MP, AI based Dome Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encription, PIris	गोटा			46400.00

Khema)

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	4/5MP, AI based Bullet Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encription, Piris	गोटा			46400.00
	2MP, AI based PTZ Camera, 30x Optical Zoom, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encription	गोटा			238400.00
१३५	**Accessories of CCTV**				
	Unmanaged PoE switch 4 PoE port, 1 Uplink port	गोटा			2880.00
	Unmanaged PoE switch 8 PoE port, 1 Uplink port	गोटा			4160.00
	Unmanaged PoE switch 16 PoE port, 2 Gigabit Uplink ports	गोटा			10800.00
	KVM	गोटा			2240.00
	1TB Surveillance hard disk	गोटा			5040.00
	2TB Surveillance hard disk	गोटा			7360.00
	4TB Surveillance hard disk	गोटा			11200.00
	6TB Surveillance hard disk	गोटा			21200.00
	8TB Surveillance hard disk	गोटा			
	17" LCD Monitor	गोटा	10815.00	11247.00	6560.00
	21" LCD Monitor	गोटा			10240.00
	24" LCD Monitor	गोटा			11840.00
	27" LCD Monitor	गोटा			15040.00
	32" LCD Monitor	गोटा			19600.00
	44" LCD Monitor	गोटा			49600.00
	52" LCD Monitor				92000.00
I	**FIRE ALARM CONTROL PANEL**				
१३६	**Conventional Type Fire Alarm Control Panel**				
	2 Zone Fire Alarm Control Panel	सेट			11360.00
	4 Zone Fire Alarm Control Panel	सेट			14080.00
	6 Zone Fire Alarm Control Panel	सेट			23068.00
	8 Zone Fire Alarm Control Panel	सेट			27852.00
	Conventional smoke detector	गोटा			1600.00
	Conventional heat detector	गोटा			1600.00
	Conventional manual control point	गोटा			1520.00
	Conventional hooter cum strobe	गोटा			4800.00
१३७	**Digital Addressable Type Fire Alarm Control Panel**				
	2 Zone Fire Alarm Control Panel , UL/EN Certified	सेट			36960.00
	4 Zone Fire Alarm Control Panel , UL/EN Certified	सेट			40080.00
	6 Zone Fire Alarm Control Panel , UL/EN Certified	सेट			42978.40
	8 Zone Fire Alarm Control Panel , UL/EN Certified	सेट			46140.00
	Digital addressable smoke detector	गोटा			2160.00
	Digital addressable heat detector	गोटा			2240.00
	Digital addressable manual control point	गोटा			1520.00
	Digital addressable hooter cum strobe	गोटा			4800.00
१३८	**Analog Addressable Type Fire Alarm Control Panel**				
	2 Loop Fire Alarm Control Panel, UL/EN Certified	सेट			171200.00

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	4 Loop Fire Alarm Control Panel, UL/EN Certified	सेट			320000.00
	8 Loop Fire Alarm Control Panel, UL/EN Certified	सेट			480503.20
	Analog Addressable Smoke detector with Standard Base	गोटा			3221.60
	Analog Addressable Heat Detector with Standard Base	गोटा			3360.00
	Analog Addressabl Hooter | Sounder	गोटा			7108.00
	Analog Addressabl Hooter with Strobe	गोटा			11364.80
	Analog Addressable Manual Call Point	गोटा			4160.00
	Analog Addressabl Control Module	गोटा			5760.00
	Analog Addressabl Monitor Module	गोटा			5028.80
J	**PABX SYSTEM**				
१३९	**Telephone Drop wire/pair cable NS marked Eqv.**				
	2/20 Telephone drop wire	क्वायल	989.00	1033.00	1033.00
	2/22 " "	क्वायल	670.00	699.00	699.00
	2- pair cable wire (2×2×0.45) mmHeavy	र.मी	14.00	14.00	14.00
	3- pair cable wire (3×2×0.45) mm Heavy	र.मी	20.00	20.00	20.00
	5- pair cable wire (5×2×0.45) mm Heavy	र.मी	32.00	33.00	33.00
	10- pair cable wire (10×2×0.45) mm Heavy	र.मी	62.00	64.00	64.00
	15- pair cable wire (15×2×0.45) mm Heavy	र.मी	91.00	95.00	95.00
	20- pair cable wire (20×2×0.45) mm Heavy	र.मी	119.00	124.00	124.00
	1mm drop wire	र.मी	10.00	10.00	10.00
	50 Pair Telephone D.B.with crown tag	सेट	5446.00	5688.00	5688.00
१४०	1-4 Line **EPABX**,with 1set programmable master telephone set of corresponding brand	सेट	7648.00	7988.00	7988.00
	2-6 Line EPABX "	सेट	18411.00	19230.00	19230.00
	3-8 Line EPABX "	सेट	20538.00	21451.00	21451.00
	4-12 Line EPABX "	सेट	36823.00	38461.00	38461.00
	6-16 Line EPABX "	सेट	49569.00	51774.00	51774.00
	8-24 Line EPABX "	सेट	84975.00	88756.00	88756.00
	8-48 Line EPABX "	सेट	90923.00	94969.00	94969.00
	8-72 Line EPABX "	सेट	97288.00	101617.00	101617.00
K	**NETWORKING SYSEM**				
१४१	**Cables**				
	RG6 **Coaxial cable**	र.मी	23.00	24.00	24.00
	RG59 Coaxial cable	र.मी	26.00	27.00	27.00
	UTP cat -5 networking cable	र.मी	26.00	27.00	27.00
	Cat6A, 23 AWG, Pure Copper, 10G, U/UTP, 4P, LSZH	र.मी			80.00
	Cat6, 24 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी			34.10
	Cat6, 23 AWG, Pure Copper, 1G, U/UTP, 4P	र.मी			41.97
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 1m	गोटा			460.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 2m	गोटा			544.00
	Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 3m	गोटा			608.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 0.5m	गोटा			192.00

(Khemraj)

दीपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 1m	गोटा			240.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 2m	गोटा			280.00
	Patch Cord, Cat 6, U/UTP, 4P, LSZH - 3m	गोटा			336.00
१४२	**Patch Panel**				
	24 Port Patch Panel	सेट			2000.00
	48 Port Patch Panel	सेट			4160.00
	24 Port Patch with keystone Panel	सेट			5600.00
	48 Port Patch with keysone Panel	सेट			11200.00
१४३	**Network Rack**				
	6U Network Rack	सेट			6640.00
	9U Network Rack	सेट			7920.00
	12U Network Rack	सेट			9440.00
	27U Network Rack	सेट			54400.00
	42U Network Rack	सेट			88000.00
	Power Distibution Unit (PDU)	सेट			3040.00
	Single/ Double Fan	सेट			1440.00
	1U Cable Manager	सेट			1120.00
१४४	**Switch**				
	5/8 Port, Fast Eternet, Unmanaged Switch	सेट			1600.00
	5/8 Port, Gigabit, Unmanaged Switch	सेट			2560.34
	16 Port, Fast Eternet, Unmanaged Switch	सेट			3200.00
	16 Port, Gigabit, Unmanaged Switch	सेट			7200.00
	24 Port, Fast Eternet, Unmanaged Switch	सेट			5200.00
	24 Port, Gigabit, Unmanaged Switch	सेट			14400.00
	5/8 Port, Fast Eternet, managed Switch	सेट			5600.00
	5/8 Port, Gigabit, managed Switch	सेट			7200.00
	16 Port, Fast Eternet, managed Switch	सेट			10400.00
	16 Port, Gigabit, managed Switch	सेट			12800.00
	24 Port, Fast Eternet, managed Switch	सेट			16000.00
	24 Port, Gigabit, managed Switch	सेट			21600.00
L	**SECURITY SYSTEM**				
१४५	**Steel Security Gate**				
	Metal detector	गोटा	16995.00	17674.00	17674.00
	Access Controller (Standard Series)	गोटा	28840.00	29993.00	29993.00
	Access Controller (General Series)	गोटा	13905.00	14461.00	14461.00
१४६	**Steel Security Door**				
	Single leaf :- 50 mm, 70 mm, 100mm	ब. मि.	8683.00	9069.00	9069.00
	Half leaf : - 50 mm, 70 mm, 100mm	ब. मि.	9930.00	10371.00	10371.00
	Double leaf : - 50 mm, 70 mm, 100mm	ब. मि.	10419.00	10835.00	10835.00
१४७	**Security System**				
	i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1. Remote Controller -2)	गोटा	34333.00	35706.00	35706.00
	iii) Access Controller with record using Card and Pin (with 10 piece RFID Card.)	गोटा	20600.00	21424.00	21424.00

दिपक कुमार रिसाल
प्रमुख
कर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	iv) Access Controller without record using Card and Pin (with 5 piece RFID Card.)	गोटा	12875.00	13390.00	13390.00
	v) Finger print access system with software	गोटा	36050.00	37492.00	37492.00
	vi) Securty from Panic Alarm	गोटा	36050.00	37492.00	37492.00
१४८	**Access Controller**				
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door	सेट	20600.00	21516.00	21516.00
	Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Local)	सेट	13905.00	14523.00	14523.00
१४९	**Intrusion Detection System**				
	Main Controller-CONTROL,FIRE/BURG	सेट	38851.00	40579.00	40579.00
	Door Contact-Wireless Door Contact with transmitter	सेट	2678.00	2797.00	2797.00
	Motion Detector-Wireless Passive Infrared, Pet Immune Motion Detector	सेट	4178.00	4363.00	4363.00
	Panic Switch-Wireless Panic Transmitter	सेट	4921.00	5139.00	5139.00
	Key -Wireless Key to Arm and Disarm the System	सेट	4780.00	4992.00	4992.00
	Window Contact- Wired door Contact with transmitter slim	सेट	2812.00	2937.00	2937.00
	Earth Quake Detector(JDS Inc, USA)-Quake Alarm	पिस	3601.00	3761.00	3761.00
M	**AIR CONDITIONING SYSTEM**				
	Single Split (1:1) Wall mounted/ Ceilling Casset type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent control, Filter Cleaning Indicator, PMV Control and power saving features included wireless remote controller, Installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be inculded with in the cost.				
१५०	**Wall Mounted Inverter type** Split Units with Wireless remote Controller.				
	0.75 Ton	सेट			81000.00
	1.0 Ton	सेट			56900.00
	1.5Ton	सेट			76500.00
	2.0 Ton	सेट			99400.00
१५१	**Ceiling Cassette Inverter type** Split Units with Wireless remote Controller.				
	1.0 Ton	सेट			118800.00
	1.5Ton	सेट			145800.00
	2.0 Ton	सेट			162000.00
	3.0 Ton	सेट			261950.00
	4 Ton(3Ph)	सेट			265500.00
१५२	**Wall Mounted Non-Inverter Type** Split Type AC with Wireless display remote Controller.				
	0.75 Ton	सेट			52200.00
	1.0 Ton	सेट			51550.44
	1.5Ton	सेट			68050.44

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	2.0 Ton	सेट			84250.44
१५३	**Ceiling Cassette Non- Inverter Type** Split Type AC with Wireless display remote Controller.				
	1.0 Ton	सेट			86600.00
	1.5Ton	सेट			99300.00
	2.0 Ton	सेट			128600.00
	3.0 Ton	सेट			176000.00
N	**TRANSFORMER and ALLIED MATERIALS**				
१५४	**Copper wound Distribution Outdoor Transformar with first filling of oil**				
	15 KVA , 11/0.23kv, 3 phase,50 Hz ONAN	गोटा	199000	212134.00	212500.00
	25 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	261400	273032.00	250750.00
	50 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	373000	389598.00	357000.00
	75 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	481000	502404.00	510000.00
	100 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	590600	616881.00	535500.00
	125 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	700000	731150.00	748000.00
	150 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	800000	835600.00	773500.00
	200 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	1023900	1069463.00	956250.00
	250 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	1097400	1146234.00	1041250.00
	300 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा	1170900	1223005.00	1130500.00
	400 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा			1275000.00
	500 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा			1402500.00
	630 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा			1530000.00
	750 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा			2188750.00
	800 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा			1827500.00
	1000 KVA, 11/0.4kv, 3 phase,50 Hz ONAN	गोटा			2295000.00
१५५	**Low Loss Transformar**				
	No Load-75,Load loss 460(25 KVA)	गोटा	220000	229790.00	229790.00
	No Load-120,Load loss750(50 KVA)	गोटा	320000	334240.00	334240.00
	No Load-220,Load loss 1210(100 KVA)	गोटा	420000	438690.00	438690.00
१५६	**Supply of aluminium ABC cable**				
	25mm square 4 core ABC cable	रामी	155.00	161.00	161.00
	50 mm square 4 core ABC cable	रामी	258.00	269.00	269.00
	95 mm square 4 core ABC cable	रामी	505.00	527.00	527.00
१५७	**Lightening Arrestor** for 3 Phase .				
	0.5 KV	सेट	1236.00	1291.00	1291.00
	11 KV	सेट	4326.00	4518.00	4518.00
	Cross Arms V Channel.	गोटा	3090.00	3227.00	3227.00
	Stay set with accessories.				
	GI wire	गोटा	1182.00	1234.00	1234.00
	GI Plate	गोटा	1185.00	1237.00	1237.00
	Gay Insulator.	गोटा	56.00	58.00	58.00
	Elbow	गोटा	103.00	107.00	107.00
	Rod , Nut	गोटा	445.00	464.00	464.00

(Khemoj)

दीपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Grip	गोटा	49.00	51.00	51.00
१५८	**Overhead Insulators** (0.4KV)	गोटा			
	Sackle Insulator	गोटा	31.00	32.00	32.00
	D-Iron	गोटा	93.00	97.00	97.00
	Nut Bolt (3" with 8 mm Ø)	गोटा	15.00	15.00	15.00
	Nut Bolt (6" with 8 mm Ø) to clamp on Poles	गोटा	23.00	24.00	24.00
१५९	**Overhead Insulators** with fixing accessories (11KV)				
	Pin Insulator	गोटा	185.00	193.00	193.00
	Disc Insulator	गोटा	989.00	1033.00	1033.00
	Cross Arms V Channel.	गोटा	2719.00	2839.00	2839.00
	Sqarrel **ACSR conductor** 20mm^2	रामी	17.00	17.00	17.00
	weasel ACSR conductor 30 mm^2	रामी	25.00	26.00	26.00
	Rabbit ACSR conductor 50 mm^2	रामी	41.00	42.00	42.00
	Dog ACSR conductor 100 mm^2	रामी	82.00	85.00	85.00
१६०	**LT/HT Accessories**				
	11 kv Disc insulator with grapher(3 Bolt)	सेट	1450	1514.00	1514.00
	11kv Pin insulator with spindel	सेट	255	266.00	266.00
	11 KVA Drop out fuse	सेट	12075	12612.00	12612.00
	D-iron det with shakle insulator	सेट	150	156.00	156.00
	Stay Assembly Complete Set	सेट	1450	1514.00	1514.00
	Stay wirw (NS 7/12 guage)	केजी	102	106.00	106.00
	Lighting Arrester	सेट	6325	6606.00	6606.00
	Earthing Set	सेट	2800	2924.00	2924.00
	H T Tape	थान	170	177.00	177.00
	Stay Wire 7/12	केजी	120	125.00	125.00
	Stay Wire set 12x12, 6mm thick	सेट	1600	1671.00	1671.00
O	**POLES**				
१६१	**Steel tubuler pole**				
	Steel tubuler pole 11 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	19550	20419.00	20419.00
	Steel tubuler pole 10 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	18170	18978.00	18978.00
	Steel tubuler pole 9 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	16215	16936.00	16936.00
	Steel tubuler pole 8 mtr.Long (Folding/Non Folding) with nut,bolt & washer	प्रति पोल	11615	12131.00	12131.00
१६२	**WOODEN POLE**				
	7 mtr.length Wooden Pole	गोटा	4996.00	5218.00	5218.00
	9 mtr.length Wooden Pole	गोटा	6798.00	7100.00	7100.00
१६३	**FRP/GRP Poles** shall be ultraviolet resistance, corrosion proof, electrically insulated and shall have no reaction to direct contact with water, having FRP material ≥ 55%, thickness shall be >5.5mm for all poles with the cost of single/double GRP arm				
	3 mtr with base plate	सेट			32625.82
	4 mtr with base plate	सेट			40120.89
	5 mtr with base plate	सेट			42948.27

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	6 mtr with base plate	सेट			46079.38
	7 mtr with base plate	सेट			56519.72
	8 mtr with base plate	सेट			60725.83
	9 mtr with base plate	सेट			64470.36
	10 mtr with base plate	सेट			82185.98
	11 mtr with base plate	सेट			86290.18
	12 mtr with base plate	सेट			104331.49
P	**GENERATOR SYSTEM**				
	Generator set conforming to BS 5000/IS 4722, complies with current CPCB IV+ emission norms ,Critical grade silencers, coupled and aligned with continuous rated KVA of DG, industrial type brushless AC Alternator on a common base frame in factory fabricated acoustic enclosure with all standard accessories such as 3mm thick MS painted day oil tank & valves. fully charged lead-acid batteries with angle iron stand, battery leads, engine protection unit, sensors for winding & bearing temp. monitoring, antivibration mountings complete in all respects as per manufacaturer's drawing, specification and instruction		गोकर्णेश्वर नगरपालिका नगर कार्यपालिकाको कार्यालय जोरपाटी, काठमाडौं बागमती प्रदेश, नेपाल २०७३		
१६७	**Diseal Generator, Single Phase**				
	0.7	सेट			77853.98
	2	सेट			96283.19
	2.9	सेट			189933.63
	3.8	सेट			202345.13
	3.8	सेट			217389.38
	5	सेट			227168.14
	7.5	सेट			391000.00
	10	सेट			429250.00
१६८	**Diseal Generator, Three Phase with ATS panel**				
	10	सेट			539750.00
	15	सेट			539750.00
	20	सेट			62057.52
	30	सेट			701250.00
	40	सेट			831194.69
	62.5	सेट			990250.00
	82.5	सेट			1190000.00
	100	सेट			1372750.00
	125	सेट			1429203.54
	160	सेट			1904000.00
	200	सेट			2331858.41
	250	सेट			2783750.00
	320	सेट			3485000.00
	400	सेट			4258500.00
	500	सेट			5418750.00
Q	**EARTHING SYSTEM**				
१६९	**Earthing System**				

Khemraj

दिपक कुमार रिसाल
नगरप्रमुख
नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Copper plate per kg (sp.gr. copper =8930kg/m3)	के.जी	917.00	957.00	957.00
	6 mm thick 600mmm× 600 mm G.I. Plate	गोटा	2829.00	2954.00	2954.00
	3.2 mm thick 600mmm× 600 mm Copper Plate	गोटा	9517.00	9940.00	9940.00
	Copper Strip (25 x 3)mm (Appox 60"=1kg)	के.जी	1082.00	1130.00	1130.00
	Copper Strip (20mm breadth x 3mm thick)	के.जी	1082.00	1130.00	1130.00
	Copper Strip (12 x 3)mm	के.जी	1082.00	1130.00	1130.00
	Lightining rod copper conductor Air termination set	गोटा	2730.00	2851.00	2851.00
	8 SWG bare copper wire	र. मी	144.00	150.00	150.00
	Copper wire (10 SWG)	रमी	155.00	161.00	161.00
	29 mm Diameter GI Pipe of 1m length	र. मी	252.00	263.00	263.00
	30 Cm x 30 Cm Cast Iron Cover for water pouring into pit	गोटा	618.00	645.00	645.00
	5/16 nuts & bolt with spring washer cadmium maker	गोटा	15.00	15.00	15.00
	1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length	गोटा	196.00	204.00	204.00
	Funneling Mechanisn with pit cover (mild steel)	सेट	618.00	645.00	645.00
	Funnel with wire mesh	गोटा	361.00	377.00	377.00
	Charcoal	ब्याग	309.00	322.00	322.00
	Salt	के.जी	12.00	12.00	12.00
	Earthing System consisting of 1 Nos copper bonded steel electrode of 20/**25/17/14 mm** dia. with a min. coating thickness of 250 microns and length of 3 meters. 25 kgs/Electrode of earth enhancing compound needs to be considered to fill the 100-125mm augured hole surrounding to the electrode. The rate shall include excavation of earth, filling with back fill compound, and earth pit marking.				
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 20/25 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट			7772.00
	Low carbon copper coated earth rod of 3 metre electrode having diameter of 17/14 mm with copper coating thickness of 250micron tested as per IEC 62561-2	सेट			4596.80
	Universal Clamp of Required Size 175X50X3 mm made of SS to connect rod with flat conductor	सेट			1039.20
	Earth enhancing compound tested as per IEC 62561-7	सेट			3118.40
	Heavy duty Pit cover tested	सेट			2384.00
R	**MISCELLANEOUS ITEMS**				
१७०	**WATER HEATER RATES**				
	15 LTRS ABS WATER HEATER	सेट	20100.00	20100.00	20100.00
	25 LTRS ABS WATER HEATER	सेट	22300.00	22300.00	22300.00
	15 LTRS METAL WATER HEATER	सेट	17900.00	17900.00	17900.00
	25 LTRS METAL WATER HEATER	सेट	19700.00	19700.00	19700.00
	3 LTR ABS INSTANT	सेट	7525.00	7525.00	7525.00
	6 LTR GAS	सेट	11725.00	11725.00	11725.00
१७१	**Automatic Water Level Pump Controller:** housed in metal enclosure with MCBs, Contactor, Phase sequence protection, Overload Protection and sensor set for single/three phase water pump with all necessary work as per drawing, specification and instruction all complete.Equivlalent Nepali Make				
	Upto 1/2 HP single phase motor	सेट	4120.00	4303.00	4303.00

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

विद्युतिय सामाग्रीहरु

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९/८०	आ.व. २०८०/८१
	Upto 1-3 HP single phase motor	सेट	5665.00	5917.00	5917.00
	Upto 1-5 HP three phase motor	सेट	9270.00	9682.00	9682.00

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय
जोरपाटी, काठमाडौं
बागमती प्रदेश, नेपाल
२०७३

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Solar Power

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९।८०	आ.व. २०८०।८१
१	Solar PV Module	प्रति.वाट	९०.००	९२.००	९२.००
२	Solar Tubular Battery (200Ah@c20,12v)	गोटा	३२१००.००	३३०६३.००	३३०६३.००
३	Solar Tubular Battery (150 Ah@c20,12v)	गोटा	२४५००.००	२५२३५.००	२५२३५.००
४	Solar Tubular Battery (100 Ah@c20,12v)	गोटा	१७०००.००	१७५१०.००	१७५१०.००
५	Solar Tubular Battery (80 Ah@c20,12v)	गोटा	१६९००.००	१७४०७.००	१७४०७.००
६	Solar Tubular Battery (60 Ah@c20,12v)	गोटा	१२२००.००	१२५६६.००	१२५६६.००
७	Solar Tubular Battery (40 Ah@c20,12v)	गोटा	८०००.००	८२४०.००	८२४०.००
८	Solar Gel Battery (200 Ah@c20,12v)	गोटा	६६७००.००	६८७०१.००	६८७०१.००
९	Solar Gel Battery (150 Ah@c20,12v)	गोटा	५०२००.००	५१७०६.००	५१७०६.००
१०	Solar Gel Battery (100 Ah@c20,12v)	गोटा	३६१००.००	३७१८३.००	३७१८३.००
११	Solar Gel Battery (80 Ah@c20,12v)	गोटा	३११००.००	३२०३३.००	३२०३३.००
१२	Solar Gel Battery (75 Ah@c20.12v)	गोटा	२७६००.००	२८४२८.००	२८४२८.००
१३	Solar Gel Battery (40 Ah@c20,12v)	गोटा	१५८००.००	१६२७४.००	१६२७४.००
१४	Solar Lithinium Ion Battery (100AH@c10,12V)	गोटा	३६७००.००	३७८०१.००	३७८०१.००
१५	Solar Lithinium Ion Battery (80AH@c10,12V)	गोटा	३२६००.००	३३५७८.००	३३५७८.००
१६	Solar Lithinium Ion Battery (50AH@c10,12V)	गोटा	१८७००.००	१९२६१.००	१९२६१.००
१७	Charge controller (60A/24-48V)	गोटा	३२५००.००	३३४७५.००	३३४७५.००
१८	Charge controller 45A/12-24-48 V	गोटा	२३९००.००	२४६१७.००	२४६१७.००
१९	Charge controller 30A/12-24-48 V	गोटा	१९८००.००	२०३९४.००	२०३९४.००
२०	Charge controller 25A/12-24-48 V	गोटा	१४८००.००	१५२४४.००	१५२४४.००
२१	Charge controller 20a/12-24 V	गोटा	६०००.००	६१८०.००	६१८०.००
२२	Charge controller 15a/12-24 V	गोटा	४९००.००	५०४७.००	५०४७.००
२३	Charge controller 10a/12-24 V	गोटा	२७००.००	२७८१.००	२७८१.००
२४	Charge controller 5a/12-24 V	गोटा	१६००.००	१६४८.००	१६४८.००
२५	Solar dusk to down controller 20A/12Vwith driver curcit	गोटा	४५००.००	४६३५.००	४६३५.००
२६	Solar street light 40W- 12V DC with autodimming system	गोटा	१३६००.००	१४००८.००	१४००८.००
२७	Solar street light 30W- 12V DC with autodimming system	गोटा	२४३००.००	२५०२९.००	२५०२९.००
२८	Solar street light 20W- 12V DC with autodimming system	गोटा	१५३००.००	१५७५९.००	१५७५९.००
२९	Solar street light 100W	गोटा	४२३००.००	४३५६९.००	४३५६९.००
३०	Solar street light 80W	गोटा	३५८००.००	३६८७४.००	३६८७४.००
३१	Solar street light 60W	गोटा	२६८००.००	२७६०४.००	२७६०४.००
३२	Solar street light 40W	गोटा	१५१००.००	१५५५३.००	१५५५३.००
३३	Solar street light 30W	गोटा	१२०००.००	१२३६०.००	१२३६०.००
३४	Solar street light 20W	गोटा	८६००.००	८८५८.००	८८५८.००
३५	Solar street light 12W	गोटा	५६००.००	५७६८.००	५७६८.००
३६	Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	१७४००.००	१७९२२.००	१७९२२.००
३७	Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m	गोटा	१९२००.००	१९७७६.००	१९७७६.००
३८	Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m	गोटा	२१४००.००	२२०४२.००	२२०४२.००
३९	Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	२१७००.००	२२३५१.००	२२३५१.००

दिपक कुमार रिसाल
नगर प्रमुख

Solar Power

सि.नं	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क. बाहेकको दररेट		
			आ.व. २०७८/७९	आ.व. २०७९।८०	आ.व. २०८०।८१
४०	7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m	गोटा	२१४००.००	२२०४२.००	२२०४२.००
४१	8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m	गोटा	२४७००.००	२५४४१.००	२५४४१.००
४२	9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and and 3" for top 2m	गोटा	२६९००.००	२७७०७.००	२७७०७.००
४३	10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and and 3" for top 2.4m	गोटा	२९१००.००	२९९७३.००	२९९७३.००
४४	Pure sine wave inverter 250 VA /12 V	गोटा	७२००.००	७४१६.००	७४१६.००
४५	Pure sine wave inverter 400 VA /12 V	गोटा	१३५००.००	१३९०५.००	१३९०५.००
४६	Pure sine wave inverter 850 VA /12 V	गोटा	१६५००.००	१६९९५.००	१६९९५.००
४७	Pure sine wave inverter 1000 VA /12 V	गोटा	२२९००.००	२३५८७.००	२३५८७.००
४८	pure sine wave inverter 1400 VA	गोटा	२४३००.००	२५०२९.००	२५०२९.००
४९	Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller	गोटा	२०२००.००	२०८०६.००	२०८०६.००
५०	Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller	गोटा	२४२००.००	२४९२६.००	२४९२६.००
५१	Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller	गोटा	७१५००.००	७३६४५.००	७३६४५.००
५२	Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller	गोटा	१४३०००.००	१४५८६०.००	१४५८६०.००
५३	Ms light Arms	सेट	२२००.००	२२६६.००	२२६६.००
५४	SPV mountaining frame	सेट	५८००.००	५९७४.००	५९७४.००
५५	Battery box	सेट	४५००.००	४६३५.००	४६३५.००
५६	Battery stand	सेट	४५००.००	४६३५.००	४६३५.००
५७	12W SENSOR SOLAR POLE LIGHT	सेट	१६५७५.००	१७०७२.००	१७०७२.००
५८	18W SENSOR SOLAR POLE LIGHT	सेट	१९७३०.००	२०३२१.००	२०३२१.००
५९	**Solar Lights:**				
	All in one solar street light - 2000 Lumens	गोटा	२३१२००.००	२३५८२४.००	२३५८२४.००
	All in one solar street light - 3000 Lumens	गोटा	२५८४००.००	२६३५६८.००	२६३५६८.००
	All in one solar street light - 4500 Lumens	गोटा	३१२८००.००	३१९०५६.००	३१९०५६.००
	Solar Poles with Post Top Luminaries - 2500 Lumens	गोटा	५३०४००.००	५४१००८.००	५४१००८.००
	Solar Poles with street lights luminaries 6000 Lumens	गोटा	६३९२००.००	६५१९८४.००	६५१९८४.००
	All in One solar Street Light - 5000 Lumens	गोटा	२८५६००.००	२९१३१२.००	२९१३१२.००
	All in one solar street light - 8500 Lumens	गोटा	३४८१६०.००	३५५१२३.००	३५५१२३.००
	All in one solar street light - 12000 lumens	गोटा	३८६२४०.००	३९३९६४.००	३९३९६४.००

कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
A	UPVC Pipes				
१	UPVC Pipe NS 206/046 - 2.5 kg /cm^2 Pressure				
	90 mm	र.मी	१५१.०४	१६६.००	१६६.००
	110 mm	र.मी	२२४.९१	२४७.००	२४७.००
	125 mm	र.मी	२८६.६५	३१५.००	३१५.००
	140 mm	र.मी	३५३.९०	३८९.००	३८९.००
	160 mm	र.मी	४६१.९५	५०८.००	५०८.००
	180 mm	र.मी	५९२.०४	६५१.००	६५१.००
	200 mm	र.मी	७२४.३४	७९६.००	७९६.००
२	UPVC Pipe NS 206/046 - 4 kg /cm^2 Pressure				
	63mm	र.मी	१२०.१७	१३२.००	१३२.००
	75mm	र.मी	१६५.३८	१८१.००	१८१.००
	90 mm	र.मी	२३७.०४	२६०.००	२६०.००
	110 mm	र.मी	३२५.२४	३५७.००	३५७.००
	125 mm	र.मी	४४७.६२	४९२.००	४९२.००
	140 mm	र.मी	५६८.८९	६२५.००	६२५.००
	160 mm	र.मी	७३५.३७	८०८.००	८०८.००
	180 mm	र.मी	९४५.९५	१०४०.००	१०४०.००
	200 mm	र.मी	११४७.७०	१२६२.००	१२६२.००
३	UPVC Pipe NS 206/046 - 6 kg /cm^2 Pressure				
	40mm	र.मी	७०.५६	७७.००	७७.००
	50mm	र.मी	१०६.९४	११७.००	११७.००
	63mm	र.मी	१७१.९९	१८९.००	१८९.००
	75mm	र.मी	२३९.२४	२६३.००	२६३.००
	90 mm	र.मी	३४३.९८	३७८.००	३७८.००
	110 mm	र.मी	४९८.३३	५४८.००	५४८.००
	125 mm	र.मी	६६३.७१	७३०.००	७३०.००
	140 mm	र.मी	८२६.८८	९०९.००	९०९.००
	160 mm	र.मी	१०५८.४०	११६४.००	११६४.००
	180 mm	र.मी	१३५०.५६	१४८५.००	१४८५.००
	200 mm	र.मी	१६५३.७५	१८१९.००	१८१९.००
४	UPVC Pipe NS 206/046 - 10 kg /cm^2 Pressure				
	20 mm	र.मी	२७.५६	३०.००	३०.००
	25 mm	र.मी	४३.००	४७.००	४७.००
	32mm	र.मी	७०.५६	७७.००	७७.००
	40mm	र.मी	१०५.८४	११६.००	११६.००
	50mm	र.मी	१६६.४८	१८३.००	१८३.००
	63mm	र.मी	२६५.७०	२९२.००	२९२.००
	75mm	र.मी	३७८.१६	४१५.००	४१५.००
	90 mm	र.मी	५३९.१२	५९३.००	५९३.००
	110 mm	र.मी	८००.४२	८८०.००	८८०.००
	125 mm	र.मी	१०२४.२२	११२६.००	११२६.००
	140 mm	र.मी	१२९३.२३	१४२२.००	१४२२.००
	160 mm	र.मी	१६६३.६७	१८३०.००	१८३०.००
	180 mm	र.मी	२१२०.११	२३३२.००	२३३२.००
	200 mm	र.मी	२६२१.७५	२८८३.००	२८८३.००

Khemaj

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण		एकाई	मु.अ.क बाहेकको दररेट		
				आ.व.०७८।७९	आ.व.०७९।८०	आ.व.०८०।८१
	UPVC PIPE AS PER IS 13592					
		50mm	र.मी		८८.००	८८.००
		75mm	र.मी		१४१.००	१४१.००
		110mm	र.मी		२७८.००	२७८.००
		160mm	र.मी		५८६.००	५८६.००
		200mm	र.मी		९०५.००	९०५.००
	DURADRAIN					
		110mm SN 8	र.मी		४२४.००	४२४.००
		75mm SN 8	र.मी		२१०.००	२१०.००
B	UPVC fittings					
१	Coupler					
		50 mm	गोटा	३४.१८	३६.००	३६.००
		75 mm	गोटा	८२.६९	८८.००	८८.००
		110 mm	गोटा	१४१.१२	१५०.००	१५०.००
२	Bend 87.5 degree					
		50 mm	गोटा	५०.७२	५४.००	५४.००
		75 mm	गोटा	११९.०७	१२६.००	१२६.००
		110 mm	गोटा	२२०.५०	२३५.००	२३५.००
३	Bend 45 degree					
		50 mm	गोटा	४९.६१	५२.००	५२.००
		75 mm	गोटा	९७.०२	१०३.००	१०३.००
		110 mm	गोटा	१७४.२०	१८५.००	१८५.००
४	Single Tee					
		50 mm	गोटा	७४.९७	७९.००	७९.००
		75 mm	गोटा	१६२.०७	१७२.००	१७२.००
		110 mm	गोटा	३०७.६०	३२७.००	३२७.००
५	Pipe clip					
		50 mm	गोटा	१५.४४	१६.००	१६.००
		75 mm	गोटा	३०.८७	३२.००	३२.००
		110 mm	गोटा	४०.७९	४३.००	४३.००
६	Bend 87.5 degree with door					
		75 mm	गोटा	१५३.२५	१६३.००	१६३.००
		110 mm	गोटा	२६६.८१	२८४.००	२८४.००
७	Single Tee with door					
		75 mm	गोटा	२१८.३०	२३२.००	२३२.००
		110 mm	गोटा	४०६.८२	४३३.००	४३३.००
८	Double Tee					
		75 mm	गोटा	३५५.०१	३७८.००	३७८.००
		110 mm	गोटा	५६२.२८	५९९.००	५९९.००
९	Double Tee with door					
		75 mm	गोटा	४७०.७७	५०१.००	५०१.००
		110 mm	गोटा	७२९.८६	७७८.००	७७८.००
१०	Vent cowl					
		75 mm	गोटा	५८.४३	६२.००	६२.००
		110 mm	गोटा	९५.९२	१०२.००	१०२.००
११	Socket plug					

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

सि.नं.	निर्माण सामाग्रीहरुको विवरण	एकाई	मु.अ.क बाहेकको दररेट		
			आ.ब.०७८।७९	आ.ब.०७९।८०	आ.ब.०८०।८१
	75 mm	गोटा	७२.७७	७७.००	७७.००
	110 mm	गोटा	११९.०७	१२६.००	१२६.००
१२	Single "Y"				
	75 mm	गोटा	१८५.२२	१९७.००	१९७.००
	110 mm	गोटा	४००.२१	४२६.००	४२६.००
१३	Single "Y" with door				
	75 mm	गोटा	२५३.५८	२७०.००	२७०.००
	110 mm	गोटा	४८२.९०	५१४.००	५१४.००
१४	Double "Y"				
	75 mm	गोटा	२७८.९३	२९७.००	२९७.००
	110 mm	गोटा	५५०.१५	५८६.००	५८६.००
१५	Double "Y" with door				
	75 mm	गोटा	३५८.३१	३८२.००	३८२.००
	110 mm	गोटा	५७६.६१	६१४.००	६१४.००
१६	Cleaning pipe				
	75 mm	गोटा	१६२.०७	१७२.००	१७२.००
	110 mm	गोटा	३१३.११	३३३.००	३३३.००
१७	Reducer				
	110x 75 mm	गोटा	१४४.४३	१५३.००	१५३.००
	75X50 mm	गोटा	७६.०७	८१.००	८१.००
१८	P -Trap				
	125mmx110mm	गोटा	५९४.२५	६३३.००	६३३.००
	110mmx110mm	गोटा	५५६.७६	५९३.००	५९३.००
	75mmx75mm	गोटा	२१२.७८	२२६.००	२२६.००
१९	Multi-Floor -Trap				
	110mmx75mm	गोटा	३०८.७०	३२९.००	३२९.००
२०	Nahani-Trap				
	110mmx75mm	गोटा	२८१.१४	२९९.००	२९९.००
२२	W.C. Connector (bent type)	गोटा	२८७.७५	३०६.००	३०६.००
२३	Square tile with jali	गोटा	९२.६१	९८.००	९८.००
२४	Round jali	गोटा	४१.९०	४४.००	४४.००
२५	End cap 50mm	गोटा	२७.५६	२९.००	२९.००

गोकर्णेश्वर नगरपालिका
नगर कार्यपालिकाको कार्यालय

दिपक कुमार रिसाल
नगरप्रमुख
गोकर्णेश्वर नगरपालिका

Khemraj